

PAVEMENT MANAGEMENT HISTORICAL PAVEMENT INDEX REPORT

Data from 1993 – 2002
Compiled January, 2003

District Three

Prepared by:
Idaho Transportation Department
Division of Planning



DEFINITIONS OF TERMS USED IN THE ANNUAL INDEXLIST REPORT

D: The Idaho Transportation Department maintenance district number. It can be 1 - 6.

Route: The Route Number of the Highway (097 means State Highway 97, 084 means Interstate 84).

MACS Code (Segment Code): six-digit number that identifies the section of highway according to the code in the Milepost and Coded Segment (MACS) System.

Beginning Milepost: The milepost at the beginning of the test section of highway.

Ending Milepost: The milepost at the ending of the test section of highway.

DIR: Refers to direction of testing on a divided highway. Ascending means in the direction of ascending mileposts. Descending means the opposite direction.

YEAR: Shows the year to which the indices correspond.

RI (Roughness Index): Formerly called PSI, this index is a 0 - 5 rating of the pavement section's roughness. This number is now obtained via profile measuring equipment.

CI (Crack Index): The CI is a rating similar to the RI, 5.0 corresponding to a section with little or no cracking and 0.0 representing sections with extreme cracking. Pavements are rated annually by the Pavement Management Engineer.

SN (Skid Number): A value (typically between 20 - 100) that represents a relative pavement friction index as measured by the locked-wheel skidmeter.

FINAL INDEX: This is the final pavement index for the section. It represents a weighted average of the CI and RI, based on factors such as traffic volume and traffic speed.

REMARKS: This area is to report any pavement related rehabilitation project for that pavement section and year. Also this area can be used for the user's own comments.

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
3	S.H.-16	001390	000.000	009.000	N	1993	3.20	1.20	55	2.10			
						*1994	3.20	1.20	55	2.10	0.34	PLANT MIX OVERLAY	1995
						1995	3.50	5.00	31	4.32	0.00		
						1996	4.10	5.00	42	4.59	0.07		
						1997	3.90	5.00	40	4.50	0.07		
						1998	3.80	5.00	40	4.45	0.16		
						1999	3.80	5.00	44	4.45	0.19		
						2000	3.80	5.00	44	4.45	0.20		
						2001	3.80	5.00	44	4.45	0.22		
						2002	3.50	4.30	44	3.91	0.24		
3	S.H.-16	001390	009.000	011.960	N	1993	2.80	1.50	55	2.08			
						*1994	2.80	1.40	55	2.03	0.32		
						1995	2.70	1.40	31	1.98	0.34		
						1996	2.60	1.40	38	1.94	0.27		
						1997	2.90	1.40	38	2.08	0.23		
						1998	3.10	1.40	38	2.17	0.26		
						1999	3.30	5.00	50	4.22	0.04	C.R.A.B.S.	1999
						2000	3.30	5.00	50	4.22	0.05		
						2001	3.40	5.00	50	4.27	0.05		
						2002	3.30	5.00	50	4.17	0.05		
3	S.H.-16	001390	011.960	013.927	N	1993	2.90	2.00	00	2.40			
						1994	2.80	2.00	00	2.36	0.26		
						1995	2.80	1.90	29	2.30	0.26		
						1996	3.00	1.50	36	2.18	0.18		
						1997	2.90	1.50	37	2.13	0.17		
						1998	2.70	1.50	37	2.04	0.20		
						1999	3.30	5.00	49	4.22	0.04	C.R.A.B.S.	1999
						2000	3.40	5.00	49	4.27	0.05		
						2001	3.50	5.00	49	4.31	0.04		
						2002	3.30	5.00	49	4.17	0.05		
3	S.H.-19	001540	034.195	034.572	N	1998	2.90	2.50	24	2.65	0.12		
						1999	2.70	2.50	24	2.55	0.12		
						2000	2.90	2.50	24	2.65	0.11	SEALCOAT	2000
						2001	2.80	2.50	49	2.61	0.13		
						2002	2.90	2.50	49	2.65	0.11		
3	S.H.-19	002050	000.000	003.976	N	1993	2.60	1.50	59	1.95		SEALCOAT	1993
						1994	2.70	1.50	59	1.99	0.29		
						1995	2.70	1.50	59	1.99	0.29		
						1996	3.00	1.50	41	2.12	0.15		
						1997	3.00	1.50	43	2.12	0.12		
						1998	2.90	1.50	43	2.08	0.14		
						1999	2.80	1.50	43	2.03	0.14		
						2000	2.80	1.50	43	1.99	0.14		
						2001	2.90	1.50	49	2.08	0.14		
						2002	3.20	5.00	49	4.25	0.16	PLANT MIX OVERLAY	2002

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
3	S.H.-19	002050	003.976	004.555	N	1993	2.20	2.00	62	2.07		SEALCOAT	1993
						1994	2.10	2.00	62	2.03	0.09		
						1995	2.10	2.00	62	2.03	0.09		
						1996	2.60	2.00	34	2.22	0.14		
						1997	2.60	1.90	39	2.16	0.14		
						1998	2.40	1.90	39	2.08	0.17		
						1999	2.70	1.90	39	2.20	0.17		
						2000	2.70	1.90	39	2.20	0.16		
						2001	2.70	1.90	49	2.20	0.18		
						2002	3.40	5.00	49	4.39	0.19	PLANT MIX OVERLAY	2002
3	S.H.-19	002050	004.555	004.827	N	1993	3.20	4.00	64	3.69		SEALCOAT	1993
						1994	3.20	4.00	64	3.69	0.05		
						1995	3.20	4.00	64	3.69	0.05		
						1996	4.00	4.00	64	4.00	0.06		
						1997	3.90	4.00	42	3.96	0.06		
						1998	3.70	4.00	42	3.88	0.05		
						1999	3.70	4.00	42	3.88	0.05		
						2000	3.70	4.00	42	3.88	0.05		
						2001	3.70	2.40	49	2.89	0.05		
						2002	3.80	2.20	49	2.81	0.06	PLANT MIX OVERLAY	2002
3	S.H.-19	002050	009.070	013.400	N	1993	3.20	5.00	56	4.24			
						1994	3.30	5.00	56	4.28	0.14		
						1995	3.30	5.00	56	4.28	0.14		
						1996	4.10	5.00	41	4.62	0.08		
						1997	3.90	5.00	41	4.54	0.08		
						1998	3.80	5.00	41	4.49	0.10		
						1999	3.80	5.00	41	4.49	0.14		
						2000	3.80	5.00	41	4.49	0.16		
						2001	3.90	5.00	49	4.54	0.17		
						2002	3.60	5.00	49	4.41	0.20		
3	S.H.-19	002050	013.400	014.280	N	1993	2.60	2.00	44	2.25			
						1994	2.60	1.90	44	2.19	0.15		
						1995	2.60	1.90	44	2.19	0.15		
						*1996	2.90	1.90	36	2.31	0.15		
						1997	2.80	1.90	38	2.30	0.19		
						1998	2.70	1.90	38	2.26	0.17		
						1999	2.50	1.90	38	2.17	0.22		
						2000	2.50	1.30	38	1.84	0.22		
						2001	3.90	5.00	49	4.50	0.06		
						2002	3.60	5.00	49	4.36	0.09		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS							
3	S.H.-19	002050	014.280	014.600	N	1993	2.90	2.00	44	2.40										
						*1994	3.00	5.00	44	4.09	0.10	PLANT MIX OVERLAY	1994							
						1995	3.00	5.00	43	4.09	0.10									
						1996	2.60	5.00	37	3.91	0.08									
						1997	2.50	5.00	33	3.86	0.07									
						1998	2.60	5.00	33	3.90	0.08									
						1999	2.30	5.00	33	3.77	0.08									
						2000	2.40	5.00	33	3.81	0.10									
						2001	3.10	5.00	49	4.13	0.07									
						2002	3.00	5.00	49	4.08	0.08									
						3	S.H.-19	002050	014.600	017.481	N	1993		3.00	1.50	44	2.18			
												*1994		3.00	5.00	44	4.09	0.16	NEW CONST OR RECONST (FLEX)	1994
1995	3.00	5.00	44	4.09	0.15															
1996	4.40	5.00	44	4.72	0.05															
1997	4.30	5.00	44	4.68	0.04															
1998	4.20	5.00	44	4.63	0.05															
1999	4.20	5.00	44	4.63	0.07															
2000	4.20	5.00	44	4.63	0.07															
2001	4.20	5.00	49	4.63	0.10															
2002	3.90	5.00	49	4.49	0.12															
3	S.H.-19	002050	017.481	018.795	N							1993	2.90	4.50	40	3.76				
												*1994	2.90	4.50	40	3.76	0.28			
						1995	2.90	4.50	40	3.76	0.28									
						1996	3.90	4.50	28	4.22	0.28									
						1997	3.60	4.50	31	4.08	0.20									
						1998	3.40	4.50	31	3.99	0.17									
						1999	3.50	4.50	31	4.04	0.28									
						2000	3.60	4.50	31	4.08	0.33									
						2001	3.60	4.50	49	4.08	0.31									
						2002	3.50	4.50	49	4.04	0.29									
						3	S.H.-19	002050	018.795	019.915	N	1993	2.80	4.50	40	3.77				
												1994	2.80	4.50	40	3.77	0.30			
1995	2.80	4.50	40	3.77	0.30															
1996	3.40	4.50	30	4.03	0.30															
1997	3.20	4.50	36	3.94	0.15															
1998	3.00	4.50	36	3.85	0.12															
1999	3.00	4.50	36	3.85	0.21															
2000	3.20	4.50	36	3.94	0.29															
2001	3.10	4.50	49	3.90	0.28															
2002	3.20	4.50	49	3.94	0.29															

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
3	S.H.-19	025246	034.572	034.638	N	1998	2.20	5.00	24	3.60	0.33	
						1999	2.00	5.00	24	4.12	0.44	
						2000	2.10	5.00	24	3.89	0.46	
						2001	1.80	5.00	49	3.78	0.45	
						2002	1.90	5.00	49	3.82	0.44	
3	U.S.-20	002070	000.000	001.350	N	1993	2.60	2.00	56	2.27		
						1994	2.70	1.90	56	2.26	0.19	
						1995	2.70	1.90	56	2.26	0.19	
						1996	3.40	1.90	56	2.57	0.15	
						1997	3.20	1.80	42	2.42	0.14	
						*1998	2.90	5.00	42	4.05	0.18	
						1999	3.10	5.00	43	4.14	0.13	C.R.A.B.S.
						2000	3.20	5.00	43	4.19	0.14	
						2001	3.20	4.80	43	4.08	0.14	
						2002	3.20	4.80	43	4.08	0.15	
3	U.S.-20	002070	001.350	001.578	N	1993	2.60	2.00	56	2.27		
						1994	2.70	1.90	56	2.26	0.19	
						1995	2.70	1.90	56	2.26	0.19	
						1996	3.40	1.90	56	2.57	0.15	
						1997	3.20	1.80	42	2.42	0.14	
						*1998	2.90	5.00	42	4.05	0.18	
						1999	3.20	5.00	43	4.19	0.22	
						2000	3.20	5.00	43	4.19	0.17	
						2001	3.20	5.00	43	4.19	0.20	
						2002	3.10	5.00	43	4.14	0.21	
3	U.S.-20	002070	009.640	015.968	N	1993	3.40	2.50	53	2.90		
						1994	3.30	2.50	53	2.85	0.16	
						1995	3.30	2.50	40	2.85	0.16	
						1996	3.90	2.50	44	3.13	0.08	
						1997	3.70	2.50	46	3.04	0.11	
						1998	3.60	2.50	46	2.99	0.14	
						1999	3.60	2.30	45	2.88	0.13	
						2000	3.60	2.00	45	2.66	0.14	
						2001	3.50	2.00	45	2.67	0.15	
						2002	3.20	2.00	45	2.54	0.17	
3	U.S.-20	002070	015.968	016.536	N	1993	3.40	2.50	46	2.87		
						1994	3.30	2.50	46	2.83	0.08	
						1995	3.30	2.50	33	2.83	0.08	
						1996	3.70	2.50	26	3.00	0.07	
						1997	3.70	2.50	29	3.00	0.08	
						1998	3.40	2.50	29	2.87	0.07	
						1999	3.50	2.50	31	2.91	0.07	
						2000	3.60	2.40	31	2.90	0.07	
						2001	3.60	2.40	31	2.90	0.07	
						2002	3.10	2.40	31	2.69	0.07	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS	
3	U.S.-20	002070	016.536	022.129	N	1993	3.40	5.00	58	4.33			
							3.40	5.00	58	4.33	0.06		
							3.40	5.00	39	4.33	0.06		
							4.00	4.50	33	4.29	0.03		
							3.90	4.50	42	4.24	0.03		
							3.80	4.50	42	4.18	0.06		
							3.80	4.50	41	4.20	0.07		
							3.80	4.50	41	4.18	0.08		
							3.80	4.50	41	4.18	0.08		
							3.50	4.50	41	4.05	0.11		
						3	U.S.-20	002070	024.805	024.940	N	1993	2.40
*1994	2.20	4.50	43	3.45	0.27								
	1.90	4.50	35	3.40	0.26								
	2.50	4.50	33	3.65	0.15								
	2.70	4.50	42	3.72	0.12								
	2.30	4.50	42	3.55	0.15								
	2.40	4.50	41	3.59	0.12								
	2.50	4.50	41	3.63	0.14								
	2.40	4.50	41	3.58	0.21								
	2.30	4.50	41	3.53	0.19								
3	U.S.-20	002070	024.940	025.439	N							1993	2.40
						*1994	2.20	4.50	43	3.45	0.27		
							3.50	5.00	35	4.32	0.00	PLANT MIX OVERLAY	1995
							3.00	5.00	28	4.09	0.09		
							3.00	5.00	36	4.09	0.09	SEALCOAT	1997
							2.90	5.00	36	4.04	0.12	SEALCOAT	1998
							2.60	5.00	28	3.91	0.15		
							2.70	5.00	28	4.02	0.17		
							2.80	5.00	28	4.06	0.20		
							2.70	5.00	28	4.01	0.25		
						3	U.S.-20	002070	025.439	029.252	N	1993	3.20
	3.10	2.20	42	2.63	0.21								
	3.50	5.00	39	4.27	0.00							PLANT MIX OVERLAY	1995
	4.20	5.00	31	4.61	0.10								
	4.00	5.00	35	4.51	0.10							SEALCOAT	1997
	3.90	5.00	35	4.47	0.14							SEALCOAT	1998
	3.90	4.70	36	4.31	0.17								
	3.90	4.70	36	4.31	0.19								
	3.80	4.70	36	4.26	0.21								
	3.60	4.10	36	3.85	0.24								

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
3	U.S.-20	002070	029.252	032.260	N	1993	3.10	1.50	50	2.26		
						*1994	3.10	1.50	50	2.26	0.34	
						1995	3.50	5.00	40	4.28	0.00	PLANT MIX OVERLAY
						1996	4.20	5.00	35	4.61	0.14	
						1997	4.00	5.00	37	4.51	0.18	SEALCOAT
						1998	3.90	5.00	37	4.47	0.23	SEALCOAT
						1999	3.80	5.00	39	4.42	0.29	
						2000	3.80	5.00	39	4.42	0.28	
						2001	3.80	5.00	39	4.42	0.35	
						2002	3.50	5.00	39	4.27	0.34	
3	U.S.-20	002070	032.260	040.116	N	1993	3.20	1.00	51	2.06		
						*1994	3.20	1.00	51	2.06	0.30	
						1995	3.50	5.00	32	4.27	0.00	PLANT MIX OVERLAY
						1996	4.10	5.00	30	4.56	0.04	
						1997	3.90	5.00	36	4.46	0.05	SEALCOAT
						1998	3.80	5.00	36	4.40	0.09	SEALCOAT
						1999	3.80	5.00	43	4.40	0.10	
						2000	3.90	5.00	43	4.48	0.13	
						2001	3.80	5.00	43	4.44	0.14	
						2002	3.60	4.70	43	4.18	0.16	
3	U.S.-20	002070	040.116	040.229	N	1993	3.20	1.00	51	2.06		
						*1994	3.20	1.00	51	2.06	0.30	
						1995	2.80	1.00	55	1.87	0.03	
						1996	2.30	2.00	50	2.14	0.12	
						1997	2.10	2.00	50	2.04	0.11	
						1998	2.30	2.00	50	2.14	0.17	
						1999	1.70	2.00	50	1.85	0.14	
						2000	1.60	2.00	43	1.81	0.13	
						2001	1.70	2.00	43	1.86	0.15	
						2002	1.90	2.00	43	1.95	0.11	
3	U.S.-20	002070	040.229	041.230	N	1993	3.00	3.00	38	3.00		
						1994	2.90	3.00	38	2.95	0.23	
						1995	2.90	3.00	30	2.95	0.23	
						1996	3.00	3.00	26	3.00	0.09	
						1997	3.00	3.00	33	3.00	0.08	
						1998	2.90	3.00	33	2.95	0.11	
						1999	2.90	3.00	36	2.95	0.11	
						2000	2.90	3.00	36	2.95	0.14	
						2001	2.90	3.00	36	2.95	0.15	
						2002	2.80	3.00	36	2.90	0.18	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS
3	U.S.-20	002070	041.230	042.500	N	1993	2.10	2.00	38	2.04		
						1994	1.90	2.00	38	1.95	0.29	
						1995	1.90	2.00	23	1.95	0.29	
						1996	2.40	2.00	22	2.18	0.17	
						1997	2.20	2.00	33	2.09	0.18	
						1998	2.00	2.00	33	2.00	0.20	
						1999	2.10	2.00	36	2.04	0.20	
						2000	2.30	2.00	36	2.14	0.15	
						2001	2.20	2.00	36	2.09	0.17	
						2002	2.30	2.00	36	2.14	0.19	
3	U.S.-20	002070	042.500	044.468	N	1993	2.80	4.50	39	3.68		
						1994	2.60	4.50	39	3.58	0.23	
						1995	2.60	4.50	29	3.59	0.23	
						1996	3.50	4.00	45	3.75	0.12	
						1997	3.30	4.00	36	3.66	0.09	
						1998	3.20	4.00	36	3.63	0.10	
						1999	3.20	4.00	37	3.63	0.12	
						2000	3.20	4.00	37	3.62	0.09	
						2001	3.20	2.90	37	3.04	0.13	
						2002	3.10	2.90	37	2.99	0.14	
3	U.S.-20	002070	044.468	045.798	N	1993	2.60	4.50	43	3.58		
						1994	2.30	4.50	43	3.44	0.31	
						1995	2.30	4.50	30	3.44	0.31	
						1996	3.30	4.50	30	3.92	0.23	
						1997	3.20	4.50	35	3.87	0.13	
						1998	3.00	4.50	35	3.81	0.18	
						1999	3.00	4.50	42	3.81	0.15	
						2000	3.00	3.20	42	3.10	0.23	
						2001	2.90	2.50	42	2.68	0.26	
						2002	2.90	2.20	42	2.52	0.28	
3	U.S.-20	002070	045.798	046.169	N	1993	1.30	4.50	21	2.98		
						1994	1.30	4.50	21	2.97	0.62	
						1995	1.30	4.50	21	3.00	0.62	
						1996	2.70	4.50	27	3.64	0.49	
						1997	2.70	4.50	25	3.64	0.31	
						1998	2.40	4.50	25	3.49	0.40	
						1999	2.30	4.50	35	3.46	0.42	
						2000	2.20	4.50	35	3.40	0.50	
						2001	2.10	4.50	35	3.36	0.51	
						2002	2.20	4.50	35	3.41	0.56	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	REMARKS	DEPTH
3	U.S.-20	002070	046.169	046.768	N	1993	2.80	3.50	49	3.16		
						1994	2.80	3.50	49	3.16	0.81	
						1995	2.80	3.50	21	3.16	0.81	
						1996	3.20	3.50	24	3.35	0.86	
						1997	3.20	3.50	19	3.35	0.41	
						1998	3.10	3.50	19	3.30	0.58	
						1999	3.00	3.50	19	3.26	0.71	
						2000	3.00	3.50	19	3.26	0.83	
						2001	3.80	3.50	35	3.64	0.38	
						2002	3.60	3.50	35	3.54	0.47	
3	U.S.-20	002070	046.768	047.250	N	1993	2.00	4.50	47	3.40		
						1994	2.00	4.50	47	3.36	0.17	
						1995	2.00	4.50	22	3.34	0.17	
						1996	3.20	4.50	29	3.90	0.37	
						1997	2.90	4.50	25	3.76	0.18	
						1998	2.60	4.50	25	3.64	0.26	
						1999	2.70	4.50	31	3.67	0.45	
						2000	2.70	4.50	31	3.73	0.47	
						2001	3.80	5.00	31	4.47	0.18	
						2002	3.80	5.00	31	4.48	0.26	
3	U.S.-20	002070	049.829	050.339	ASC	1993	2.50	3.50	41	3.06		
						*1994	3.00	5.00	41	4.13	0.20	
						1995	1.40	4.50	23	3.11	0.17	
						1996	2.70	4.50	24	3.69	0.21	
						1997	2.40	4.50	27	3.56	0.16	
						1998	2.00	4.50	27	3.37	0.22	
						1999	2.30	4.50	27	3.51	0.19	
						2000	2.40	4.50	27	3.55	0.20	
						2001	2.20	4.50	34	3.47	0.24	
						2002	1.90	4.50	34	3.33	0.26	
3	U.S.-20	002070	049.829	050.339	DES	1993	2.50	3.50	41	3.06		
						*1994	3.00	5.00	41	4.13	0.20	
						1995	1.40	5.00	23	3.39	0.17	
						1996	2.70	5.00	24	3.97	0.21	
						1997	2.40	5.00	27	3.83	0.16	
						1998	1.70	5.00	27	3.52	0.16	
						1999	1.40	5.00	27	3.38	0.25	
						2000	1.60	5.00	27	3.47	0.28	
						2001	1.50	4.30	34	3.04	0.38	
						2002	2.40	4.00	34	3.28	0.39	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS							
3	U.S.-20	002070	050.339	050.837	ASC	1993	2.50	3.50	41	3.06										
						*1994	3.00	5.00	41	4.13	0.20	PLANT MIX SEAL	1994							
						1995	3.00	5.00	24	4.13	0.20									
						1996	3.20	5.00	30	4.22	0.24									
						1997	3.30	5.00	40	4.26	0.25									
						1998	3.00	5.00	40	4.12	0.30									
						1999	2.90	5.00	37	4.08	0.37									
						2000	3.00	5.00	37	4.12	0.36									
						2001	3.00	5.00	37	4.12	0.45									
						2002	2.80	4.80	37	3.92	0.37									
						3	U.S.-20	002070	050.339	050.837	DES	1993		2.50	3.50	41	3.06			
												*1994		3.00	5.00	41	4.13	0.20	PLANT MIX SEAL	1994
1995	3.00	5.00	24	4.13	0.20															
1996	3.20	4.00	30	3.65	0.24															
1997	3.30	4.00	40	3.69	0.25															
1998	3.50	4.00	40	3.78	0.23															
1999	3.20	4.00	37	3.65	0.30															
2000	3.20	4.00	37	3.65	0.29															
2001	3.20	4.00	37	3.65	0.33															
2002	3.10	4.00	37	3.60	0.23															
3	U.S.-20	002070	050.837	051.960	ASC							1993	2.10	3.00	37	2.58				
												1994	3.00	5.00	37	4.06	0.49	PLANT MIX SEAL	1994	
						1995	3.00	5.00	31	4.06	0.49									
						1996	3.10	5.00	28	4.11	0.19									
						1997	2.70	5.00	30	3.93	0.17									
						1998	2.70	5.00	30	3.92	0.20									
						1999	2.70	5.00	33	3.92	0.25									
						2000	2.70	5.00	33	3.92	0.26									
						2001	2.70	5.00	33	3.92	0.32									
						2002	2.70	4.80	33	3.81	0.27									
						3	U.S.-20	002070	050.837	051.960	DES	1993	2.10	3.00	43	2.58				
												1994	3.00	5.00	37	4.06	0.49	PLANT MIX SEAL		1994
1995	3.00	5.00	31	4.06	0.49															
1996	3.10	4.50	28	3.84	0.19															
1997	2.70	4.50	30	3.66	0.17															
1998	2.40	4.50	30	3.52	0.21															
1999	2.70	4.50	33	3.66	0.26															
2000	2.40	4.20	33	3.36	0.27															
2001	2.30	4.20	33	3.31	0.32															
2002	2.40	4.10	33	3.30	0.34															

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
3	U.S.-20	002070	052.120	052.812	ASC	1993	3.00	3.50	34	3.26		
						1994	3.00	5.00	34	4.07	0.08	PLANT MIX SEAL
						1995	3.00	5.00	33	4.07	0.08	
						1996	2.70	5.00	30	3.94	0.12	
						1997	2.60	5.00	31	3.89	0.11	
						1998	2.50	5.00	31	3.84	0.14	
						1999	2.60	5.00	36	3.88	0.17	
						2000	2.50	5.00	36	3.84	0.21	
						2001	2.60	5.00	36	3.88	0.20	
						2002	1.70	5.00	36	3.46	0.21	
3	U.S.-20	002070	052.120	052.812	DES	1993	3.00	3.50	34	3.26		
						1994	3.00	5.00	34	4.07	0.08	PLANT MIX SEAL
						1995	3.00	5.00	33	4.07	0.08	
						1996	2.70	5.00	30	3.94	0.12	
						1997	2.60	5.00	31	3.89	0.11	
						1998	2.10	5.00	31	3.65	0.16	
						1999	2.10	5.00	36	3.65	0.19	
						2000	2.10	3.90	36	3.06	0.22	
						2001	2.00	3.90	36	3.01	0.23	
						2002	2.10	3.50	36	2.84	0.19	
3	U.S.-20	002070	095.308	096.050	N	2002	3.40	5.00	33	4.33	0.18	C.R.A.B.S.
3	U.S.-20	002070	095.308	096.268	N	1993	1.80	2.50	54	2.18		PLANT MIX OVERLAY
						1994	2.20	2.40	54	2.31	0.16	
						1995	2.20	2.40	54	2.31	0.16	
						1996	2.90	2.40	33	2.62	0.11	
						1997	2.60	2.40	36	2.48	0.12	
						1998	2.30	2.40	43	2.35	0.09	
						1999	2.40	2.30	33	2.34	0.14	
						2000	2.50	2.30	33	2.38	0.17	
						*2001	2.40	2.30	33	2.34	0.20	
3	U.S.-20	002070	096.050	096.268	N	2002	3.20	2.30	33	2.70	0.12	
3	U.S.-20	002070	096.268	099.376	N	1993	2.50	5.00	64	3.81		PLANT MIX OVERLAY
						1994	3.00	5.00	64	4.04	0.18	
						1995	3.00	5.00	64	4.04	0.18	
						1996	4.00	5.00	53	4.52	0.13	
						1997	3.70	5.00	48	4.38	0.10	
						1998	3.70	5.00	60	4.38	0.14	
						1999	3.80	5.00	56	4.42	0.14	
						2000	3.80	5.00	56	4.42	0.16	
						2001	3.80	2.80	56	3.27	0.17	
						2002	3.70	2.80	56	3.22	0.17	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS	
3	U.S.-20	002070	099.376	103.250	N	1993	2.60	5.00	64	3.85		PLANT MIX OVERLAY	1993
						1994	2.80	5.00	64	3.95	0.24		
						1995	2.80	5.00	64	3.95	0.24		
						1996	4.00	5.00	55	4.52	0.15		
						1997	3.60	5.00	50	4.33	0.11		
						1998	3.60	5.00	61	4.33	0.17		
						1999	3.60	5.00	59	4.33	0.17		
						2000	3.70	5.00	59	4.38	0.17		
						2001	3.70	3.30	59	3.49	0.20		
						2002	3.70	3.30	59	3.49	0.20		
3	U.S.-20	002070	103.250	105.940	N	1993	2.90	3.00	54	2.95		PLANT MIX OVERLAY	1993
						1994	3.00	2.90	54	2.94	0.39		
						1995	3.00	2.90	54	2.94	0.39		
						1996	3.40	2.90	41	3.13	0.21		
						1997	3.30	2.90	38	3.09	0.24		
						1998	3.30	2.90	47	3.09	0.25		
						1999	3.30	2.90	53	3.09	0.27		
						2000	3.20	2.90	53	3.04	0.24		
						2001	3.30	2.40	53	2.82	0.32		
						2002	3.00	2.40	53	2.68	0.30		
3	U.S.-20	002070	106.000	112.910	N	1993	2.70	3.00	55	2.85		PLANT MIX OVERLAY	1998
						1994	2.70	2.30	55	2.49	0.40		
						1995	2.70	2.30	55	2.49	0.40		
						1996	3.30	2.30	45	2.77	0.35		
						1997	3.10	2.30	43	2.68	0.33		
						1998	4.00	5.00	50	4.52	0.40		
						1999	3.80	5.00	49	4.42	0.07		
						2000	3.80	5.00	49	4.42	0.09		
						2001	3.80	5.00	49	4.42	0.11		
						2002	3.70	4.80	49	4.27	0.12		
3	U.S.-20	002070	112.980	118.019	N	1993	2.50	3.50	51	3.02			
						1994	2.60	2.70	51	2.65	0.33		
						1995	2.60	2.70	51	2.65	0.33		
						1996	3.40	2.70	39	3.03	0.25		
						1997	3.00	2.70	40	2.84	0.21		
						1998	2.90	2.70	42	2.79	0.25		
						1999	3.00	2.50	47	2.73	0.23		
						2000	3.00	2.40	47	2.68	0.26		
						2001	3.00	2.10	47	2.52	0.28		
						2002	2.80	2.10	47	2.43	0.27		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
3	U.S.-20	002070	118.019	122.680	N	1993	2.60	3.00	57	2.80		
						1994	2.60	2.70	57	2.65	0.33	
						1995	2.60	2.60	57	2.60	0.33	
						1996	3.10	2.40	43	2.73	0.19	
						1997	2.70	2.40	43	2.54	0.18	
						1998	2.60	2.40	48	2.49	0.20	
						1999	2.70	2.30	53	2.49	0.16	
						2000	2.70	2.30	53	2.49	0.19	
						2001	2.70	2.10	53	2.38	0.20	
						2002	2.60	2.00	53	2.28	0.20	
3	U.S.-20	002070	122.680	124.634	N	1993	3.00	2.50	58	2.73		
						1994	2.80	2.40	58	2.59	0.52	
						1995	2.80	2.40	58	2.59	0.52	
						1996	3.10	2.40	43	2.73	0.27	
						1997	2.90	2.40	42	2.63	0.20	
						1998	2.90	2.40	50	2.63	0.21	
						1999	2.90	2.30	53	2.58	0.21	SEALCOAT
						2000	2.90	2.30	53	2.58	0.24	
						2001	2.90	2.00	53	2.42	0.24	
						2002	2.70	2.00	53	2.33	0.23	
3	U.S.-20	002410	003.620	003.810	N	1993	3.00	5.00	58	4.05		
						1994	2.70	5.00	58	3.91	0.25	
						1995	2.70	5.00	58	3.91	0.25	
						1996	2.80	5.00	43	3.96	0.04	
						1997	2.50	5.00	25	3.79	0.04	
						1998	2.60	5.00	25	3.83	0.03	
						1999	2.50	5.00	25	3.78	0.05	
						2000	2.50	5.00	25	3.78	0.04	
						2001	2.50	5.00	53	3.79	0.06	
						2002	2.30	5.00	53	3.69	0.04	
3	U.S.-20	002411	003.620	003.740	ASC	1993	3.00	5.00	58	4.09		
						1994	2.70	5.00	58	3.95	0.25	
						1995	2.70	5.00	58	3.95	0.25	
						1996	2.80	5.00	43	4.00	0.04	
						1997	2.50	5.00	25	3.86	0.04	
						1998	2.60	5.00	25	3.91	0.03	
						1999	2.50	5.00	25	3.86	0.05	
						2000	2.50	5.00	25	3.86	0.04	
						2001	2.50	5.00	53	3.86	0.06	
						2002	2.30	5.00	53	3.77	0.04	
3	U.S.-20	002411	003.620	003.740	DES	1993	3.00	5.00	58	4.09		
						1994	2.70	5.00	58	3.95	0.25	
						1995	2.70	5.00	58	3.95	0.25	
						1996	2.80	5.00	43	4.00	0.04	
						1997	2.50	5.00	20	3.86	0.04	
						1998	2.60	5.00	20	3.91	0.03	
						1999	2.50	5.00	20	3.86	0.05	

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS
3	U.S.-20	002710	004.709	004.847	N	2000	2.50	5.00	20	3.86	0.04	
						2001	2.50	5.00	53	3.86	0.06	
						2002	2.30	5.00	53	3.77	0.04	
						1993	0.10	4.80	43	2.60		
						1994	0.10	4.80	43	2.60	0.37	
						1995	0.10	4.80	43	2.60	0.37	
						1996	2.90	4.80	43	3.91	0.11	
						1997	2.90	4.80	32	3.91	0.12	
						1998	2.20	4.80	34	3.57	0.14	
						1999	2.50	4.80	52	3.71	0.12	
2000	3.70	4.80	52	4.28	0.05							
2001	3.40	4.80	52	4.14	0.09							
2002	1.90	4.70	52	3.38	0.22							
3	U.S.-20	007351	047.250	048.505	N	1993	1.70	5.00	43	3.59		
						1994	2.10	5.00	43	3.73	0.07	
						1995	2.10	5.00	43	3.72	0.07	
						1996	2.90	5.00	43	4.07	0.11	
						*1997	2.90	5.00	32	4.07	0.12	
						1998	2.10	5.00	29	3.59	0.13	
						1999	2.60	5.00	39	3.83	0.11	
						2000	2.50	5.00	39	3.78	0.14	
						2001	2.50	5.00	39	3.78	0.15	
						2002	2.40	2.80	39	2.60	0.14	
3	U.S.-20	007351	048.505	049.681	N	1993	1.70	5.00	43	3.59		
						1994	2.10	5.00	43	3.73	0.07	
						1995	2.10	5.00	43	3.72	0.07	
						1996	2.90	5.00	43	4.07	0.11	
						*1997	2.90	5.00	32	4.07	0.12	
						1998	2.30	5.00	34	3.80	0.11	
						1999	2.70	4.40	52	3.64	0.17	
						2000	2.30	4.40	52	3.46	0.14	
						2001	2.20	4.40	52	3.41	0.16	
						2002	2.80	2.60	52	2.68	0.20	
3	U.S.-20	007352	047.280	049.594	N	1993	0.10	5.00	36	2.90		
						1994	2.30	5.00	36	3.84	0.40	
						1995	2.30	5.00	36	3.79	0.40	
						1996	2.10	4.50	36	3.42	0.40	
						1997	2.90	4.00	28	3.50	0.12	
						1998	2.70	4.00	28	3.41	0.13	
						1999	2.60	4.00	34	3.37	0.15	
						2000	2.50	4.00	34	3.32	0.13	
						2001	2.50	2.80	34	2.66	0.17	
						2002	2.40	2.80	34	2.62	0.15	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
3	S.H.-21	002140	000.000	000.410	N	1993	2.50	3.00	45	2.80		NEW CONST OR RECONST (FLEX)	1993
						1994	2.40	3.00	45	2.76	0.11		
						1995	2.40	3.00	45	2.76	0.11		
						1996	2.90	3.00	43	2.95	0.16		
						1997	2.10	3.00	37	2.63	0.19		
						1998	1.80	3.00	37	2.51	0.20		
						1999	1.80	3.00	37	2.52	0.26		
						2000	1.60	3.00	37	2.41	0.21		
						2001	1.80	3.00	53	2.49	0.17		
						2002	1.80	3.00	53	2.49	0.22	SEALCOAT	2002
3	S.H.-21	002140	008.252	008.405	N	1993	2.90	2.00	56	2.37			
						1994	2.90	2.00	56	2.37	0.37		
						1995	2.90	2.00	56	2.37	0.37		
						*1996	3.30	2.00	56	2.54	0.22		
						1997	3.40	2.00	46	2.58	0.10		
						1998	3.10	2.00	46	2.45	0.16		
						1999	2.90	2.00	46	2.37	0.16		
						2000	3.00	2.00	46	2.41	0.17		
						2001	3.10	2.00	53	2.46	0.15		
						2002	2.80	2.00	53	2.33	0.30	SEALCOAT	2002
3	S.H.-21	002140	008.405	010.265	ASC	1993	2.50	3.00	62	2.77			
						1997	2.80	3.00	44	2.91	0.12		
						1998	2.80	2.90	44	2.85	0.14		
						1999	2.60	2.90	50	2.76	0.11		
						2000	2.60	2.90	50	2.76	0.12		
						2001	2.70	2.90	47	2.81	0.16		
						2002	2.90	2.90	47	2.90	0.16	SEALCOAT	2002
3	S.H.-21	002140	008.405	010.265	DES	1993	2.90	3.00	55	2.95			
						1997	3.50	3.00	40	3.22	0.10		
						1998	3.40	3.00	40	3.17	0.16		
						1999	3.30	3.00	40	3.13	0.12		
						2000	3.40	3.00	50	3.17	0.14		
						2001	3.30	3.00	47	3.13	0.18		
						2002	3.20	3.00	47	3.08	0.14	SEALCOAT	2002
3	S.H.-21	002140	010.265	016.425	N	1993	2.60	1.90	60	2.21			
						1994	2.60	1.90	60	2.21	0.31		
						1995	2.60	1.80	60	2.15	0.31		
						1996	3.20	1.80	37	2.32	0.15		
						1997	3.10	1.80	37	2.38	0.17		
						1998	2.90	1.80	37	2.29	0.25		
						1999	3.00	5.00	37	4.10	0.18	COLD IN PLACE RECYCLE WITH OVERLAY	
						2000	3.80	5.00	37	4.46	0.06	1999	
						2001	3.90	5.00	51	4.50	0.06		
						2002	3.70	5.00	51	4.41	0.06	SEALCOAT	
												2002	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
3	S.H.-21	002140	016.425	017.160	N	1993	2.40	3.00	62	2.73									
						1994	2.40	2.70	62	2.56	0.39								
						1995	2.40	2.70	62	2.56	0.39								
						*1996	3.40	2.10	37	2.58	0.09								
						1997	3.10	2.10	38	2.54	0.11								
						*1998	2.70	2.10	38	2.36	0.18								
						1999	3.00	5.00	38	4.10	0.12	COLD IN PLACE RECYCLE WITH OVERLAY	1999						
						2000	3.90	5.00	38	4.50	0.04								
						2001	3.90	5.00	50	4.50	0.04								
						2002	3.80	5.00	50	4.46	0.06	SEALCOAT	2002						
						3	S.H.-21	002140	017.160	022.000	N	1993	2.00	1.50	61	1.72			
												*1994	3.00	5.00	61	4.10	0.48	PLANT MIX OVERLAY	1994
1995	3.00	5.00	61	4.10	0.50							PLANT MIX OVERLAY	1995						
*1996	3.30	5.00	52	4.36	0.11														
1997	3.80	5.00	51	4.46	0.04							SEALCOAT	1997						
1998	3.80	5.00	51	4.46	0.09														
*1999	3.70	5.00	52	4.41	0.07														
2000	3.60	4.80	52	4.26	0.08														
2001	3.60	4.50	52	4.09	0.10														
2002	3.50	4.50	52	4.05	0.08							SEALCOAT	2002						
3	S.H.-21	002140	022.000	028.000	N							1993	2.00	1.50	61	1.72			
												*1994	3.00	5.00	61	4.10	0.48	PLANT MIX OVERLAY	1994
						1995	3.00	5.00	61	4.10	0.50	SEALCOAT	1995						
						*1996	3.30	5.00	52	4.36	0.11								
						1997	3.20	5.00	47	4.19	0.11								
						1998	3.00	4.80	47	3.99	0.14								
						1999	3.10	4.80	48	4.03	0.13								
						2000	3.10	4.70	48	3.98	0.13								
						2001	3.10	4.70	49	3.98	0.15								
						2002	3.10	4.70	49	3.98	0.16								
						3	S.H.-21	002140	028.000	033.490	N	1993	2.00	1.50	61	1.72			
												*1994	3.00	5.00	61	4.10	0.48	PLANT MIX OVERLAY	1994
1995	3.00	5.00	61	4.10	0.30							SEALCOAT	1995						
1996	3.30	5.00	53	4.36	0.15														
1997	3.10	4.50	48	3.87	0.15														
1998	3.00	4.50	48	3.82	0.15														
1999	3.00	4.50	51	3.82	0.15														
2000	3.10	4.50	51	3.87	0.16														
2001	3.00	4.50	53	3.82	0.16														
2002	3.00	4.00	53	3.55	0.18														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
3	S.H.-21	002140	033.490	038.908	N	1993	2.40	1.40	61	1.81									
						1994	3.00	5.00	61	4.16	0.28	PLANT MIX OVERLAY	1994						
						1995	3.00	5.00	61	4.16	0.28	SEALCOAT	1995						
						1996	3.50	5.00	49	4.43	0.16								
						1997	3.30	4.50	44	4.00	0.15								
						1998	3.20	4.50	44	3.96	0.18								
						1999	3.20	4.50	47	3.96	0.17								
						2000	3.30	4.50	47	4.00	0.16								
						2001	3.20	4.10	52	3.72	0.17								
						2002	3.10	3.90	52	3.56	0.18								
						3	S.H.-21	002140	038.908	043.500	N	*1993	2.20	1.00	59	1.53			
												1994	3.00	5.00	57	4.10	0.34	PLANT MIX OVERLAY	1994
1995	3.00	5.00	57	4.10	0.34							SEALCOAT	1995						
1996	3.40	4.50	53	4.08	0.13														
1997	3.20	4.10	49	3.69	0.11														
1998	3.10	4.10	49	3.65	0.14														
1999	3.10	4.10	48	3.65	0.12														
2000	3.20	4.10	48	3.69	0.13														
2001	3.10	4.10	55	3.65	0.12														
2002	3.00	4.00	55	3.55	0.12														
3	S.H.-21	002140	043.500	052.330	N							*1993	2.20	1.00	59	1.53			
												1994	2.10	1.50	61	1.74	0.36		
						1995	2.10	5.00	61	3.80	0.36	SEALCOAT	1995						
						1996	3.20	4.50	60	4.01	0.12								
						1997	3.10	4.50	51	3.92	0.11								
						1998	2.90	4.00	51	3.54	0.12								
						1999	3.00	4.00	52	3.58	0.11								
						2000	3.00	3.60	52	3.35	0.11								
						2001	2.90	3.60	53	3.31	0.11								
						2002	2.80	3.60	53	3.27	0.10								
						3	S.H.-21	002140	052.330	056.755	N	1993	2.20	1.50	61	1.78			
												1994	2.00	2.20	61	2.11	0.47		
1995	2.00	2.20	61	2.11	0.47														
1996	3.10	2.20	46	2.53	0.17														
1997	3.00	2.20	45	2.52	0.15														
1998	2.90	2.20	45	2.48	0.17														
1999	2.80	2.20	51	2.44	0.14														
2000	2.80	2.20	51	2.44	0.12														
2001	2.70	2.20	56	2.40	0.12														
2002	2.50	2.20	56	2.32	0.12														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
3	S.H.-21	002140	056.755	058.000	N	1993	2.10	2.50	64	2.32									
						*1994	2.00	2.20	64	2.11	0.35								
						1995	2.30	2.20	64	2.24	0.49								
						1996	3.10	2.20	50	2.53	0.16								
						1997	3.10	2.20	56	2.60	0.17								
						1998	2.80	2.00	56	2.35	0.15								
						1999	2.90	2.00	57	2.40	0.17								
						2000	2.90	2.00	57	2.40	0.16								
						2001	2.80	2.00	60	2.35	0.17								
						2002	2.70	2.00	60	2.31	0.17								
						3	S.H.-21	002140	058.000	062.920	N	1993	2.10	2.50	64	2.32			
												*1994	2.00	2.20	64	2.11	0.35		
1995	3.50	5.00	64	4.33	0.00							COLD IN PLACE RECYCLE					1995		
1996	3.40	4.00	51	3.77	0.09														
1997	3.20	3.90	45	3.58	0.09														
1998	3.00	3.20	45	3.11	0.16														
1999	3.10	3.20	43	3.15	0.13														
2000	3.10	3.20	43	3.15	0.11														
2001	3.00	3.20	50	3.11	0.14														
2002	3.00	3.00	50	3.00	0.13														
3	S.H.-21	002140	062.920	069.639	N							1993	1.30	1.90	42	1.65			
												1994	1.20	1.90	42	1.61	0.41		
						1995	3.50	5.00	42	4.38	0.00	COLD IN PLACE RECYCLE					1995		
						1996	3.10	5.00	44	4.28	0.09								
						1997	2.90	5.00	43	4.13	0.09								
						1998	2.60	4.50	43	3.71	0.12								
						1999	2.80	4.50	44	3.79	0.13								
						2000	2.80	4.50	44	3.79	0.13								
						2001	2.80	3.10	60	2.97	0.14								
						2002	2.90	3.10	60	3.01	0.13								
						3	S.H.-21	002140	069.639	072.697	N	1993	1.70	2.30	47	2.05			
												1994	1.60	2.30	47	2.01	0.45		
1995	3.50	5.00	47	4.38	0.00							COLD IN PLACE RECYCLE					1995		
1996	3.20	5.00	37	4.32	0.08														
1997	3.00	4.80	39	4.05	0.09														
1998	2.70	4.80	39	3.93	0.13														
1999	2.90	4.80	41	4.01	0.14							SEALCOAT					1999		
2000	2.90	4.70	41	3.95	0.13														
2001	2.90	4.70	54	3.95	0.14														
2002	2.90	3.70	54	3.36	0.13														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS
3	S.H.-21	002140	072.697	074.110	N	1993	2.60	3.00	51	2.82			
						1994	2.60	3.00	51	2.82	0.19		
						1995	2.60	3.00	51	2.82	0.19		
						1996	3.20	3.00	29	3.07	0.09		
						1997	3.10	3.00	26	3.04	0.08		
						1998	3.00	3.00	26	3.00	0.14		
						1999	2.90	3.00	35	2.95	0.10	SEALCOAT	1999
						2000	3.00	3.00	35	3.00	0.09		
						2001	3.00	3.00	45	3.00	0.09		
						2002	2.90	3.00	45	2.95	0.09		
						3	S.H.-21	002140	074.110	078.855	N	1993	2.80
1994	2.80	3.50	52	3.18	0.33								
1995	2.80	3.50	52	3.18	0.33								
1996	3.40	3.50	32	3.46	0.09								
1997	3.30	3.50	31	3.41	0.10								
1998	3.20	3.50	31	3.36	0.10								
1999	3.20	3.50	27	3.36	0.10							SEALCOAT	1999
2000	3.30	3.50	27	3.41	0.09								
2001	3.30	3.50	48	3.41	0.11								
2002	3.10	3.50	48	3.32	0.12								
3	S.H.-21	002140	078.855	085.500	N							1993	3.50
						1994	3.40	4.00	58	3.73	0.19		
						1995	3.40	4.00	58	3.73	0.19		
						1996	3.70	4.00	38	3.88	0.06		
						1997	3.70	4.00	38	3.86	0.07		
						1998	3.60	3.90	38	3.76	0.09		
						1999	3.70	3.90	36	3.81	0.08	SEALCOAT	1999
						2000	3.70	3.90	36	3.81	0.06		
						2001	3.70	3.90	49	3.81	0.07		
						2002	3.50	3.90	49	3.72	0.07		
						3	S.H.-21	002140	085.530	091.570	N	1993	3.00
1994	2.80	3.50	53	3.18	0.23								
1995	2.80	3.30	53	3.07	0.23								
1996	3.40	3.30	40	3.33	0.09								
1997	3.20	3.30	40	3.25	0.10								
1998	3.20	3.00	40	3.08	0.11								
1999	3.10	3.00	46	3.04	0.11							SEALCOAT	1999
2000	3.20	3.00	46	3.08	0.07								
2001	3.20	3.00	49	3.08	0.08								
2002	3.10	3.00	49	3.04	0.07								

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
3	S.H.-21	002140	091.570	097.540	N	1993	2.50	3.00	59	2.77		
						1994	2.60	2.90	59	2.76	0.13	
						1995	2.60	2.90	59	2.76	0.13	
						1996	3.20	2.90	48	3.01	0.08	
						1997	3.10	2.90	45	2.98	0.09	
						1998	2.90	2.60	45	2.73	0.09	
						1999	2.90	2.60	41	2.73	0.09	SEALCOAT
						2000	3.00	2.60	41	2.77	0.08	
						2001	2.90	2.60	46	2.73	0.08	
						2002	2.90	2.60	46	2.73	0.08	
3	S.H.-21	002140	097.540	105.517	N	1993	2.70	3.50	58	3.14		
						1994	1.90	3.50	58	2.78		
						1995	2.10	3.50	58	2.87		
						1996	3.30	3.50	45	3.42	0.08	
						1997	3.20	3.50	43	3.36	0.08	
						1998	3.00	3.50	43	3.27	0.11	
						1999	3.10	3.50	55	3.32	0.10	SEALCOAT
						2000	3.20	3.50	55	3.36	0.11	
						2001	3.20	3.50	49	3.36	0.11	
						2002	3.10	3.50	49	3.32	0.11	
3	S.H.-21	002141	000.410	000.788	N	1997	3.30	4.50	34	4.00	0.13	
						1998	3.60	4.50	34	4.12	0.14	
						1999	3.30	4.50	34	3.99	0.15	
						2000	3.30	4.50	34	3.99	0.18	
						2001	3.20	4.50	53	3.93	0.15	
						2002	2.90	4.50	53	3.80	0.17	
3	S.H.-21	002141	000.788	003.440	N	1997	3.50	4.00	51	3.79	0.07	
						1998	3.30	4.00	51	3.70	0.10	
						1999	3.30	4.00	51	3.70	0.10	
						2000	3.20	4.00	51	3.66	0.11	
						2001	3.30	4.00	53	3.70	0.13	
						2002	3.40	4.00	53	3.74	0.12	
3	S.H.-21	002141	003.440	003.580	N	1997	2.80	4.00	46	3.46	0.12	
						1998	2.60	4.00	46	3.37	0.14	
						1999	2.60	4.00	46	3.37	0.14	
						2000	2.30	4.00	46	3.23	0.16	
						2001	2.60	4.00	53	3.36	0.13	
						2002	2.60	4.00	53	3.36	0.14	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
3	U.S.-30	002040	000.000	000.610	N	1993	3.10	3.30	41	3.20		
						1994	3.30	3.10	41	3.19	0.36	
						1995	3.30	3.00	41	3.14	0.36	
						1996	3.40	3.00	30	3.18	0.23	
						1997	3.40	3.00	38	3.18	0.20	
						1998	3.10	3.00	38	3.04	0.19	
						1999	3.10	2.60	30	2.83	0.15	
						2000	3.20	2.50	30	2.83	0.24	
						2001	3.20	2.40	30	2.77	0.33	
						2002	3.40	2.40	30	2.87	0.08	SEALCOAT
3	U.S.-30	002040	021.530	022.548	N	1993	2.20	1.50	58	1.81		COLD IN PLACE RECYCLE
						1994	2.20	5.00	58	3.74	0.12	
						1995	2.20	5.00	58	3.74	0.12	
						1996	2.80	5.00	26	4.01	0.28	
						1997	2.90	5.00	31	4.05	0.16	
						1998	2.60	5.00	31	3.92	0.26	
						1999	2.70	5.00	31	3.96	0.32	
						2000	2.70	5.00	31	3.96	0.31	
						2001	2.70	4.20	31	3.52	0.32	
						2002	3.20	4.20	31	3.75	0.20	SEALCOAT
3	U.S.-30	002040	022.548	025.904	N	1993	2.80	1.50	58	2.08		COLD IN PLACE RECYCLE
						1994	2.70	4.00	58	3.41	0.13	
						1995	2.70	4.00	58	3.41	0.13	
						1996	3.40	4.00	29	3.73	0.21	
						1997	3.20	4.00	32	3.64	0.14	
						1998	3.10	4.00	32	3.59	0.21	
						1999	3.10	4.00	35	3.59	0.25	
						2000	3.00	3.80	35	3.44	0.27	
						2001	3.10	3.80	35	3.48	0.30	
						2002	3.00	3.80	35	3.44	0.32	SEALCOAT
3	U.S.-30	002040	025.904	026.207	N	1993	2.60	2.00	45	2.25		
						1994	2.40	4.00	45	3.33	0.28	
						1995	2.40	4.00	45	3.33	0.28	
						1996	3.20	3.30	34	3.25	0.37	
						1997	3.00	2.40	39	2.65	0.13	
						1998	2.80	2.40	39	2.56	0.36	
						1999	2.90	2.10	35	2.43	0.37	
						2000	2.70	2.10	35	2.35	0.30	
						2001	2.80	2.10	35	2.39	0.38	
						2002	2.50	2.10	35	2.26	0.39	SEALCOAT
											2002	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
3	U.S.-30	002040	026.207	026.516	N	1993	1.80	2.50	41	2.20		
						1994	1.80	2.20	41	2.03	0.18	
						1995	1.80	2.10	41	1.97	0.18	
						1996	2.60	2.10	36	2.31	0.17	
						1997	2.50	2.10	43	2.26	0.16	
						1998	2.40	2.10	43	2.22	0.18	
						1999	2.30	2.10	41	2.18	0.21	
						2000	2.40	2.10	41	2.22	0.19	
						2001	2.30	2.00	41	2.12	0.23	
						2002	2.10	2.00	41	2.04	0.24	SEALCOAT
3	U.S.-30	002040	026.516	026.860	N	1993	2.10	2.00	38	2.04		2002
						1994	2.30	1.90	38	2.06	0.23	
						1995	2.30	1.90	38	2.06	0.23	
						1996	2.80	1.90	32	2.27	0.21	
						1997	2.70	1.90	37	2.23	0.25	
						1998	2.60	1.90	37	2.19	0.30	
						1999	2.50	1.90	37	2.14	0.28	
						2000	2.70	1.90	37	2.23	0.29	
						2001	2.70	1.90	41	2.23	0.28	
						2002	2.40	1.90	41	2.10	0.23	SEALCOAT
3	U.S.-30	002040	026.860	027.925	N	1993	2.30	1.50	56	1.85		2002
						1994	2.30	4.00	56	3.24	0.08	1993
						1995	2.30	3.70	56	3.07	0.08	
						1996	3.20	3.70	28	3.47	0.14	
						1997	3.00	3.70	32	3.38	0.11	
						1998	2.90	3.70	32	3.34	0.17	
						1999	2.90	3.70	25	3.34	0.18	
						2000	2.90	3.70	25	3.34	0.17	
						2001	2.90	3.70	25	3.34	0.20	
						2002	2.90	3.70	25	3.34	0.18	SEALCOAT
3	U.S.-30	002040	027.925	031.175	N	1993	3.00	1.50	60	2.11		2002
						1994	3.10	5.00	60	4.21	0.08	1993
						1995	3.10	5.00	60	4.21	0.08	
						1996	3.50	5.00	46	4.38	0.13	
						1997	3.40	5.00	45	4.33	0.11	
						1998	3.30	4.80	45	4.18	0.13	
						1999	3.20	4.80	46	4.13	0.14	
						2000	3.20	4.80	46	4.13	0.14	
						2001	3.30	4.40	46	3.95	0.16	
						2002	3.20	4.40	46	3.91	0.13	SEALCOAT

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS						
3	S.H.-44	002130	000.000	002.913	N	1993	2.80	1.50	52	2.08								
						1994	2.80	1.50	52	2.09	0.33	PLANT MIX OVERLAY	1995					
						1995	3.50	5.00	52	4.31	0.00							
						1996	3.80	5.00	38	4.45	0.06							
						1997	3.40	5.00	41	4.27	0.09	SEALCOAT	1997					
						1998	3.40	5.00	41	4.27	0.11							
						1999	3.40	5.00	45	4.27	0.13							
						2000	3.40	5.00	45	4.27	0.17							
						2001	3.50	5.00	45	4.32	0.19							
						2002	3.30	5.00	45	4.18	0.23							
						3	S.H.-44	002130	002.913	003.702	N	1993	2.50	2.50	46	2.50		
												1994	2.50	2.50	46	2.50	0.32	PLANT MIX OVERLAY
1995	3.50	5.00	46	4.36	0.00													
1996	4.20	5.00	35	4.66	0.09													
1997	3.60	5.00	40	4.40	0.09							SEALCOAT	1997					
1998	3.70	5.00	40	4.45	0.11													
1999	3.70	5.00	40	4.45	0.14													
2000	3.60	5.00	40	4.40	0.17													
2001	3.80	5.00	45	4.49	0.20													
2002	3.60	5.00	45	4.36	0.21													
3	S.H.-44	002130	003.702	004.068	N							1993	2.50	3.00	45	2.78		
												1994	2.70	2.80	45	2.75	0.32	PLANT MIX OVERLAY
						1995	3.50	5.00	45	4.36	0.00							
						1996	4.50	5.00	31	4.78	0.03							
						1997	3.80	5.00	43	4.49	0.08	SEALCOAT	1997					
						1998	3.90	5.00	43	4.53	0.11							
						1999	4.00	5.00	47	4.57	0.13							
						2000	3.90	5.00	47	4.53	0.10							
						2001	3.90	4.50	47	4.24	0.13							
						2002	3.60	4.50	47	4.09	0.19							
						3	S.H.-44	002130	004.068	004.837	N	1993	2.50	2.00	49	2.22		
												1994	2.40	1.90	49	2.12	0.25	PLANT MIX OVERLAY
1995	3.50	5.00	49	4.32	0.00													
1996	3.90	5.00	32	4.50	0.06													
1997	3.50	5.00	41	4.32	0.08							SEALCOAT	1997					
1998	3.30	5.00	41	4.23	0.07													
1999	3.20	5.00	41	4.18	0.10													
2000	3.20	5.00	41	4.18	0.12													
2001	3.20	5.00	47	4.18	0.12													
2002	3.20	4.50	47	3.87	0.15													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS
3	S.H.-44	002130	004.837	009.553	N	1993	3.30	1.30	54	2.19			
						1994	3.40	1.20	54	2.18	0.17	PLANT MIX OVERLAY	1995
						1995	3.50	5.00	54	4.32	0.00		
						1996	4.20	5.00	39	4.63	0.05		
						1997	3.80	5.00	43	4.45	0.08	SEALCOAT	1997
						1998	3.80	5.00	43	4.45	0.07		
						1999	3.80	5.00	43	4.45	0.08		
						2000	3.70	5.00	43	4.41	0.10		
						2001	3.80	4.60	43	4.23	0.12		
						2002	3.50	4.50	43	4.01	0.17		
3	S.H.-44	002130	009.553	010.560	N	1993	3.30	1.30	44	2.13			
						1994	3.40	1.30	44	2.17	0.08	PLANT MIX OVERLAY	1995
						1995	3.50	5.00	44	4.37	0.00		
						1996	4.30	5.00	33	4.70	0.06		
						1997	3.80	5.00	45	4.49	0.10	SEALCOAT	1997
						1998	3.90	5.00	45	4.53	0.11		
						1999	3.90	5.00	50	4.53	0.15		
						2000	3.90	4.90	50	4.48	0.19		
						2001	3.90	4.90	50	4.48	0.19		
						2002	3.70	4.80	50	4.29	0.28		
3	S.H.-44	002130	010.560	010.771	N	1993	3.20	1.30	51	2.09			
						1994	3.10	1.30	51	2.05	0.19	PLANT MIX OVERLAY	1995
						1995	3.50	5.00	51	4.36	0.00		
						1996	3.60	5.00	36	4.41	0.11		
						1997	3.40	5.00	50	4.32	0.11	SEALCOAT	1997
						1998	3.40	5.00	50	4.32	0.13		
						1999	3.20	5.00	50	4.23	0.13		
						2000	3.20	5.00	50	4.23	0.13		
						2001	3.30	5.00	50	4.28	0.11		
						2002	3.20	5.00	50	4.17	0.13		
3	S.H.-44	002130	010.771	012.298	N	1993	3.20	3.20	49	3.20			
						1994	3.20	3.10	49	3.14	0.21	PLANT MIX OVERLAY	1995
						1995	3.50	5.00	49	4.32	0.00		
						1996	4.30	5.00	37	4.68	0.06		
						1997	3.80	5.00	44	4.45	0.10	SEALCOAT	1997
						1998	3.80	5.00	44	4.45	0.09		
						1999	4.00	5.00	47	4.54	0.12		
						2000	4.00	5.00	47	4.54	0.15		
						2001	3.90	5.00	47	4.49	0.16		
						2002	3.70	5.00	47	4.36	0.21		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
3	S.H.-44	002130	012.298	016.094	N	1993	3.30	2.30	52	2.75									
						1994	3.30	2.30	52	2.75	0.25								
						1995	3.50	5.00	52	4.31	0.00	PLANT MIX OVERLAY					1995		
						*1996	4.20	5.00	28	4.63	0.05								
						1997	3.70	5.00	42	4.40	0.10	SEALCOAT					1997		
						1998	3.70	5.00	42	4.40	0.13								
						1999	3.70	5.00	39	4.40	0.15								
						2000	3.70	5.00	39	4.40	0.18								
						2001	3.70	4.50	39	4.13	0.20								
						2002	3.50	4.30	39	3.93	0.23	MAJOR WIDENING					2002		
						3	S.H.-44	002130	019.387	019.780	N	1993	3.20	1.00	44	2.07			
												*1994	3.10	1.00	44	2.02	0.28		
1995	3.10	1.00	43	2.02	0.33														
*1996	3.30	1.00	43	2.12	0.21														
1997	2.30	1.00	42	1.63	0.08														
1998	3.50	5.00	42	4.26	0.05														
1999	3.50	5.00	47	4.25	0.06														
2000	3.40	5.00	47	4.24	0.07														
2001	3.50	5.00	47	4.29	0.08														
2002	3.40	5.00	47	4.24	0.08														
3	S.H.-44	002130	019.780	020.898	N							1993	2.90	5.00	42	4.01			
												1994	2.90	5.00	42	4.01	0.29		
						1995	2.90	5.00	42	4.01	0.29								
						1996	3.40	5.00	20	4.24	0.20								
						1997	3.20	5.00	22	4.14	0.13								
						1998	3.10	5.00	22	4.10	0.09								
						1999	3.00	5.00	32	4.04	0.19								
						2000	2.90	5.00	32	3.99	0.15								
						2001	2.90	4.00	32	3.47	0.16								
						2002	2.80	4.00	32	3.41	0.16								
						3	S.H.-44	002130	020.898	021.814	N	1993	2.90	5.00	43	4.01			
												1994	2.90	5.00	43	4.01	0.26		
1995	2.90	5.00	43	4.01	0.26														
1996	3.50	5.00	22	4.29	0.22														
1997	3.00	5.00	22	4.05	0.11														
1998	3.10	5.00	22	4.10	0.13														
1999	2.90	5.00	33	4.00	0.25														
2000	2.90	5.00	33	3.99	0.19														
2001	2.80	4.80	33	3.84	0.19														
2002	2.70	4.80	33	3.77	0.15														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS	
3	S.H.-44	002850	000.000	000.700	N	1993	2.70	2.00	43	2.33			
						1994	2.70	2.00	43	2.33	0.23		
						1995	2.70	2.00	43	2.33	0.23		
						1996	3.20	2.00	18	2.57	0.13		
						1997	3.40	5.00	36	4.23	0.07		
						1998	3.20	4.80	36	4.02	0.09		
						1999	3.30	4.80	43	4.07	0.11		
						2000	3.30	4.80	43	4.07	0.11		
						2001	3.20	4.80	43	4.02	0.13		
						2002	3.10	4.80	43	3.96	0.15		
						3	S.H.-44	002850	000.700	001.310	N	1993	2.10
1994	2.30	5.00	39	3.71	0.18							PLANT MIX SEAL	1994
1995	2.30	5.00	39	3.70	0.18								
1996	3.00	4.00	18	3.54	0.10								
1997	2.80	4.00	26	3.45	0.11								
1998	2.50	2.70	26	2.60	0.13								
1999	2.60	2.70	26	2.65	0.16								
2000	2.50	2.70	26	2.60	0.17								
2001	2.50	2.70	43	2.60	0.20								
2002	2.10	2.70	43	2.42	0.15								
3	S.H.-44	015914	016.094	017.633	N							1997	
						1998	3.50	4.50	42	4.04	0.14		
						1999	3.60	4.50	39	4.08	0.15		
						2000	3.60	4.50	39	4.08	0.17		
						2001	3.70	4.50	39	4.12	0.20		
						2002	3.40	4.50	39	3.98	0.18		
3	S.H.-44	015914	017.633	019.318	N	1997	3.90	4.50	42	4.20	0.08		
						1998	3.90	4.50	42	4.22	0.13		
						1999	3.90	4.50	35	4.20	0.14		
						2000	3.80	4.50	35	4.17	0.17		
						2001	3.90	4.50	35	4.21	0.21		
						2002	3.50	4.50	35	4.03	0.27		
3	S.H.-45	002160	009.740	010.383	N	1993	2.10	3.00	50	2.62			
						1994	2.20	3.00	50	2.66	0.32		
						1995	2.20	2.50	50	2.37	0.32		
						1996	2.50	2.20	48	2.32	0.16		
						1997	2.20	2.00	37	2.08	0.17		
						*1998	1.90	5.00	37	3.61	0.28		
						1999	3.40	5.00	49	4.33	0.12	C.R.A.B.S.	1999
						2000	3.10	5.00	49	4.15	0.18		
						2001	3.20	5.00	49	4.19	0.16		
						2002	3.20	5.00	49	4.19	0.16		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
3	S.H.-45	002160	010.383	012.025	N	1993	1.80	1.50	44	1.62									
						1994	2.80	5.00	44	4.08	0.22	PLANT MIX OVERLAY	1994						
						*1995	2.80	5.00	44	4.08	0.22								
						1996	3.20	5.00	45	4.25	0.06								
						1997	3.00	5.00	36	4.17	0.06								
						*1998	3.00	4.70	36	3.94	0.13								
						1999	3.40	4.00	44	3.75	0.07								
						2000	3.40	4.00	44	3.73	0.09	SEALCOAT	2000						
						2001	3.40	4.00	44	3.73	0.08								
						2002	3.40	4.00	44	3.73	0.10								
						3	S.H.-45	002160	012.025	013.180	N	1993	1.80	1.50	44	1.62			
												1994	2.80	5.00	44	4.08	0.22	PLANT MIX OVERLAY	1994
*1995	2.80	5.00	44	4.08	0.22														
1996	3.70	5.00	43	4.46	0.06														
1997	3.50	4.30	29	3.96	0.05														
1998	3.20	4.10	29	3.69	0.08														
1999	3.00	4.10	35	3.64	0.06														
2000	3.10	4.10	35	3.65	0.10							SEALCOAT	2000						
2001	3.20	4.10	35	3.69	0.08														
2002	3.30	4.10	35	3.74	0.10														
3	S.H.-45	002160	013.180	014.172	N							1993	1.80	1.50	44	1.62			
												1994	2.80	5.00	44	4.08	0.22	PLANT MIX OVERLAY	1994
						*1995	2.80	5.00	44	4.08	0.22								
						*1996	3.70	5.00	42	4.46	0.07								
						1997	3.50	5.00	32	4.37	0.07								
						1998	3.30	5.00	32	4.24	0.09								
						1999	3.30	5.00	48	4.29	0.10								
						2000	3.30	5.00	48	4.24	0.11	SEALCOAT	2000						
						2001	3.40	5.00	48	4.28	0.11								
						2002	3.40	5.00	48	4.28	0.10								
						3	S.H.-45	002160	014.172	022.209	N	1993	2.90	2.50	50	2.66			
												1994	2.90	2.40	50	2.60	0.20	PLANT MIX OVERLAY	1994
1995	2.90	2.40	50	2.60	0.20														
*1996	3.00	2.20	46	2.53	0.23														
1997	3.20	5.00	35	4.24	0.18							C.R.A.B.S.	1997						
1998	3.90	5.00	35	4.50	0.07														
1999	3.90	5.00	45	4.54	0.08														
2000	3.80	5.00	45	4.45	0.09							SEALCOAT	2000						
2001	3.90	5.00	45	4.50	0.10														
2002	3.60	4.80	45	4.25	0.12														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
3	S.H.-45	002160	022.209	023.714	N	1993	2.90	3.00	49	2.95		
						1994	2.90	3.00	49	2.95	0.07	
						1995	2.90	3.00	49	2.95	0.07	
						*1996	3.40	2.50	46	2.87	0.11	
						1997	3.10	3.50	32	3.33	0.14	
						1998	3.00	3.10	32	3.05	0.20	
						1999	2.90	3.10	43	3.01	0.22	
						2000	2.90	2.00	43	2.40	0.24	
						2001	2.80	1.90	43	2.30	0.24	
						2002	3.60	5.00	43	4.36	0.14	C.R.A.B.S.
3	S.H.-45	002160	023.714	025.258	N	1993	3.20	3.50	47	3.37		2002
						1994	3.30	3.50	47	3.41	0.10	
						1995	3.30	3.50	47	3.41	0.10	
						1996	3.40	3.00	43	3.17	0.13	
						1997	3.00	2.00	32	2.42	0.15	
						1998	3.00	2.00	32	2.42	0.19	
						1999	2.90	2.00	40	2.38	0.19	
						2000	2.70	2.00	40	2.30	0.21	
						2001	2.70	2.00	40	2.30	0.23	
						2002	3.80	5.00	40	4.47	0.14	C.R.A.B.S.
3	S.H.-45	002160	025.258	026.109	N	1993	1.80	4.00	40	3.02		2002
						1994	1.60	4.00	40	2.93	0.09	
						1995	1.60	4.00	40	2.93	0.09	
						1996	2.70	3.40	34	3.08	0.20	
						1997	2.50	2.50	29	2.50	0.22	
						1998	2.40	2.50	29	2.45	0.21	
						1999	2.40	2.00	28	2.18	0.25	
						2000	2.00	2.00	28	2.00	0.22	
						2001	2.50	1.80	28	2.11	0.21	
						2002	3.50	5.00	28	4.31	0.15	C.R.A.B.S.
3	S.H.-45	002160	026.109	026.780	N	1993	2.00	4.50	34	3.39		2002
						1994	1.70	4.50	34	3.25	0.36	
						1995	1.70	4.50	34	3.25	0.36	
						1996	2.30	4.20	38	3.35	0.39	
						1997	2.50	1.80	29	2.11	0.35	
						1998	2.00	1.80	29	1.88	0.33	
						1999	1.90	1.80	33	1.84	0.39	
						2000	1.90	1.80	33	1.84	0.38	
						2001	1.80	1.80	33	1.80	0.36	
						2002	3.20	5.00	33	4.18	0.09	C.R.A.B.S.

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
3	S.H.-45	002160	026.780	027.289	N	1993	2.10	4.50	34	3.43		
						1994	2.10	4.50	34	3.43	0.43	
						1995	2.10	4.50	34	3.43	0.43	
						1996	2.60	4.50	37	3.65	0.46	
						1997	2.60	4.50	28	3.64	0.41	
						1998	2.30	4.50	28	3.51	0.31	
						1999	2.30	4.50	41	3.50	0.45	
						2000	2.40	4.50	41	3.55	0.36	
						2001	2.50	4.50	41	3.59	0.32	
						2002	3.00	4.50	41	3.81	0.18	
3	S.H.-45	002160	027.289	027.725	N	1993	1.60	4.50	35	3.24		
						1994	1.60	4.50	35	3.24	0.39	
						1995	1.60	4.50	35	3.26	0.39	
						1996	2.70	4.50	35	3.71	0.54	
						1997	2.70	4.50	33	3.71	0.52	
						1998	2.70	4.50	33	3.71	0.30	
						1999	2.80	4.50	42	3.77	0.42	
						2000	2.60	4.50	42	3.67	0.36	
						2001	2.70	4.50	42	3.71	0.44	
						2002	2.60	4.50	42	3.67	0.37	
3	S.H.-45	002161	027.580	027.650	N	1993	0.10	3.50	43	2.03		
						1994	1.30	2.00	43	1.69	0.30	
						1995	1.30	2.00	43	1.69	0.30	
						1996	1.30	1.90	39	1.64	0.30	
						1997	2.70	1.90	39	2.24	0.52	
						1998	2.70	1.90	39	2.24	0.30	
						1999	2.80	4.50	39	3.76	0.42	
						2000	2.60	4.50	42	3.67	0.36	
						2001	2.70	4.50	42	3.71	0.44	
						2002	2.60	4.50	42	3.67	0.37	
3	S.H.-51	002170	000.000	005.651	N	1993	3.00	4.80	63	3.99		
						1994	3.00	4.80	63	3.99	0.00	
						1995	3.00	4.80	63	3.99	0.00	
						1996	3.90	4.80	48	4.39	0.07	
						1997	3.90	4.80	53	4.39	0.09	SEALCOAT
						1998	3.70	4.80	61	4.31	0.06	
						1999	3.70	4.80	62	4.31	0.06	
						2000	3.80	4.80	62	4.35	0.06	
						2001	3.70	4.80	62	4.31	0.07	
						2002	3.50	4.80	62	4.22	0.05	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

1997

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
3	S.H.-51	002170	005.651	011.413	N	1993	2.90	4.50	64	3.78									
						*1994	3.00	4.50	64	3.83	0.03								
						1995	3.00	4.50	64	3.83	0.03								
						1996	3.90	4.50	49	4.23	0.07								
						1997	3.70	4.50	53	4.14	0.09	SEALCOAT					1997		
						1998	3.50	4.50	61	4.05	0.07								
						1999	3.50	4.50	65	4.05	0.07								
						2000	3.60	4.50	65	4.09	0.07								
						2001	3.60	3.90	65	3.76	0.08								
						2002	3.40	3.90	65	3.67	0.07								
						3	S.H.-51	002170	011.413	016.225	N	1993	2.90	4.50	64	3.78			
												*1994	3.00	4.50	64	3.83	0.03	COLD IN PLACE RECYCLE	
1995	3.00	4.00	63	3.55	0.07														
1996	3.70	4.00	51	3.86	0.09														
1997	3.70	3.60	54	3.64	0.10														
1998	3.60	3.50	58	3.54	0.08														
1999	3.60	2.60	61	3.04	0.09														
2000	3.60	2.50	61	2.98	0.11														
2001	3.50	2.50	61	2.94	0.12														
2002	3.10	2.50	61	2.76	0.08														
3	S.H.-51	002170	016.225	021.431	N							1993	2.70	2.00	65	2.31			
												1994	3.00	5.00	65	4.10	0.06	COLD IN PLACE RECYCLE	
						1995	3.00	4.00	65	3.55	0.06								
						1996	3.60	4.00	52	3.82	0.08								
						1997	3.60	3.50	55	3.54	0.09								
						1998	3.50	3.50	59	3.50	0.07								
						1999	3.50	2.40	63	2.88	0.08								
						2000	3.60	2.40	63	2.93	0.10								
						2001	3.50	2.40	63	2.88	0.12								
						2002	3.00	2.30	63	2.61	0.10								
						3	S.H.-51	002170	021.431	028.900	N	1993	2.90	2.00	68	2.40			
												*1994	3.00	5.00	68	4.10	0.09	COLD IN PLACE RECYCLE	
1995	3.00	5.00	68	4.11	0.09														
1996	3.60	4.80	54	4.26	0.09														
1997	3.60	3.90	56	3.76	0.10														
1998	3.50	2.50	60	2.94	0.08														
1999	3.50	2.40	61	2.88	0.08														
2000	3.50	2.30	61	2.83	0.11														
2001	3.40	2.30	61	2.78	0.11														
2002	2.80	2.30	61	2.52	0.12														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS						
3	S.H.-51	002170	028.900	033.710	N	1993	2.90	2.00	68	2.40								
						*1994	3.00	5.00	68	4.10	0.09							
						1995	2.60	4.00	61	3.37	0.34							
						1996	3.30	3.50	46	3.41	0.35							
						1997	3.20	3.50	47	3.36	0.41	SEALCOAT	1997					
						1998	3.00	3.50	63	3.27	0.33							
						1999	3.00	3.50	65	3.27	0.38							
						2000	3.00	3.50	65	3.27	0.35							
						2001	3.00	2.50	65	2.72	0.41							
						2002	3.00	2.50	65	2.72	0.34							
						3	S.H.-51	002170	033.710	038.900	N	1993	2.50	4.00	64	3.33		
												1994	2.60	4.00	64	3.37	0.17	
1995	2.60	4.00	64	3.37	0.17													
1996	3.00	4.00	51	3.55	0.25													
1997	2.80	4.00	53	3.46	0.29							SEALCOAT	1997					
1998	2.80	4.00	62	3.46	0.23													
1999	2.80	4.00	64	3.46	0.26													
2000	2.90	4.00	64	3.51	0.25													
2001	2.80	4.00	64	3.46	0.30													
2002	2.60	4.00	64	3.37	0.23													
3	S.H.-51	002170	038.900	042.424	N							1993	1.60	1.00	61	1.26		
												1994	1.60	1.00	61	1.26	0.06	
						1995	3.50	5.00	61	4.33	0.00	C.R.A.B.S.	1995					
						1996	3.80	5.00	51	4.46	0.06							
						1997	3.60	5.00	53	4.37	0.05	SEALCOAT	1997					
						1998	3.30	5.00	63	4.24	0.09							
						1999	3.40	5.00	66	4.28	0.08							
						2000	3.40	5.00	66	4.28	0.09							
						2001	3.40	5.00	66	4.28	0.09							
						2002	3.30	5.00	66	4.24	0.08							
						3	S.H.-51	002170	042.424	047.700	N	1993	1.60	0.90	62	1.21		
												*1994	1.60	0.90	62	1.21	0.18	
1995	3.50	5.00	62	4.33	0.00							C.R.A.B.S.	1995					
1996	3.80	5.00	55	4.46	0.07													
1997	3.70	5.00	53	4.42	0.07							SEALCOAT	1997					
1998	3.40	5.00	63	4.28	0.12													
1999	3.50	4.80	68	4.22	0.10													
2000	3.50	4.80	68	4.22	0.11													
2001	3.50	4.80	68	4.22	0.10													
2002	3.40	4.30	68	3.89	0.09													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS						
3	S.H.-51	002170	047.700	048.487	N	1993	3.10	1.00	61	1.93								
						*1994	3.10	1.00	61	1.93	0.00							
						1995	3.30	1.00	63	2.02	0.00							
						1996	3.60	1.00	58	2.15	0.09							
						1997	3.50	1.00	57	2.11	0.09	SEALCOAT	1997					
						1998	3.30	1.00	63	2.02	0.06							
						1999	3.40	1.00	69	2.06	0.06							
						2000	3.40	1.00	69	2.06	0.05							
						2001	3.40	2.00	69	2.62	0.05							
						2002	3.00	2.00	69	2.44	0.04							
						3	S.H.-51	002170	048.487	054.566	N	1993	2.80	3.00	59	2.91		
												1994	2.90	3.00	59	2.95	0.03	
1995	2.90	2.90	59	2.90	0.03													
1996	3.20	2.90	53	3.03	0.09													
1997	3.20	2.90	55	3.03	0.10							SEALCOAT	1997					
1998	3.10	2.90	62	2.98	0.06													
1999	3.10	2.90	67	2.98	0.06													
2000	3.10	2.80	67	2.93	0.06													
2001	3.10	2.40	67	2.71	0.06													
2002	3.00	2.40	67	2.66	0.06							COLD IN PLACE RECYCLE WITH OVERLAY2002						
3	S.H.-51	002170	054.566	060.000	N							1993	2.80	3.00	59	2.91		
												1994	2.90	3.00	59	2.95	0.01	
						1995	2.90	2.70	59	2.78	0.01							
						1996	3.40	2.40	52	2.84	0.10							
						1997	3.30	2.40	54	2.80	0.12							
						1998	3.20	2.40	63	2.75	0.06							
						1999	3.20	2.30	63	2.70	0.07							
						2000	3.20	2.30	63	2.70	0.06							
						2001	3.20	2.30	63	2.70	0.06							
						2002	3.40	5.00	63	4.28	0.32	COLD IN PLACE RECYCLE WITH OVERLAY2002						
						3	S.H.-51	002170	060.000	069.918	N	1993	2.20	1.50	59	1.81		
												1994	2.20	1.50	59	1.81	0.18	
1995	2.20	1.40	59	1.75	0.18													
1996	2.00	1.20	47	1.55	0.18													
1997	1.90	1.10	49	1.45	0.18													
1998	1.90	1.10	59	1.45	0.17													
*1999	1.80	1.10	40	1.41	0.19							C.R.A.B.S.	1999					
2000	3.90	5.00	37	4.50	0.12													
2001	3.90	5.00	37	4.50	0.10													
2002	3.70	5.00	37	4.42	0.09													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS				
3	S.H.-51	002170	069.918	071.456	N	1993	2.20	2.00	57	2.08							
						1994	2.10	2.00	57	2.04	0.08						
						1995	2.10	2.00	57	2.04	0.08						
						1996	2.40	2.00	29	2.17	0.14						
						1997	2.60	1.80	36	2.15	0.14						
						1998	2.20	1.80	42	1.97	0.14						
						1999	2.30	1.80	35	2.02	0.12	C.R.A.B.S.					1999
						2000	3.50	5.00	35	4.33	0.14						
						2001	3.50	5.00	35	4.33	0.13						
						2002	3.40	5.00	35	4.28	0.13						
						3	S.H.-51	002170	071.456	076.600	N	1993	2.40	1.50	58	1.90	
1994	2.40	1.50	58	1.90	0.14												
1995	2.40	1.50	58	1.90	0.14							SEALCOAT				1995	
1996	2.60	1.50	36	1.99	0.16												
1997	2.60	1.40	42	1.93	0.16												
1998	2.50	1.40	47	1.89	0.16												
*1999	2.40	1.40	35	1.84	0.17							C.R.A.B.S.				1999	
2000	3.80	5.00	35	4.46	0.10												
2001	3.90	5.00	35	4.50	0.09												
2002	3.70	5.00	35	4.42	0.08												
3	S.H.-51	002170	076.600	082.610	N							1993	2.40	1.40	58	1.84	
						1994	2.50	1.40	58	1.89	0.23						
						1995	2.50	1.40	58	1.89	0.23	SEALCOAT				1995	
						1996	2.60	1.40	42	1.93	0.16						
						1997	2.60	1.40	48	1.93	0.16						
						1998	2.60	1.40	53	1.93	0.16						
						*1999	2.60	1.40	49	1.93	0.15						
						2000	2.70	1.40	49	1.97	0.21						
						2001	2.60	1.40	49	1.93	0.17						
						2002	2.40	1.40	49	1.84	0.14						
						3	S.H.-51	002170	082.610	089.782	N	1993	2.60	2.40	58	2.48	
1994	2.60	2.40	58	2.48	0.14												
1995	2.60	2.40	58	2.48	0.14							SEALCOAT				1995	
1996	2.90	2.20	43	2.51	0.11												
1997	2.90	2.20	47	2.51	0.10												
1998	2.90	2.20	56	2.51	0.10												
1999	2.90	2.20	54	2.51	0.09												
2000	2.80	2.20	54	2.46	0.11												
2001	2.70	2.20	54	2.42	0.11												
2002	2.50	2.20	54	2.33	0.11												

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS				
3	S.H.-51	002170	089.782	090.785	N	1993	2.70	3.00	53	2.86							
						1994	2.70	3.00	53	2.86	0.16						
						1995	2.70	3.00	53	2.86	0.16	SEALCOAT					1995
						1996	3.30	3.00	37	3.13	0.12						
						1997	3.20	3.00	41	3.08	0.12						
						1998	3.10	3.00	45	3.04	0.14						
						1999	3.10	2.50	39	2.76	0.14						
						2000	3.10	2.40	39	2.71	0.18						
						2001	3.00	2.40	39	2.66	0.21						
						2002	2.80	2.40	39	2.57	0.17						
						3	S.H.-51	002170	090.785	091.975	N	1993	2.50	2.00	45	2.21	
1994	3.00	5.00	45	4.14	0.17							PLANT MIX SEAL					1994
1995	3.00	3.00	45	3.00	0.17							SEALCOAT					1995
1996	3.60	2.50	27	2.97	0.25												
1997	3.40	2.40	38	2.83	0.29												
1998	3.10	2.10	50	2.53	0.30												
1999	3.10	2.00	50	2.48	0.31												
2000	3.10	2.00	50	2.48	0.33												
2001	3.00	1.80	50	2.32	0.36												
2002	2.80	1.80	39	2.23	0.31												
3	S.H.-51	002170	093.538	094.233	N							1993	2.30	3.00	46	2.70	
						1994	1.90	2.90	46	2.47	0.14						
						1995	1.90	2.90	46	2.47	0.14						
						1996	2.10	2.50	30	2.33	0.12						
						1997	2.10	2.20	33	2.15	0.17						
						1998	1.90	2.20	38	2.07	0.18						
						1999	1.80	2.10	38	1.97	0.17						
						2000	1.80	2.00	38	1.91	0.21						
						2001	1.60	2.00	38	1.82	0.28						
						2002	1.60	2.00	39	1.82	0.19						
						3	S.H.-51	002170	094.233	094.773	N	1993	2.60	4.00	47	3.41	
1994	2.70	2.80	47	2.75	0.00												
1995	2.70	2.80	47	2.75	0.00												
1996	2.90	2.50	21	2.66	0.06												
1997	2.70	2.50	23	2.58	0.08												
1998	2.70	2.50	37	2.58	0.04												
1999	2.60	2.50	37	2.54	0.05												
2000	2.40	2.50	37	2.45	0.05												
2001	1.80	2.50	37	2.20	0.19												
2002	2.40	2.50	39	2.45	0.04												

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS	
3	S.H.-51	002170	094.773	095.173	N	1993	2.60	4.50	48	3.64			
						1994	2.90	3.80	48	3.39	0.06		
						1995	2.90	3.80	48	3.39	0.06		
						1996	3.10	3.80	18	3.48	0.03		
						1997	2.70	3.80	20	3.30	0.02		
						1998	2.60	3.80	30	3.29	0.03		
						1999	2.60	3.80	30	3.29	0.03		
						2000	2.40	3.80	30	3.21	0.04		
						2001	2.50	3.80	30	3.25	0.04		
						2002	2.30	3.80	39	3.16	0.03		
3	S.H.-51	002170	095.173	095.308	N	1993	2.50	4.00	52	3.32			
						1994	1.80	4.00	52	3.01	0.04		
						1995	1.80	4.00	52	3.01	0.04		
						1996	2.50	4.00	52	3.32	0.05		
						1997	2.30	4.00	20	3.23	0.08		
						1998	2.30	4.00	31	3.28	0.08		
						1999	2.20	4.00	31	3.24	0.06		
						2000	1.90	4.00	31	3.12	0.05		
						2001	2.80	3.40	31	3.14	0.03		
						2002	2.10	3.40	39	2.85	0.13		
3	S.H.-52	002010	000.000	000.233	N	1993	0.90	2.50	49	1.89		PLANT MIX OVERLAY	1993
						1994	0.90	4.50	49	3.12	0.05		
						1995	0.90	4.50	49	3.12	0.05		
						1996	1.90	4.50	31	3.51	0.11		
						1997	1.90	4.50	23	3.51	0.06		
						1998	1.60	4.50	23	3.39	0.11		
						1999	1.50	4.50	23	3.35	0.07		
						2000	1.80	4.50	23	3.46	0.08		
						2001	1.80	4.50	31	3.47	0.09		
						2002	1.70	4.50	39	3.43	0.06		
3	S.H.-52	002010	000.233	001.200	N	1993	3.10	1.80	53	2.29		PLANT MIX OVERLAY	1993
						1994	3.00	5.00	53	4.22	0.02		
						1995	3.00	5.00	53	4.22	0.02		
						*1996	3.50	5.00	26	4.41	0.05		
						1997	3.10	5.00	27	4.26	0.08		
						1998	3.10	4.60	27	4.01	0.07		
						1999	2.90	4.40	32	3.82	0.11		
						2000	2.90	3.30	32	3.14	0.11		
						2001	3.00	3.30	32	3.18	0.12		
						2002	2.90	3.20	32	3.08	0.14		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS									
3	S.H.-52	002010	001.200	001.664	N	1993	2.60	1.00	46	1.61		PLANT MIX OVERLAY	1993								
						1994	2.50	5.00	46	4.03	0.02										
						1995	2.50	5.00	46	4.03	0.02										
						*1996	2.70	5.00	32	4.11	0.06										
						1997	2.40	3.00	33	2.76	0.07										
						1998	2.20	3.00	33	2.68	0.08										
						1999	2.10	3.00	23	2.65	0.08										
						2000	2.00	2.90	23	2.55	0.08										
						2001	2.10	2.80	23	2.52	0.09										
						2002	2.30	2.40	23	2.36	0.09										
						3	S.H.-52	002010	001.664	002.039	N			1993	1.80	4.00	47	3.16			
														1994	1.90	4.00	47	3.20	0.10		
1995	1.90	4.00	47	3.20	0.10																
1996	3.20	4.00	37	3.69	0.10																
1997	3.00	4.00	38	3.62	0.11																
1998	2.60	3.50	38	3.15	0.11																
1999	2.80	3.40	36	3.17	0.12																
2000	2.80	3.20	36	3.04	0.11																
2001	2.60	2.70	36	2.66	0.14																
2002	2.60	2.50	36	2.53	0.14																
3	S.H.-52	002010	002.039	002.327	N							1993	2.40	4.00	52	3.39		COLD IN PLACE RECYCLE	1993		
												1994	2.20	4.00	52	3.31	0.00				
						1995	2.20	4.00	52	3.31	0.00										
						1996	3.60	4.00	35	3.84	0.13										
						1997	3.50	4.00	38	3.81	0.10										
						1998	3.10	3.10	38	3.10	0.12										
						1999	3.10	3.10	38	3.10	0.13										
						2000	3.10	3.10	38	3.10	0.12										
						2001	3.20	2.50	36	2.76	0.12										
						2002	3.20	2.50	36	2.76	0.13										
						3	S.H.-52	002010	002.327	003.940	N	1993	1.80	1.50	60	1.62					
												1994	1.80	4.00	60	3.08	0.18				
1995	1.80	4.00	60	3.08	0.18																
1996	2.80	4.00	38	3.50	0.21																
1997	2.70	4.00	36	3.46	0.16																
1998	2.40	4.00	36	3.33	0.22																
1999	2.40	3.90	38	3.27	0.22																
2000	2.40	2.60	38	2.51	0.24																
2001	2.40	2.40	38	2.40	0.26																
2002	2.30	2.40	38	2.35	0.24																

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
3	S.H.-52	002010	003.940	004.480	N	1993	1.80	2.00	59	1.91		COLD IN PLACE RECYCLE	1993
						1994	1.90	4.00	59	3.13	0.24		
						1995	1.90	4.00	59	3.13	0.24		
						1996	3.10	4.00	42	3.62	0.29		
						1997	2.50	4.00	37	3.37	0.14		
						1998	2.40	4.00	37	3.33	0.33		
						1999	2.60	4.00	37	3.41	0.32		
						2000	2.40	3.30	37	2.92	0.33		
						2001	2.20	3.30	38	2.84	0.37		
						2002	2.50	3.30	38	2.96	0.34		
3	S.H.-52	002010	004.480	005.670	N	1993	2.20	1.50	61	1.78		COLD IN PLACE RECYCLE	1993
						1994	2.30	4.00	61	3.29	0.22		
						1995	2.30	4.00	61	3.24	0.22		
						1996	3.30	4.00	38	3.68	0.25		
						1997	3.00	4.00	33	3.55	0.14		
						1998	2.80	4.00	33	3.46	0.27		
						1999	2.80	4.00	40	3.46	0.27		
						2000	2.60	3.20	40	2.93	0.29		
						2001	2.70	3.20	40	2.97	0.28		
						2002	2.80	3.20	40	3.02	0.27		
3	S.H.-52	002010	005.670	011.337	N	1993	2.00	0.50	53	1.12		COLD IN PLACE RECYCLE	1993
						1994	2.10	4.00	53	3.21	0.13		
						1995	2.10	4.00	53	3.15	0.13		
						1996	3.10	4.00	49	3.60	0.19		
						1997	3.00	4.00	45	3.56	0.14		
						1998	2.80	4.00	45	3.47	0.18		
						1999	2.80	4.00	55	3.47	0.18		
						2000	2.70	3.20	55	2.98	0.19		
						2001	2.80	3.00	55	2.91	0.21		
						2002	2.80	3.00	55	2.91	0.20		
3	S.H.-52	002010	011.337	014.419	N	1993	2.40	0.50	60	1.26		COLD IN PLACE RECYCLE	1993
						1994	2.30	4.00	60	3.29	0.14		
						1995	2.30	4.00	60	3.24	0.14		
						1996	3.40	4.00	42	3.73	0.19		
						1997	3.10	4.00	39	3.60	0.11		
						1998	3.00	4.00	39	3.56	0.20		
						1999	3.00	4.00	48	3.56	0.16	SEALCOAT	1999
						2000	2.90	4.00	48	3.51	0.14		
						2001	3.00	3.70	48	3.38	0.20		
						2002	3.10	3.70	48	3.43	0.15		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS		
3	S.H.-52	002010	014.419	018.041	N	1993	2.10	1.50	48	1.76			COLD IN PLACE RECYCLE	1993	
						1994	2.00	1.50	48	1.72	0.17				
						1995	2.00	1.50	48	1.72	0.17				
						1996	2.70	1.50	36	2.03	0.19				
						1997	3.70	5.00	37	4.42	0.08	C.R.A.B.S.			1997
						1998	3.60	4.50	37	4.10	0.15				
						1999	3.50	4.50	51	4.05	0.14	SEALCOAT			1999
						2000	3.40	4.50	51	4.01	0.14				
						2001	3.60	4.50	51	4.10	0.15				
						2002	3.40	4.50	51	4.00	0.16				
						3	S.H.-52	002010	018.041	026.000	N	1993			2.60
1994	2.60	1.00	49	1.71	0.25										
1995	2.60	1.00	49	1.71	0.25										
1996	2.70	1.00	42	1.76	0.21										
1997	4.00	5.00	38	4.55	0.04							C.R.A.B.S.	1997		
1998	3.90	4.50	38	4.23	0.09										
1999	3.80	4.50	53	4.18	0.09							SEALCOAT	1999		
2000	3.60	4.50	53	4.09	0.10										
2001	3.80	4.50	53	4.18	0.10										
2002	3.60	4.50	53	4.09	0.10										
3	S.H.-52	002010	026.000	030.422	N							1993	3.00	1.00	49
						1994	3.00	1.00	49	1.90	0.12				
						1995	3.00	1.00	49	1.90	0.12				
						1996	2.90	1.00	39	1.85	0.19				
						1997	2.80	1.00	38	1.81	0.24				
						1998	2.70	1.00	38	1.76	0.23				
						1999	3.70	5.00	49	4.41	0.04	C.R.A.B.S.	1999		
						2000	3.50	5.00	49	4.31	0.04				
						2001	3.60	5.00	49	4.36	0.04				
						2002	3.50	5.00	49	4.32	0.04				
						3	S.H.-52	002010	030.422	030.653	N	1993	1.80	4.00	43
1994	2.50	2.50	43	2.50	0.20										
1995	3.50	5.00	43	4.35	0.00							PLANT MIX SEAL	1995		
1996	3.00	5.00	34	4.14	0.12										
1997	2.80	3.40	32	3.14	0.13										
1998	3.00	2.50	32	2.71	0.15										
1999	3.10	2.50	36	2.75	0.16										
2000	2.80	3.00	36	2.91	0.16										
2001	3.10	2.70	36	2.87	0.15										
2002	2.80	2.70	36	2.74	0.17							C.R.A.B.S.	2002		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS
3	S.H.-52	002010	030.653	031.283	N	1993	2.60	2.00	45	2.25			
						1994	2.50	1.90	45	2.15	0.08	PLANT MIX SEAL	1995
						1995	3.50	5.00	45	4.35	0.00		
						1996	3.70	5.00	34	4.44	0.05		
						1997	3.50	4.00	39	3.78	0.07		
						1998	3.30	2.20	39	2.67	0.07		
						1999	3.20	2.20	38	2.62	0.11		
						2000	2.90	2.20	38	2.50	0.13		
						*2001	3.00	2.20	38	2.54	0.15		
						3	S.H.-52	002010	030.653	031.844	N	2002	3.20
3	S.H.-52	002010	031.283	031.844	N	1993	1.10	2.00	33	1.61			
						1994	1.20	2.00	33	1.65	0.09	PLANT MIX SEAL	1995
						*1995	3.50	5.00	33	4.35	0.00		
						*1996	2.90	5.00	30	4.10	0.12		
						1997	2.70	4.80	30	3.91	0.14		
						1998	2.60	3.30	30	3.00	0.14		
						1999	2.50	3.30	26	2.95	0.17		
						2000	2.30	3.00	26	2.70	0.14		
						*2001	2.50	2.50	26	2.50	0.16		
						3	S.H.-52	002010	031.844	033.662	N	1993	2.40
3	S.H.-52	002010	033.662	035.090	N	1994	2.40	2.90	45	2.67	0.25	PLANT MIX SEAL	1995
						1995	3.20	2.90	45	3.03	0.09		
						1996	2.70	2.90	30	2.81	0.24		
						1997	2.60	5.00	55	3.92	0.22	COLD IN PLACE RECYCLE	1997
						1998	2.70	4.80	55	3.85	0.20		
						1999	2.70	4.80	22	3.85	0.17		
						2000	2.60	4.80	22	3.81	0.19		
						2001	2.60	4.00	22	3.37	0.22		
						2002	3.30	4.00	22	3.68	0.22	SEALCOAT	2002
						3	S.H.-52	002010	033.662	035.090	N	1993	2.40
3	S.H.-52	002010	035.090	035.090	N	1994	2.30	2.80	52	2.57	0.13		
						1995	2.30	2.80	52	2.57	0.13		
						1996	3.10	2.70	34	2.87	0.17		
						1997	3.00	5.00	42	4.11	0.13	COLD IN PLACE RECYCLE	1997
						1998	3.20	4.50	42	3.92	0.26		
						1999	3.10	4.50	35	3.88	0.24		
						2000	3.10	4.50	35	3.88	0.25		
						2001	3.10	4.50	35	3.88	0.25		
						2002	3.30	4.50	35	3.97	0.26	SEALCOAT	2002

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
3	S.H.-52	002010	035.090	039.000	N	1993	2.10	2.80	52	2.49			
						1994	2.00	2.80	52	2.44	0.15		
						1995	2.00	2.80	52	2.44	0.15		
						1996	3.20	2.80	36	2.97	0.16		
						1997	3.00	5.00	39	4.11	0.11	COLD IN PLACE RECYCLE	1997
						1998	3.10	4.50	39	3.88	0.22		
						1999	3.10	4.50	36	3.88	0.21		
						2000	3.00	4.50	36	3.83	0.22		
						2001	3.10	4.50	36	3.88	0.22		
						2002	3.20	4.50	36	3.92	0.23	SEALCOAT	2002
3	S.H.-52	002010	039.000	043.802	N	1993	2.30	2.70	54	2.52			
						1994	2.30	2.10	54	2.18	0.26		
						1995	2.30	2.10	54	2.18	0.26		
						1996	3.10	2.00	38	2.48	0.16		
						1997	3.00	5.00	43	4.11	0.13	COLD IN PLACE RECYCLE	1997
						1998	3.30	4.50	43	3.97	0.17		
						1999	3.30	4.50	51	3.97	0.17		
						2000	3.20	4.30	51	3.81	0.18		
						2001	3.30	4.10	51	3.74	0.19		
						2002	3.40	4.10	51	3.79	0.16	SEALCOAT	2002
3	S.H.-52	002010	043.802	045.014	N	1993	2.80	2.80	53	2.80			
						1994	2.50	2.60	53	2.55	0.11		
						1995	2.50	2.60	53	2.55	0.11		
						1996	3.30	2.60	45	2.90	0.20		
						1997	3.20	5.00	45	4.20	0.16	COLD IN PLACE RECYCLE	1997
						1998	3.30	4.60	45	4.02	0.18		
						1999	3.30	4.60	50	4.01	0.15		
						2000	3.20	4.20	50	3.75	0.16		
						2001	3.30	4.20	50	3.79	0.20		
						2002	3.20	4.20	50	3.76	0.18	SEALCOAT	2002
3	S.H.-52	002010	045.014	049.534	N	1993	2.80	2.00	54	2.35			
						1994	2.70	2.00	54	2.30	0.15		
						1995	2.70	2.00	54	2.30	0.15		
						1996	3.00	1.90	44	2.38	0.17		
						1997	3.00	5.00	43	4.11	0.15	COLD IN PLACE RECYCLE	1997
						1998	3.40	4.00	43	3.73	0.21		
						1999	3.30	4.00	47	3.68	0.20		
						2000	3.20	3.90	47	3.58	0.20		
						2001	3.30	3.90	47	3.63	0.22		
						2002	3.30	3.90	47	3.63	0.18	SEALCOAT	2002

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
3	S.H.-52	002010	049.534	054.040	N	1993	2.50	2.00	55	2.20		
						1994	2.40	1.90	55	2.10	0.29	
						1995	2.40	1.70	55	1.98	0.29	
						*1996	2.90	1.70	39	2.18	0.24	
						1997	3.10	5.00	43	4.23	0.21	COLD IN PLACE RECYCLE
						1998	3.40	4.50	43	4.05	0.21	
						1999	3.40	4.50	52	4.04	0.21	
						2000	3.20	4.40	52	3.90	0.19	
						2001	3.40	4.40	52	3.98	0.19	
						2002	3.30	4.40	52	3.95	0.15	SEALCOAT
3	S.H.-52	002010	054.040	054.126	N	1993	2.50	2.00	55	2.20		
						1994	2.40	1.90	55	2.10	0.29	
						1995	2.40	1.70	55	1.98	0.29	
						*1996	2.90	1.70	39	2.18	0.24	
						1997	3.20	1.70	43	2.30	0.15	
						1998	2.90	1.70	43	2.18	0.18	
						1999	2.90	1.70	52	2.19	0.19	
						2000	2.90	1.70	52	2.19	0.16	
						2001	2.90	1.70	52	2.19	0.16	
						2002	1.90	1.70	52	1.78	0.16	SEALCOAT
3	S.H.-55	001990	000.000	001.648	N	1993	3.00	1.50	57	2.21		
						1994	3.20	1.50	57	2.31	0.08	
						1995	3.20	1.50	57	2.31	0.08	
						1996	3.50	1.50	21	2.45	0.18	
						1997	3.40	1.50	23	2.40	0.18	C.R.A.B.S.
						1998	3.70	5.00	23	4.37	0.14	
						1999	3.70	5.00	23	4.37	0.16	
						2000	3.70	5.00	23	4.37	0.16	
						2001	3.60	5.00	52	4.33	0.19	
						2002	3.50	5.00	52	4.28	0.19	SEALCOAT
3	S.H.-55	001990	001.648	002.289	N	1993	2.90	2.00	59	2.40		
						1994	2.90	2.00	59	2.40	0.18	
						1995	2.90	2.00	59	2.40	0.18	
						1996	3.50	2.00	25	2.68	0.22	
						1997	3.40	2.00	24	2.63	0.20	C.R.A.B.S.
						1998	3.80	5.00	24	4.45	0.10	
						1999	3.80	5.00	24	4.45	0.12	
						2000	3.80	5.00	24	4.45	0.13	
						2001	3.80	5.00	52	4.45	0.14	
						2002	3.40	5.00	52	4.27	0.15	SEALCOAT

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
3	S.H.-55	001990	002.289	002.650	N	1993	1.70	1.50	62	1.59		SEALCOAT	1993
						1994	1.60	1.50	62	1.54	0.17		
						1995	1.60	1.50	62	1.54	0.17		
						1996	1.80	1.50	34	1.64	0.17		
						1997	1.90	1.50	31	1.69	0.14	C.R.A.B.S.	1997
						1998	2.30	5.00	31	3.70	0.09		
						1999	2.40	5.00	31	3.74	0.09		
						2000	2.60	4.80	31	3.74	0.14		
						2001	2.40	4.80	52	3.64	0.13		
						2002	2.40	4.80	52	3.64	0.13	SEALCOAT	2002
3	S.H.-55	001990	002.650	003.838	N	1993	3.10	3.50	60	3.30		SEALCOAT	1993
						1994	3.10	3.50	60	3.30	0.06		
						1995	3.10	3.00	60	3.04	0.06		
						1996	2.80	3.00	29	2.90	0.11		
						1997	2.90	3.00	31	2.95	0.13		
						1998	3.00	2.40	31	2.68	0.15		
						1999	2.70	2.00	31	2.33	0.15		
						2000	2.70	1.80	31	2.23	0.15		
						2001	2.60	1.70	52	2.13	0.15		
						2002	2.40	1.70	52	2.03	0.17		
3	S.H.-55	001990	003.838	006.370	N	1993	2.70	2.90	60	2.80		SEALCOAT	1993
						1994	2.80	2.80	60	2.80	0.17		
						1995	2.80	2.50	60	2.64	0.17		
						1996	3.00	2.00	27	2.47	0.17		
						1997	3.00	2.00	28	2.47	0.17		
						1998	2.80	2.00	28	2.38	0.25		
						1999	2.70	1.80	28	2.23	0.24		
						2000	2.70	1.80	28	2.23	0.25		
						2001	2.60	1.80	52	2.18	0.27		
						2002	2.30	1.80	52	2.03	0.26		
3	S.H.-55	001990	006.370	011.621	N	1993	2.80	2.50	62	2.64		SEALCOAT	1993
						1994	2.90	2.50	62	2.69	0.09		
						1995	2.90	2.50	62	2.69	0.09		
						1996	3.40	2.50	35	2.93	0.11		
						1997	3.30	2.50	31	2.88	0.10		
						1998	3.20	2.50	31	2.83	0.11		
						1999	3.20	2.40	31	2.78	0.12		
						2000	3.30	2.40	31	2.83	0.11		
						2001	3.20	2.40	52	2.78	0.13		
						2002	3.10	2.40	52	2.73	0.11	SEALCOAT	2002

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	S.H.-55	001990	011.621	015.117	N	1993	3.00	3.00	53	3.00		
						1994	3.00	3.00	53	3.00	0.20	
						1995	3.00	3.00	53	3.00	0.20	
						1996	3.50	3.00	24	3.24	0.23	
						1997	3.40	3.00	19	3.19	0.30	
						1998	3.30	2.90	19	3.09	0.35	
						1999	3.40	2.40	19	2.88	0.35	
						2000	3.40	2.40	19	2.85	0.30	
						2001	3.30	2.40	52	2.83	0.37	
						2002	3.10	2.40	52	2.74	0.31	SEALCOAT
3	S.H.-55	001990	015.117	015.818	N	1993	3.00	4.00	47	3.54		
						1994	2.90	4.00	47	3.49	0.22	
						1995	2.90	3.80	47	3.38	0.22	
						1996	3.30	3.60	23	3.46	0.22	
						1997	3.20	2.70	22	2.92	0.30	
						1998	3.00	2.70	22	2.83	0.36	
						1999	3.20	2.70	22	2.93	0.27	
						2000	3.20	2.60	22	2.87	0.27	
						2001	3.30	2.60	52	2.92	0.30	
						2002	3.10	2.60	52	2.83	0.29	
3	S.H.-55	001990	015.818	016.180	N	1993	2.80	4.50	52	3.76		
						1994	2.90	4.00	52	3.52	0.29	
						1995	2.90	3.80	52	3.41	0.29	
						1996	3.60	3.50	26	3.54	0.18	
						1997	3.50	3.50	25	3.50	0.20	
						1998	2.40	3.20	25	2.85	0.19	
						1999	2.50	3.00	25	2.78	0.25	
						2000	2.60	3.00	25	2.82	0.22	
						2001	2.90	3.00	52	2.95	0.32	
						2002	3.20	3.00	52	3.08	0.37	
3	S.H.-55	001990	018.148	018.529	N	1993	1.90	2.80	43	2.40		
						1994	1.80	2.80	43	2.36	0.19	
						1995	1.80	2.80	43	2.36	0.19	
						1996	1.80	2.80	38	2.36	0.12	
						1997	2.40	2.80	32	2.62	0.09	
						1998	2.30	2.80	32	2.57	0.09	
						1999	2.10	2.80	32	2.48	0.13	
						2000	2.40	2.80	32	2.62	0.13	
						2001	2.10	2.80	52	2.48	0.12	
						2002	1.90	2.80	52	2.39	0.09	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
3	S.H.-55	001990	018.529	019.308	ASC	1993	1.90	3.50	40	2.77		
						1994	1.80	3.50	43	2.72	0.19	
						1995	1.80	3.50	43	2.72	0.19	
						1996	2.90	3.50	38	3.22	0.13	
						1997	3.60	3.50	32	3.54	0.13	
						1998	3.50	3.50	32	3.50	0.15	
						1999	3.40	3.50	32	3.45	0.16	
						2000	3.50	3.50	32	3.50	0.14	
						2001	3.50	3.50	52	3.50	0.21	
						2002	3.30	3.50	52	3.40	0.22	
3	S.H.-55	001990	018.529	019.308	DES	1993	2.10	3.50	44	2.86		
						1994	2.30	3.50	44	2.95	0.15	
						1995	2.30	3.50	44	2.95	0.15	
						1996	3.20	3.50	48	3.36	0.17	
						1997	3.60	3.50	30	3.54	0.05	
						1998	3.70	3.50	30	3.59	0.04	
						1999	3.50	3.50	30	3.50	0.06	
						2000	3.60	3.50	30	3.54	0.06	
						2001	3.40	3.50	52	3.45	0.07	
						2002	3.40	3.50	52	3.45	0.09	
3	S.H.-55	001990	047.303	047.460	N	1993	2.40	2.00	46	2.19		
						1994	2.30	2.00	46	2.14	0.40	
						1995	2.30	1.90	46	2.09	0.40	
						*1996	3.20	1.90	26	2.52	0.15	
						1997	2.50	5.00	24	3.79	0.17	
						1998	3.70	5.00	32	4.37	0.04	
						1999	3.60	5.00	43	4.32	0.05	
						2000	3.50	5.00	43	4.31	0.18	
						2001	3.60	5.00	43	4.36	0.15	RUT FILLING
						2002	3.70	4.80	43	4.30	0.19	2001
3	S.H.-55	001990	047.460	050.200	N	1993	2.40	2.00	46	2.19		
						1994	2.30	2.00	46	2.14	0.40	
						1995	2.30	1.90	46	2.09	0.40	
						*1996	3.20	1.90	26	2.52	0.15	
						1997	2.50	5.00	24	3.79	0.20	
						1998	3.80	5.00	43	4.42	0.06	
						1999	3.80	5.00	41	4.42	0.07	
						2000	3.70	4.70	41	4.21	0.09	
						2001	3.60	4.70	41	4.17	0.08	RUT FILLING
						2002	3.50	4.70	41	4.12	0.10	2001

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS				
3	S.H.-55	001990	050.200	051.672	N	1993	2.40	3.00	53	2.71							
						1994	2.40	3.00	53	2.71	0.35						
						1995	2.40	3.00	53	2.71	0.35						
						*1996	3.40	3.00	45	3.19	0.05						
						1997	3.30	3.00	46	3.14	0.04						
						1998	3.20	3.00	48	3.09	0.06						
						1999	3.30	3.00	40	3.14	0.06	PLANT MIX OVERLAY					1999
						2000	3.30	3.00	40	3.14	0.07						
						2001	3.20	3.00	40	3.09	0.07	SEALCOAT					2001
						2002	3.30	3.00	40	3.14	0.10						
3	S.H.-55	001990	051.672	053.990	N	1993	3.30	4.50	57	3.92							
						1994	3.30	4.50	57	3.92	0.14						
						1995	3.30	4.50	57	3.92	0.14						
						*1996	4.00	4.50	45	4.26	0.06						
						1997	3.80	4.50	47	4.16	0.08						
						1998	3.70	4.50	51	4.11	0.11						
						1999	3.80	4.80	39	4.32	0.11	PLANT MIX OVERLAY					1999
						2000	4.10	4.80	39	4.46	0.08						
						2001	4.10	4.80	39	4.46	0.09	SEALCOAT					2001
						2002	3.90	4.80	39	4.36	0.11						
3	S.H.-55	001990	053.990	056.488	N	1993	2.90	4.80	54	3.94							
						*1994	2.80	4.80	54	3.89	0.22						
						1995	2.80	4.80	54	3.84	0.22						
						*1996	3.60	4.80	42	4.22	0.09						
						1997	3.50	4.80	47	4.17	0.10						
						1998	3.30	4.10	44	3.71	0.13						
						1999	3.40	4.80	44	4.12	0.12	PLANT MIX OVERLAY					1999
						2000	3.90	4.80	44	4.36	0.10						
						2001	3.90	4.80	44	4.36	0.11	SEALCOAT					2001
						2002	3.70	4.80	39	4.27	0.11						
3	S.H.-55	001990	056.488	057.179	N	1993	2.90	4.80	54	3.94							
						*1994	2.80	4.80	54	3.89	0.22						
						1995	2.80	4.80	54	3.84	0.22						
						*1996	3.60	4.80	42	4.22	0.09						
						1997	3.60	4.80	40	4.22	0.05						
						1998	3.50	4.70	40	4.12	0.07						
						1999	3.50	4.70	38	4.12	0.08	PLANT MIX OVERLAY					1999
						2000	3.50	4.70	38	4.12	0.09						
						2001	3.60	4.70	38	4.17	0.08	SEALCOAT					2001
						2002	3.30	4.70	38	4.02	0.09						

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS
3	S.H.-55	001990	063.270	064.656	N	1993	2.40	3.00	45	2.72			
						1994	2.70	2.50	45	2.59	0.14		
						1995	2.70	2.40	45	2.53	0.14		
						1996	3.20	2.40	33	2.76	0.24		
						1997	3.10	2.40	31	2.71	0.14		
						1998	2.90	2.40	46	2.62	0.18		
						1999	2.90	2.40	44	2.62	0.20	SEALCOAT	1999
						2000	3.00	2.40	44	2.67	0.21		
						2001	2.90	2.40	44	2.62	0.21	C.R.A.B.S.	2001
						2002	3.30	5.00	44	4.23	0.09		
3	S.H.-55	001990	064.656	066.700	N	1993	2.70	4.00	51	3.37			
						1994	2.70	4.00	51	3.37	0.29		
						1995	2.70	4.00	51	3.37	0.29		
						1996	3.50	4.00	37	3.75	0.29		
						1997	3.30	4.00	28	3.66	0.27		
						1998	3.20	4.00	50	3.61	0.29		
						1999	3.40	4.00	50	3.71	0.18	SEALCOAT	1999
						2000	3.50	4.00	50	3.75	0.21		
						2001	3.50	4.00	50	3.75	0.21	C.R.A.B.S.	2001
						2002	3.30	4.00	50	3.66	0.10		
3	S.H.-55	001990	066.700	072.505	N	1993	2.40	2.00	48	2.19			
						1994	2.40	1.90	48	2.14	0.31		
						1995	2.40	1.90	48	2.14	0.31		
						1996	3.00	1.90	29	2.42	0.18		
						1997	2.90	5.00	27	3.99	0.20	C.R.A.B.S.	1997
						1998	3.30	5.00	50	4.18	0.09		
						1999	3.30	5.00	51	4.18	0.09	SEALCOAT	1999
						2000	3.40	5.00	51	4.23	0.09		
						2001	3.30	5.00	51	4.18	0.10		
						2002	3.20	5.00	51	4.13	0.10		
3	S.H.-55	001990	072.505	080.699	N	1993	2.10	2.00	48	2.04			
						1994	2.10	2.00	48	2.04	0.29		
						1995	2.10	2.00	48	2.04	0.29		
						*1996	2.90	2.00	32	2.43	0.19		
						1997	2.90	5.00	33	3.99	0.19	C.R.A.B.S.	1997
						1998	3.60	5.00	50	4.33	0.08		
						1999	3.50	5.00	52	4.28	0.07	SEALCOAT	1999
						2000	3.50	4.70	52	4.12	0.08		
						2001	3.50	4.70	52	4.12	0.09		
						2002	3.40	4.70	52	4.07	0.10		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
3	S.H.-55	001990	080.699	082.000	N	1993	2.70	4.50	51	3.64		SEALCOAT	1993
						1994	2.60	4.50	51	3.59	0.14		
						1995	2.60	4.50	51	3.59	0.14		
						1996	3.70	4.50	48	4.11	0.10		
						1997	3.50	4.50	44	4.02	0.08	C.R.A.B.S.	1997
						1998	3.30	4.40	52	3.87	0.09		
						1999	3.30	4.00	50	3.66	0.08	SEALCOAT	1999
						2000	3.40	3.90	50	3.66	0.08		
						2001	3.40	3.90	50	3.66	0.10		
						2002	3.40	3.50	50	3.45	0.11		
3	S.H.-55	001990	082.060	084.389	N	1993	2.60	3.00	47	2.80		SEALCOAT	1993
						1994	2.60	3.00	47	2.80	0.40		
						1995	2.60	3.00	47	2.80	0.40		
						1996	2.80	3.00	35	2.90	0.23		
						1997	2.70	3.00	33	2.85	0.23		
						1998	2.60	3.00	41	2.80	0.23		
						1999	2.70	3.00	41	2.85	0.26		
						2000	2.70	2.80	41	2.75	0.27		
						2001	2.60	2.80	41	2.70	0.29		
						2002	3.40	4.50	41	3.97	0.06		
3	S.H.-55	001990	084.389	091.100	N	1993	3.00	2.50	46	2.73		SEALCOAT	1993
						1994	3.00	2.50	46	2.73	0.32		
						1995	3.00	2.50	46	2.73	0.32		
						1996	3.30	2.50	35	2.88	0.18		
						1997	3.20	2.50	34	2.83	0.18		
						1998	3.10	2.50	42	2.78	0.19		
						1999	3.10	2.40	42	2.73	0.23		
						*2000	3.10	2.40	42	2.73	0.22		
						2001	3.00	2.40	42	2.68	0.26		
						2002	3.40	5.00	42	4.23	0.10		
3	S.H.-55	001990	091.100	094.850	N	1993	3.30	2.00	41	2.62		SEALCOAT	1993
						1994	3.20	2.00	41	2.57	0.36		
						1995	3.20	2.00	41	2.57	0.36		
						1996	3.60	2.00	41	2.76	0.15		
						1997	3.50	2.00	36	2.71	0.16		
						1998	3.30	2.00	40	2.62	0.18		
						1999	3.20	2.00	39	2.57	0.19		
						*2000	3.50	5.00	39	4.28	0.07		
						2001	3.60	5.00	38	4.33	0.08	C.R.A.B.S.	2001
						2002	3.40	5.00	38	4.23	0.10		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
3	S.H.-55	001990	094.850	097.300	N	1993	2.10	2.50	47	2.30		SEALCOAT	1993
						1994	2.20	2.50	47	2.35	0.34		
						1995	2.20	2.40	47	2.30	0.34		
						1996	2.80	2.40	29	2.59	0.19		
						1997	2.70	2.40	38	2.54	0.19		
						1998	2.50	2.30	43	2.39	0.22		
						1999	2.40	2.10	37	2.24	0.22		
						*2000	2.60	2.10	37	2.33	0.22		
						2001	3.40	5.00	43	4.23	0.08	C.R.A.B.S.	2001
						2002	3.10	5.00	43	4.09	0.11		
3	S.H.-55	001990	097.300	101.890	N	1993	2.10	2.50	47	2.30		SEALCOAT	1993
						1994	2.20	2.50	47	2.35	0.34		
						1995	2.20	2.40	47	2.30	0.34		
						1996	2.80	2.40	29	2.59	0.19		
						1997	2.70	2.40	38	2.54	0.19		
						1998	2.50	2.30	43	2.39	0.22		
						1999	2.40	2.10	37	2.24	0.22		
						*2000	2.60	2.10	37	2.33	0.22		
						2001	2.60	2.00	37	2.28	0.26		
						2002	2.60	2.00	37	2.28	0.21		
3	S.H.-55	001990	101.890	106.900	N	2002	2.80	2.30	45	2.53	0.26		
3	S.H.-55	001990	101.890	108.152	N	1993	2.60	2.50	62	2.54		SEALCOAT	1993
						1994	2.60	2.50	62	2.54	0.22		
						1995	2.60	2.50	62	2.54	0.22		
						1996	3.00	2.50	37	2.73	0.19		
						1997	3.10	2.50	40	2.78	0.19		
						1998	3.00	2.50	45	2.73	0.21		
						1999	3.00	2.50	46	2.73	0.25		
						2000	3.00	2.30	46	2.63	0.25		
						*2001	3.00	2.30	46	2.63	0.26		
3	S.H.-55	001990	106.900	108.000	N	2002	3.30	5.00	49	4.18	0.04	C.R.A.B.S.	2002
3	S.H.-55	001990	108.000	113.800	N	2002	3.80	5.00	41	4.42	0.11	PLANT MIX OVERLAY	2002
3	S.H.-55	001990	108.152	114.234	N	1993	2.80	3.00	60	2.90		SEALCOAT	1993
						1994	2.80	3.00	60	2.90	0.25		
						1995	2.80	3.00	60	2.90	0.25		
						1996	3.20	3.00	32	3.09	0.20	MINOR WIDENING	1996
						1997	3.00	3.00	37	3.00	0.25		
						1998	2.90	3.00	39	2.95	0.29		
						1999	2.90	2.90	40	2.90	0.33		
						2000	2.90	2.50	40	2.68	0.27		
						*2001	2.90	2.30	40	2.57	0.32	SEALCOAT	2001

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	S.H.-55	001990	113.800	115.106	N	2002	2.60	2.40	31	2.49	0.19	
3	S.H.-55	001990	114.234	115.106	N	1993	2.50	3.00	44	2.77		
						1994	2.50	3.00	44	2.77	0.16	
						1995	2.50	3.00	44	2.77	0.16	
						1996	2.80	3.00	26	2.90	0.11	MINOR WIDENING
						1997	2.50	2.80	29	2.66	0.11	
						1998	2.60	2.50	34	2.54	0.13	
						1999	2.40	2.50	32	2.45	0.14	
						2000	2.50	2.50	32	2.50	0.17	
						*2001	2.50	2.50	32	2.50	0.14	SEALCOAT
3	S.H.-55	001990	115.106	115.471	N	1993	2.60	2.50	46	2.54		
						1994	1.90	2.50	46	2.23	0.25	
						1995	1.90	2.50	46	2.22	0.25	
						1996	3.00	2.50	34	2.72	0.20	
						1997	2.70	2.50	33	2.59	0.22	
						1998	2.40	2.50	38	2.45	0.17	
						1999	2.50	2.50	38	2.50	0.17	
						2000	2.60	2.50	38	2.54	0.22	
						2001	2.70	2.50	38	2.59	0.21	SEALCOAT
						2002	3.00	2.50	31	2.72	0.12	
3	S.H.-55	001990	115.471	116.000	N	1993	3.40	2.50	53	2.93		
						1994	3.30	2.50	53	2.88	0.16	
						1995	3.30	2.50	53	2.88	0.16	
						1996	3.20	2.50	27	2.83	0.13	
						1997	3.10	2.50	35	2.78	0.19	
						1998	3.00	2.50	38	2.73	0.17	
						*1999	2.80	2.50	34	2.64	0.28	
						2000	2.60	5.00	37	3.92	0.17	
						2001	2.50	5.00	37	3.87	0.14	SEALCOAT
						2002	2.80	5.00	37	4.01	0.13	
3	S.H.-55	001990	116.000	122.900	N	1993	2.70	2.50	59	2.59		
						1994	2.60	2.50	59	2.54	0.28	
						1995	2.60	2.50	59	2.54	0.28	
						1996	3.00	2.50	40	2.73	0.23	
						*1997	2.90	2.40	44	2.63	0.24	
						1998	2.70	2.50	45	2.59	0.17	
						*1999	2.60	2.50	47	2.54	0.19	C.R.A.B.S.
						2000	3.80	5.00	43	4.42	0.10	
						2001	3.70	5.00	43	4.37	0.10	SEALCOAT
						2002	3.60	5.00	43	4.33	0.12	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS	
3	S.H.-55	001990	122.900	126.000	N	1993	2.70	2.50	59	2.59				
						1994	2.60	2.50	59	2.54	0.28			
						1995	2.60	2.50	59	2.54	0.28			
						1996	3.00	2.50	40	2.73	0.23			
						*1997	2.90	2.40	44	2.63	0.24			
							4.00	5.00	52	4.52	0.25	PLANT MIX OVERLAY		1998
							3.70	5.00	53	4.37	0.04			
							3.80	5.00	53	4.42	0.10			
							3.70	5.00	53	4.37	0.11	SEALCOAT		2001
							3.60	5.00	53	4.33	0.20			
3	S.H.-55	001990	126.000	130.056	N	1993	3.30	3.00	49	3.14				
						1994	3.30	3.00	49	3.14	0.15			
						1995	3.30	3.00	49	3.14	0.15			
						1996	3.00	3.00	20	3.00	0.13			
						1997	2.90	3.00	29	2.95	0.13			
							4.00	5.00	51	4.52	0.17	PLANT MIX OVERLAY		1998
							3.90	5.00	48	4.47	0.05			
							3.90	5.00	48	4.47	0.10			
							3.90	5.00	48	4.47	0.11	SEALCOAT		2001
							3.70	5.00	48	4.37	0.16			
3	S.H.-55	001990	130.056	131.399	N	1993	2.70	2.50	51	2.58				
						1994	2.60	2.50	51	2.54	0.33			
						1995	2.60	2.50	51	2.54	0.33			
						1996	3.10	2.50	19	2.76	0.28			
						1997	2.90	2.50	31	2.67	0.28			
							4.00	5.00	52	4.55	0.28	PLANT MIX OVERLAY		1998
							3.40	5.00	47	4.28	0.06			
							3.30	5.00	47	4.23	0.12			
							3.30	5.00	47	4.23	0.15	SEALCOAT		2001
							3.30	5.00	47	4.23	0.15			
3	S.H.-55	001990	131.399	142.796	N	1993	2.30	3.20	55	2.76				
						1994	2.30	3.00	55	2.66	0.70			
						1995	2.30	3.00	55	2.66	0.70			
						*1996	3.00	3.00	27	3.00	0.52			
							2.00	5.00	36	3.63		PLANT MIX OVERLAY		1997
							4.00	5.00	53	4.54	0.12	PLANT MIX OVERLAY		1998
							3.50	5.00	35	4.31	0.17	SEALCOAT		1999
							3.50	5.00	35	4.31	0.24			
							3.50	4.80	35	4.20	0.28	SEALCOAT		2001
							3.30	4.80	35	4.11	0.33			

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
3	S.H.-55	001990	142.796	142.974	N	1993	2.50	3.50	42	3.04									
						1994	2.50	3.50	42	3.04	0.23								
						1995	2.50	3.30	42	2.93	0.23								
						*1996	3.10	3.30	36	3.20	0.23								
						*1997	3.40	5.00	32	4.27	0.08	PLANT MIX OVERLAY	1997						
						1998	3.70	5.00	36	4.40	0.14	PLANT MIX OVERLAY	1998						
						1999	3.50	5.00	36	4.31	0.18	SEALCOAT	1999						
						2000	3.50	5.00	36	4.31	0.16								
						2001	3.50	5.00	36	4.31	0.16								
						2002	3.40	5.00	35	4.27	0.23								
						3	S.H.-55	001990	142.974	143.921	N	1993	2.50	3.50	42	3.04			
												1994	2.50	3.50	42	3.04	0.23		
1995	2.50	3.30	42	2.93	0.23														
*1996	3.10	3.30	36	3.20	0.23														
*1997	3.40	5.00	32	4.27	0.08														
1998	2.80	5.00	34	3.99	0.12														
1999	2.80	5.00	32	3.99	0.11														
2000	2.90	5.00	32	4.03	0.13														
2001	1.60	5.00	32	3.44	0.19														
2002	2.40	5.00	32	3.80	0.16														
3	S.H.-55	001990	143.921	144.117	N							1993	1.90	3.00	45	2.49			
												1994	1.90	3.00	45	2.49	0.09		
						1995	1.90	2.90	45	2.43	0.09								
						*1996	1.50	2.90	67	2.25	0.16								
						1997	2.40	5.00	45	3.80	0.12								
						1998	2.30	5.00	26	3.76	0.13								
						1999	2.20	5.00	38	3.71	0.13								
						2000	2.10	5.00	38	3.67	0.15								
						2001	2.20	5.00	38	3.71	0.11								
						2002	2.10	5.00	38	3.67	0.12								
						3	S.H.-55	001990	144.117	145.570	N	1993	2.80	2.50	45	2.63			
												1994	2.80	2.50	45	2.63	0.19		
1995	2.80	2.40	45	2.58	0.19														
*1996	3.20	2.40	30	2.76	0.14														
1997	2.60	5.00	43	3.92	0.16														
1998	2.60	4.80	35	3.81	0.17														
1999	2.30	4.80	38	3.67	0.21							C.R.A.B.S.	1999						
2000	2.60	4.80	38	3.81	0.26														
2001	2.50	4.80	38	3.76	0.27							SEALCOAT	2001						
2002	2.40	4.50	38	3.55	0.33														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS		
3	S.H.-55	001990	145.570	145.647	N	1993	2.90	2.50	45	2.67					
						1994	2.90	2.20	45	2.51	0.12				
						1995	2.90	2.20	45	2.51	0.12				
						*1996	2.30	2.20	32	2.24	0.17				
						1997	2.30	2.20	43	2.24	0.21				
						1998	2.30	2.20	35	2.24	0.17				
						1999	1.40	5.00	38	3.38	0.32	C.R.A.B.S.			1999
						2000	3.90	5.00	38	4.50	0.05				
						2001	4.00	5.00	38	4.55	0.04	SEALCOAT			2001
						2002	3.70	5.00	38	4.41	0.07				
3	S.H.-55	001990	145.647	147.021	N	1993	2.30	2.50	40	2.40					
						1994	2.30	2.50	40	2.40	0.21				
						1995	2.30	2.20	40	2.24	0.21				
						1996	2.30	2.20	20	2.24	0.26				
						1997	2.00	2.20	26	2.10	0.32				
						1998	1.80	2.10	26	1.95	0.30				
						1999	1.10	5.00	32	3.13	0.41	C.R.A.B.S.			1999
						2000	3.80	5.00	32	4.42	0.12				
						2001	3.40	5.00	32	4.23	0.10	SEALCOAT			2001
						2002	3.30	5.00	32	4.18	0.13				
3	S.H.-55	001990	147.021	147.307	N	1993	2.80	2.00	43	2.38					
						1994	2.80	2.00	43	2.38	0.25				
						1995	2.80	2.00	43	2.38	0.25				
						1996	2.40	2.00	20	2.19	0.19				
						1997	2.10	2.00	25	2.04	0.21				
						1998	1.90	2.00	25	1.95	0.20				
						1999	1.60	5.00	25	3.37	0.25	C.R.A.B.S.			1999
						2000	3.70	5.00	25	4.37	0.10				
						2001	3.60	5.00	32	4.33	0.11	SEALCOAT			2001
						2002	3.60	5.00	32	4.33	0.13				
3	S.H.-55	001990	147.307	149.997	N	1993	2.80	2.00	43	2.38					
						1994	2.80	2.00	43	2.38	0.25				
						1995	2.80	2.00	43	2.38	0.25				
						1996	3.10	2.00	25	2.52	0.13				
						1997	3.00	2.00	31	2.47	0.15				
						1998	2.70	2.00	28	2.33	0.20				
						1999	2.60	5.00	31	3.85	0.21	C.R.A.B.S.			1999
						2000	3.70	5.00	31	4.37	0.12				
						2001	3.50	5.00	31	4.28	0.09	SEALCOAT			2001
						2002	3.50	5.00	31	4.28	0.11				

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS
3	S.H.-55	001990	149.997	153.425	N	1993	2.10	2.50	52	2.30			
						1994	2.10	2.50	52	2.30	0.31		
						1995	2.10	2.40	52	2.25	0.31		
						1996	2.80	2.40	31	2.59	0.14		
						1997	2.90	2.40	40	2.63	0.12		
						1998	2.50	2.40	42	2.44	0.15		
						1999	2.40	5.00	31	3.75	0.16	C.R.A.B.S.	1999
						2000	3.50	5.00	31	4.28	0.08		
						2001	3.50	5.00	31	4.28	0.05	SEALCOAT	2001
						2002	3.40	5.00	31	4.23	0.06		
3	S.H.-55	001990	153.425	156.052	N	1993	2.50	1.90	46	2.16			
						1994	2.50	1.90	46	2.16	0.22		
						1995	2.50	1.90	46	2.16	0.22		
						1996	2.20	1.90	30	2.03	0.17		
						1997	2.90	1.90	32	2.34	0.13		
						1998	2.80	1.90	41	2.30	0.15		
						1999	2.70	5.00	27	3.96	0.18	C.R.A.B.S.	1999
						2000	3.70	5.00	27	4.41	0.06		
						2001	3.50	5.00	27	4.32	0.05	SEALCOAT	2001
						2002	3.40	5.00	27	4.28	0.07		
3	S.H.-55	002005	011.233	011.980	N	1993	3.90	5.00	45	4.49			
						1994	3.90	5.00	45	4.49	0.03		
						1995	3.90	4.00	45	3.95	0.03		
						1996	3.50	4.00	45	3.76	0.07		
						1997	3.50	4.00	24	3.76	0.07		
						1998	3.30	4.00	24	3.65	0.10		
						1999	3.30	4.00	24	3.66	0.10		
						2000	3.10	4.50	24	3.80	0.09		
						2001	3.40	4.50	52	3.95	0.12		
						2002	3.10	4.50	52	3.80	0.16		
3	S.H.-55	002005	012.000	012.325	N	1993	1.60	5.00	45	3.43			
						1994	1.60	5.00	45	3.41	0.05		
						1995	1.60	4.00	45	2.87	0.05		
						1996	3.90	4.00	45	3.95	0.07		
						1997	3.50	4.00	22	3.76	0.19		
						1998	3.40	4.00	22	3.71	0.25		
						1999	3.30	4.00	22	3.66	0.27		
						2000	3.30	4.00	22	3.65	0.25		
						2001	3.70	4.00	52	3.85	0.39		
						2002	3.50	4.00	52	3.74	0.37		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
3	S.H.-55	002005	012.325	013.075	N	1993	2.30	5.00	44	3.75		
						1994	2.30	5.00	44	3.74	0.04	
						1995	2.30	5.00	44	3.73	0.04	
						1996	3.40	5.00	44	4.24	0.09	
						1997	3.30	5.00	22	4.19	0.17	
						1998	3.70	5.00	22	4.37	0.15	
						1999	3.30	5.00	22	4.18	0.23	
						2000	3.50	5.00	22	4.26	0.28	
						2001	3.30	5.00	52	4.16	0.26	
						2002	3.20	5.00	52	4.09	0.20	
3	S.H.-55	002005	013.075	013.325	N	1993	1.70	4.00	51	2.94		
						1994	1.70	4.00	51	2.93	0.09	
						1995	1.70	5.00	51	3.45	0.09	
						1996	2.70	1.90	44	2.27	0.25	
						*1997	2.80	1.90	22	2.31	0.28	
						1998	4.00	5.00	22	4.53	0.06	NEW CONST OR RECONST (FLEX)
						*1999	4.40	5.00	22	4.71	0.15	
						2000	3.20	5.00	22	4.13	0.25	
						2001	2.90	5.00	52	3.97	0.22	
						2002	3.50	5.00	52	4.26	0.21	
3	S.H.-55	002005	013.325	016.650	N	1993	2.70	2.00	40	2.34		
						1994	2.70	5.00	40	3.88	0.10	
						1995	2.70	5.00	40	3.88	0.10	
						1996	3.40	1.90	40	2.63	0.17	
						*1997	3.10	1.90	24	2.48	0.21	
						1998	3.80	1.90	24	2.83	0.07	NEW CONST OR RECONST (FLEX)
						1999	4.00	1.90	24	2.95	0.16	
						2000	4.10	5.00	24	4.57	0.21	
						2001	4.10	5.00	52	4.56	0.22	
						2002	3.80	5.00	52	4.41	0.24	RUT FILLING
3	S.H.-55	002005	016.650	017.860	N	1993	2.70	4.00	43	3.36		
						1994	2.70	4.00	43	3.36	0.30	
						1995	2.70	4.00	43	3.36	0.30	
						1996	3.20	4.00	43	3.60	0.25	
						*1997	3.10	4.00	17	3.55	0.18	
						1998	4.00	4.00	17	4.00	0.19	NEW CONST OR RECONST (FLEX)
						1999	3.70	4.00	17	3.85	0.10	
						2000	3.70	4.00	17	3.85	0.14	
						2001	3.70	4.00	52	3.85	0.19	
						2002	3.60	4.00	52	3.80	0.12	RUT FILLING
											2002	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
3	S.H.-55	002005	017.860	017.994	N	1993	2.70	4.00	43	3.36		
						1994	2.70	4.00	43	3.36	0.30	
						1995	2.70	4.00	43	3.36	0.30	
						1996	3.20	4.00	43	3.60	0.25	
						*1997	3.10	4.00	17	3.55	0.18	
						1998	3.80	4.00	17	3.90	0.07	
						1999	2.20	4.00	17	3.10	0.12	
						2000	2.40	4.50	17	3.49	0.19	
						2001	3.50	4.50	52	4.01	0.14	
						2002	2.40	4.50	52	3.47	0.11	RUT FILLING
3	S.H.-55	002005	017.994	018.004	N	1993	3.00	2.00	38	2.46		2002
						1994	3.00	2.00	38	2.46	0.09	
						1995	3.00	2.00	38	2.46	0.09	
						*1996	0.90	2.00	38	1.48	0.20	
						1997	0.70	2.00	32	1.35	0.20	
						1998	0.80	2.00	32	1.40	0.07	
						1999	0.70	2.00	32	1.35	0.08	
						2000	0.50	5.00	32	2.84	0.13	
						2001	3.80	5.00	52	4.42	0.13	
						2002	0.30	5.00	52	2.71	0.09	RUT FILLING
3	S.H.-55	007995	057.179	062.770	N	*1993	3.20	5.00	53	4.13		2002
						*1994	3.30	4.50	54	3.92	0.23	
						1995	3.20	4.50	54	3.87	0.24	
						1996	3.20	4.50	37	3.87	0.24	
						1997	3.70	4.50	40	4.11	0.10	
						1998	3.60	4.50	40	4.06	0.13	
						1999	3.60	4.50	35	4.06	0.14	
						2000	3.60	4.50	35	4.06	0.19	
						2001	3.60	4.50	35	4.06	0.18	
						2002	3.50	4.50	35	4.01	0.21	
3	S.H.-55	015912	044.645	047.000	N	1998	3.40	5.00	32	4.22	0.06	
						1999	3.40	5.00	43	4.21	0.07	
						2000	3.40	5.00	43	4.26	0.10	
						2001	3.40	5.00	43	4.26	0.09	
						2002	3.30	5.00	43	4.22	0.11	
3	S.H.-55	015912	047.000	047.303	N	1998	3.50	5.00	32	4.27	0.05	
						1999	3.50	5.00	43	4.48	0.06	
						2000	3.10	5.00	43	4.08	0.15	
						2001	3.00	5.00	43	4.03	0.14	
						2002	3.10	4.80	43	3.98	0.20	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	REMARKS	DEPTH
3	67	002180	000.000	008.954	N	1993	3.40	4.00	54	3.72		
						1994	3.40	2.90	54	3.12	0.08	
						1995	3.40	2.90	54	3.12	0.08	
						1996	4.00	2.80	43	3.34	0.05	
						1997	3.80	2.60	42	3.14	0.05	
						1998	3.70	2.50	52	3.04	0.06	
						1999	3.70	2.50	52	3.04	0.06	
						2000	3.60	2.40	52	2.95	0.07	
						2001	3.40	2.30	52	2.80	0.09	
						2002	3.20	2.30	27	2.71	0.09	
3	67	005320	000.000	000.852	N	1997	2.90	2.80	33	2.83	0.13	
						1998	3.10	2.40	44	2.68	0.17	
						1999	3.10	2.40	44	2.66	0.16	
						2000	2.90	2.40	44	2.60	0.14	
						2001	2.90	2.40	44	2.60	0.15	
						2002	2.70	2.40	27	2.52	0.21	
3	67	005320	000.852	002.740	N	1997	2.90	2.50	47	2.65	0.13	
						1998	3.60	2.50	56	2.95	0.04	
						1999	3.70	2.50	56	2.99	0.05	
						2000	3.80	5.00	56	4.50	0.08	
						2001	3.70	5.00	56	4.46	0.09	
						2002	3.50	5.00	27	4.38	0.06	
3	67	005320	003.230	004.100	N	1997	2.90	2.50	41	2.65	0.13	
						1998	4.00	2.50	46	3.12	0.08	
						1999	3.90	2.50	46	3.07	0.08	
						2000	4.00	2.50	46	3.12	0.10	
						2001	4.00	2.50	46	3.12	0.11	
						2002	3.50	2.50	27	2.91	0.11	
3	67	005320	004.100	004.700	N	1997	2.90	2.50	31	2.65	0.13	
						1998	3.50	2.40	35	2.85	0.20	
						1999	3.40	2.40	35	2.81	0.22	
						2000	3.50	2.40	35	2.85	0.24	
						2001	3.60	2.40	35	2.89	0.24	
						2002	3.30	2.40	27	2.77	0.27	
3	67	005320	004.700	016.309	N	1997	2.90	2.20	31	2.46	0.13	
						1998	2.80	1.70	39	2.15	0.29	
						1999	2.90	1.70	39	2.19	0.28	
						2000	2.90	1.70	39	2.19	0.29	
						2001	2.80	1.70	39	2.15	0.32	
						2002	2.60	1.70	27	2.07	0.28	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	67	016410	002.740	003.120	N	1997	2.90	3.00	47	2.96	0.13	
						1998	4.40	3.00	56	3.57	0.09	
						1999	4.40	3.00	56	3.57	0.09	
						2000	4.40	3.00	56	3.57	0.08	
						2001	4.40	5.00	56	4.75	0.10	
						2002	4.10	5.00	27	4.62	0.10	
						3	S.H.-69	002000	067.860	068.026	N	1996
						1997	2.30	3.00	23	2.71	0.15	
						1998	2.10	3.00	23	2.62	0.14	
						1999	2.00	3.00	23	2.58	0.13	
						2000	2.00	3.00	23	2.58	0.15	
						2001	2.10	3.00	52	2.62	0.20	
						2002	4.00	5.00	27	4.57	0.07	NEW CONST OR RECONST (FLEX) 2002
3	S.H.-69	002141	000.788	003.440	N	*1996	3.00	1.40	26	2.06	0.24	NEW CONST OR RECONST (FLEX) 1996
3	S.H.-69	002141	003.440	003.580	N	*1996	3.00	1.40	26	2.06	0.24	NEW CONST OR RECONST (FLEX) 1996
3	S.H.-69	002150	001.442	001.821	N	1993	1.80	1.50	50	1.63		
						1994	2.40	1.50	50	1.90	0.36	
						1995	2.40	1.50	50	1.90	0.36	
						1996	2.70	1.40	27	1.98	0.22	
						1997	2.70	1.40	27	1.98	0.14	
						1998	3.00	1.40	27	2.12	0.20	
						1999	2.90	1.40	27	2.07	0.12	
						2000	3.00	4.00	52	3.54	0.21	
						2001	3.70	5.00	52	4.41	0.14	NEW CONST OR RECONST (FLEX) 2001
						2002	3.70	5.00	27	4.37	0.11	
3	S.H.-69	002150	001.821	007.200	N	1993	2.40	1.30	57	1.80		
						1994	2.30	1.30	57	1.75	0.37	
						1995	2.30	1.30	57	1.75	0.37	
						1996	3.00	1.30	26	2.08	0.24	
						1997	2.90	1.30	28	2.03	0.21	
						*1998	3.10	1.30	28	2.13	0.24	
						1999	3.10	1.30	29	2.12	0.26	NEW CONST OR RECONST (FLEX) 1999
						*2000	3.00	1.30	29	2.08	0.29	
						2001	4.00	5.00	52	4.53	0.19	NEW CONST OR RECONST (FLEX) 2001
						2002	3.70	5.00	27	4.36	0.08	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS
3	S.H.-69	002150	007.200	009.218	N	1993	3.50	5.00	55	4.31			
						1994	3.40	5.00	55	4.27	0.20		
						1995	3.40	5.00	55	4.27	0.20		
						1996	4.20	5.00	30	4.65	0.07		
						1997	4.00	5.00	32	4.56	0.07		
						1998	4.00	5.00	32	4.56	0.10		
						1999	3.90	5.00	32	4.51	0.10	SEALCOAT	1999
						2000	3.90	5.00	32	4.52	0.07		
						2001	4.00	5.00	52	4.56	0.12	NEW CONST OR RECONST (FLEX)	2001
						2002	3.80	4.80	27	4.33	0.14		
3	S.H.-69	002150	009.218	009.344	N	1993	1.00	4.00	48	2.80			
						1994	1.00	3.50	48	2.49	0.38		
						1995	1.00	3.00	48	2.19	0.38		
						1996	1.50	2.50	30	2.09	0.19		
						1997	1.50	2.40	28	2.02	0.23		
						1998	1.60	2.40	28	2.07	0.20		
						1999	1.40	2.40	28	1.98	0.15	SEALCOAT	1999
						2000	1.20	2.40	28	1.90	0.21		
						2001	1.20	5.00	52	3.41	0.27		
						2002	3.30	5.00	27	4.23	0.08	NEW CONST OR RECONST (FLEX)	2002
3	S.H.-71	001980	000.060	006.020	N	1993	1.20	1.50	64	1.38			
						1994	1.10	1.50	64	1.34	0.31		
						*1995	1.10	1.50	64	1.34	0.31		
						1996	2.80	5.00	45	4.09	0.17	PLANT MIX OVERLAY	1996
						*1997	3.50	5.00	42	4.38	0.03	SEALCOAT	1997
						1998	3.30	5.00	43	4.29	0.04		
						*1999	3.30	5.00	42	4.29	0.04		
						2000	3.30	5.00	41	4.29	0.04		
						2001	3.30	5.00	41	4.29	0.05		
						2002	3.10	5.00	41	4.21	0.04		
3	S.H.-71	001980	006.020	007.080	N	1993	1.50	1.50	60	1.50			
						1994	1.50	1.50	60	1.50	0.27		
						*1995	1.50	1.50	60	1.50	0.27		
						1996	2.80	5.00	45	4.09	0.17	PLANT MIX OVERLAY	1996
						*1997	3.50	5.00	42	4.38	0.03	SEALCOAT	1997
						1998	3.30	5.00	43	4.29	0.04		
						*1999	3.30	5.00	42	4.29	0.04	PLANT MIX OVERLAY	1999
						2000	2.90	5.00	52	4.13	0.06		
						2001	2.80	5.00	52	4.09	0.05		
						2002	2.80	5.00	52	4.09	0.06		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS									
3	S.H.-71	001980	007.080	013.320	N	1993	1.70	1.50	59	1.58												
						1994	1.70	1.50	59	1.58	0.25											
						1995	1.70	1.50	59	1.58	0.25											
						1996	2.80	5.00	45	4.09	0.17	PLANT MIX OVERLAY					1996					
						*1997	3.50	5.00	42	4.38	0.03	SEALCOAT					1997					
						1998	3.30	5.00	43	4.29	0.04											
						*1999	3.30	5.00	42	4.29	0.04											
						2000	3.50	5.00	39	4.38	0.04											
						2001	3.50	5.00	39	4.38	0.04											
						2002	3.40	5.00	39	4.34	0.05											
						3	S.H.-71	001980	013.320	021.365	N	1993	1.90	1.50	59	1.66						
												1994	1.90	1.50	59	1.66	0.32					
												1995	1.90	1.50	59	1.66	0.32					
1996	2.40	5.00	37	3.92	0.24							PLANT MIX OVERLAY					1996					
1997	3.90	5.00	38	4.54	0.03							SEALCOAT					1997					
1998	3.70	5.00	51	4.46	0.04																	
1999	3.70	5.00	50	4.46	0.03																	
2000	3.70	5.00	50	4.46	0.04																	
2001	3.70	5.00	50	4.46	0.04																	
2002	3.50	5.00	50	4.38	0.04																	
3	S.H.-71	001980	021.365	028.200	N							1993	2.20	1.50	58	1.78						
												1994	2.20	1.50	58	1.78	0.22					
												1995	2.20	1.50	58	1.78	0.22					
						1996	2.40	5.00	39	3.92	0.18	PLANT MIX OVERLAY					1996					
						1997	3.80	5.00	40	4.50	0.03	SEALCOAT					1997					
						1998	3.60	5.00	47	4.42	0.04											
						1999	3.60	5.00	45	4.42	0.03											
						2000	3.60	5.00	45	4.42	0.04											
						2001	3.60	5.00	45	4.42	0.04											
						2002	3.40	5.00	45	4.33	0.04											
						3	S.H.-71	001980	028.200	028.501	N	1993	2.80	2.00	58	2.30						
												1994	2.80	1.90	58	2.23	0.09					
												1995	2.80	1.90	58	2.23	0.09					
1996	3.00	1.30	51	1.93	0.08																	
1997	2.90	1.30	44	1.90	0.11																	
1998	2.70	1.30	39	1.82	0.14																	
1999	2.50	1.00	37	1.56	0.14																	
2000	2.50	1.00	37	1.56	0.14																	
2001	2.50	1.00	37	1.56	0.17																	
2002	2.10	1.00	37	1.41	0.14																	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
3	S.H.-71	001980	028.501	028.790	N	1993	2.90	2.00	58	2.33									
						1994	2.90	1.90	58	2.27	0.14								
						1995	2.90	1.90	58	2.27	0.14								
						1996	3.10	1.30	58	1.97	0.13								
						1997	3.00	1.30	44	1.94	0.17								
						1998	2.80	1.30	44	1.86	0.21								
						1999	2.80	1.30	44	1.86	0.18								
						2000	2.60	1.30	44	1.79	0.14								
						2001	2.60	1.30	37	1.79	0.11								
						2002	2.20	1.30	37	1.63	0.22								
						3	S.H.-72	002030	000.000	001.989	N	1993	2.30	1.00	57	1.58			
												1994	2.30	5.00	57	3.79	0.08	COLD IN PLACE RECYCLE	
1995	2.30	5.00	57	3.79	0.08														
1996	3.20	5.00	38	4.19	0.16														
1997	2.90	5.00	36	4.06	0.11														
1998	2.80	4.20	36	3.57	0.13														
1999	2.80	4.20	36	3.57	0.16														
2000	2.90	4.20	36	3.61	0.18														
2001	2.80	4.00	37	3.46	0.18														
2002	2.70	4.00	37	3.41	0.19														
3	S.H.-78	002190	000.000	008.000	N							1993	2.50	1.50	52	1.90			
												1994	2.50	1.50	52	1.90	0.19		
						1995	2.50	1.50	52	1.91	0.19								
						1996	2.80	1.50	43	2.03	0.20								
						1997	2.80	1.50	35	2.03	0.20								
						1998	2.60	5.00	35	4.00	0.21								
						1999	3.70	5.00	45	4.46	0.10	C.R.A.B.S.		1999					
						2000	3.70	5.00	45	4.46	0.10	SEALCOAT		2000					
						2001	3.70	5.00	45	4.46	0.11								
						2002	3.60	5.00	45	4.42	0.10								
						3	S.H.-78	002190	008.000	012.000	N	1993	2.10	2.00	52	2.04			
												1994	2.00	2.00	52	2.00	0.11		
1995	2.00	2.00	52	2.00	0.11														
1996	2.40	2.00	48	2.16	0.16														
1997	2.40	2.00	42	2.16	0.17														
*1998	2.90	5.00	42	4.13	0.13														
1999	3.80	5.00	48	4.50	0.10							C.R.A.B.S.		1999					
2000	3.70	5.00	48	4.46	0.11							SEALCOAT		2000					
2001	3.80	5.00	48	4.51	0.12														
2002	3.60	5.00	48	4.43	0.11														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
3	S.H.-78	002190	012.000	016.000	N	1993	2.10	2.00	52	2.04		
						1994	2.00	2.00	52	2.00	0.11	
						1995	2.00	2.00	52	2.00	0.11	
						1996	2.40	2.00	48	2.16	0.16	
						1997	2.40	2.00	42	2.16	0.17	C.R.A.B.S.
						*1998	2.90	5.00	42	4.13	0.13	1997
						1999	3.70	5.00	42	4.46	0.08	
						2000	3.60	5.00	42	4.42	0.09	SEALCOAT
						2001	3.60	5.00	42	4.43	0.09	
						2002	3.40	5.00	42	4.35	0.09	
3	S.H.-78	002190	016.000	019.775	N	1993	2.10	2.00	51	2.04		
						1994	2.10	2.00	51	2.04	0.18	
						1995	2.10	2.00	51	2.04	0.18	
						1996	2.50	2.00	45	2.20	0.18	
						1997	2.50	1.90	37	2.14	0.16	C.R.A.B.S.
						1998	3.60	5.00	37	4.42	0.08	1997
						1999	3.60	5.00	45	4.42	0.09	
						2000	3.60	5.00	45	4.42	0.09	SEALCOAT
						2001	3.60	5.00	45	4.43	0.09	
						2002	3.30	5.00	45	4.31	0.08	
3	S.H.-78	002190	019.775	026.000	N	1993	2.00	1.50	54	1.70		
						1994	2.00	1.50	54	1.70	0.15	
						1995	2.00	1.50	54	1.70	0.15	
						1996	2.50	1.50	43	1.90	0.15	
						1997	2.40	1.50	39	1.86	0.16	
						1998	2.20	5.00	39	3.87	0.16	
						1999	3.50	5.00	41	4.39	0.09	C.R.A.B.S.
						2000	3.40	5.00	41	4.35	0.12	SEALCOAT
						2001	3.50	5.00	41	4.39	0.13	
						2002	3.30	5.00	41	4.31	0.13	
3	S.H.-78	002190	026.000	029.158	N	1993	2.00	1.00	59	1.40		
						1994	2.00	1.00	59	1.40	0.11	
						1995	2.00	1.00	59	1.40	0.11	
						1996	2.40	1.00	51	1.56	0.14	
						1997	2.30	1.00	49	1.52	0.14	
						1998	2.20	5.00	49	3.87	0.11	
						1999	3.70	5.00	48	4.47	0.09	C.R.A.B.S.
						2000	3.70	5.00	48	4.47	0.12	SEALCOAT
						2001	3.70	5.00	48	4.47	0.13	
						2002	3.60	5.00	48	4.43	0.15	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS				
3	S.H.-78	002190	029.158	036.750	N	1993	2.10	0.90	56	1.38							
						*1994	2.10	0.90	56	1.38	0.15						
						1995	2.40	0.90	55	1.50	0.21						
						1996	2.30	0.90	46	1.46	0.18						
						1997	2.30	0.90	45	1.46	0.17						
						1998	2.20	5.00	45	3.87	0.21						
						1999	3.80	5.00	48	4.51	0.05	C.R.A.B.S.					1999
						2000	3.70	5.00	48	4.47	0.07	SEALCOAT					2000
						2001	3.80	5.00	48	4.51	0.08						
						2002	3.60	5.00	48	4.43	0.08						
						3	S.H.-78	002190	036.750	042.000	N	*1993	1.80	0.90	52	1.26	
*1994	2.80	5.00	51	4.11	2.22							PLANT MIX OVERLAY				1995	
1995	3.50	5.00	57	4.39	0.00												
1996	3.80	5.00	38	4.51	0.03												
1997	3.60	5.00	34	4.43	0.03												
1998	3.50	5.00	34	4.39	0.07												
1999	3.50	5.00	38	4.39	0.06												
2000	3.50	5.00	38	4.39	0.07							SEALCOAT				2000	
2001	3.60	5.00	38	4.43	0.07												
2002	3.50	5.00	38	4.39	0.07												
3	S.H.-78	002190	042.000	052.000	N							*1993	1.80	1.00	49	1.32	
						*1994	2.80	5.00	51	4.11	2.22	PLANT MIX OVERLAY				1994	
						1995	3.00	5.00	51	4.19	0.16	SEALCOAT				1995	
						1996	3.70	5.00	47	4.47	0.11						
						1997	3.60	5.00	50	4.43	0.10						
						1998	3.40	5.00	50	4.35	0.11						
						1999	3.40	5.00	52	4.35	0.10						
						2000	3.50	5.00	52	4.39	0.12						
						2001	3.50	5.00	52	4.39	0.12						
						2002	3.30	5.00	52	4.31	0.13						
						3	S.H.-78	002190	052.000	055.000	N	*1993	1.80	1.00	49	1.32	
1994	2.70	1.00	49	1.68	0.23											1995	
1995	2.70	5.00	49	4.05	0.23							SEALCOAT					
1996	3.70	5.00	38	4.46	0.13												
1997	3.40	4.50	41	4.04	0.11												
1998	3.20	3.40	41	3.31	0.18												
1999	3.20	3.10	44	3.14	0.18												
2000	3.70	5.00	44	4.46	0.08							C.R.A.B.S.				2000	
2001	3.80	5.00	44	4.51	0.07												
2002	3.50	5.00	44	4.37	0.07												

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS
3	S.H.-78	002190	055.000	061.326	N	1993	2.20	1.00	44	1.49			
						1994	2.30	1.00	44	1.53	0.25	SEALCOAT	1995
						1995	2.30	1.00	44	1.53	0.25		
						1996	2.70	1.00	36	1.70	0.15		
						1997	2.60	1.00	37	1.66	0.14		
						1998	2.40	1.00	37	1.57	0.20		
						1999	2.40	1.00	40	1.57	0.19		
						2000	3.80	5.00	40	4.50	0.10	C.R.A.B.S.	2000
						2001	3.80	5.00	40	4.50	0.10		
						2002	3.50	5.00	40	4.37	0.12		
3	S.H.-78	002190	061.326	063.000	N	1993	1.90	1.50	46	1.66			
						1994	1.90	1.50	46	1.66	0.23	SEALCOAT	1995
						1995	1.90	1.50	46	1.66	0.23		
						1996	2.00	1.50	39	1.70	0.16		
						1997	2.00	1.50	44	1.70	0.14		
						1998	2.00	1.50	44	1.70	0.19		
						1999	1.90	1.50	34	1.66	0.17		
						2000	3.60	5.00	34	4.42	0.13	C.R.A.B.S.	2000
						2001	3.60	5.00	34	4.42	0.12		
						2002	3.30	5.00	34	4.29	0.14		
3	S.H.-78	002190	063.000	067.000	N	1993	1.70	2.00	51	1.87			
						1994	1.70	2.00	51	1.87	0.26	SEALCOAT	1995
						1995	1.70	2.00	51	1.87	0.26		
						1996	2.00	2.00	45	2.00	0.16		
						1997	2.00	2.00	46	2.00	0.15		
						1998	1.90	2.00	46	1.95	0.15		
						1999	2.00	1.90	43	1.94	0.13		
						2000	3.60	5.00	43	4.42	0.13	C.R.A.B.S.	2000
						2001	3.60	4.90	43	4.36	0.15		
						2002	3.50	4.90	43	4.32	0.15		
3	S.H.-78	002190	067.000	076.004	N	1993	1.80	1.50	46	1.62			
						1994	1.90	1.50	46	1.66	0.19	SEALCOAT	1995
						1995	1.90	1.50	46	1.66	0.19		
						1996	1.90	1.50	42	1.66	0.17		
						1997	1.90	1.50	43	1.66	0.20		
						1998	1.80	1.50	43	1.62	0.19		
						1999	1.90	1.50	46	1.66	0.19		
						2000	3.70	5.00	46	4.47	0.10	C.R.A.B.S.	2000
						2001	3.70	5.00	46	4.47	0.10		
						2002	3.50	5.00	46	4.38	0.11		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
3	S.H.-78	002190	082.680	082.900	N	1993	2.10	2.00	51	2.04		
						1994	2.10	2.00	51	2.04	0.25	
						1995	2.10	2.00	51	2.04	0.25	SEALCOAT
						1996	2.30	2.00	43	2.12	0.20	
						*1997	2.30	2.00	46	2.12	0.21	
						1998	2.00	1.50	43	1.70	0.19	
						1999	3.30	1.50	46	2.24	0.05	
						2000	2.80	5.00	46	4.09	0.08	
						2001	2.80	5.00	46	4.09	0.09	
						2002	2.50	5.00	46	3.96	0.08	
3	S.H.-78	002190	082.900	090.500	N	1993	2.10	2.00	51	2.04		
						1994	2.10	2.00	51	2.04	0.25	
						1995	2.10	2.00	51	2.04	0.25	SEALCOAT
						1996	2.30	2.00	43	2.12	0.20	
						*1997	2.30	2.00	46	2.12	0.21	
						1998	4.00	5.00	46	4.58	0.23	C.R.A.B.S.
						1999	3.00	5.00	58	4.17	0.04	
						2000	3.10	5.00	58	4.21	0.06	
						2001	3.10	5.00	58	4.21	0.06	
						2002	3.20	5.00	58	4.25	0.06	
3	S.H.-78	002190	090.500	094.664	N	1993	2.20	1.50	51	1.78		
						1994	2.20	1.50	51	1.78	0.36	
						1995	2.20	1.50	51	1.78	0.36	SEALCOAT
						1996	2.60	1.50	41	1.95	0.20	
						*1997	2.70	1.50	44	1.99	0.19	
						1998	4.00	5.00	44	4.58	0.21	C.R.A.B.S.
						1999	3.40	5.00	56	4.33	0.04	
						2000	3.50	5.00	56	4.38	0.05	
						2001	3.50	5.00	56	4.38	0.05	
						2002	3.50	5.00	56	4.38	0.05	
3	S.H.-78	002190	094.664	098.640	N	1993	2.50	2.00	46	2.18		
						1994	2.40	2.00	46	2.15	0.36	
						1995	2.40	2.00	46	2.15	0.36	SEALCOAT
						1996	2.80	2.00	28	2.30	0.24	
						1997	2.80	1.70	34	2.11	0.25	
						1998	4.00	5.00	34	4.62	0.26	C.R.A.B.S.
						1999	3.20	5.00	54	4.32	0.05	
						2000	3.20	5.00	54	4.32	0.05	
						2001	3.30	5.00	54	4.36	0.06	
						2002	3.30	5.00	54	4.36	0.06	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
3	I-84	001010	000.000	005.968	ASC	1993	3.20	2.50	54	2.85			
						1994	3.20	2.40	25	2.80	0.11		
						1995	3.50	5.00	33	4.23	0.00	HOT IN PLACE RECYCLE	1995
						1996	4.00	4.00	38	4.00	0.16		
						1997	4.00	2.60	29	3.31	0.20		
						1998	3.60	2.40	29	3.01	0.08		
						1999	3.60	2.40	43	3.01	0.09		
						2000	4.00	5.00	43	4.48	0.02		
						2001	4.00	5.00	43	4.48	0.04	NEW CONST OR RECONST (FLEX)	2001
						2002	3.80	5.00	43	4.38	0.11		
3	I-84	001010	000.000	005.968	DES	1993	3.40	2.50	57	2.95			
						1994	3.30	2.50	27	2.90	0.08		
						1995	3.30	2.50	31	2.90	0.08	HOT IN PLACE RECYCLE	1995
						1996	3.00	2.40	32	2.70	0.18		
						1997	3.10	2.30	32	2.70	0.15		
						1998	2.80	2.30	32	2.55	0.25		
						1999	3.10	2.10	47	2.61	0.21		
						2000	4.20	5.00	47	4.59	0.05		
						2001	4.10	5.00	47	4.54	0.05	NEW CONST OR RECONST (FLEX)	2001
						2002	3.90	5.00	47	4.43	0.08		
3	I-84	001010	005.968	012.700	ASC	1993	3.10	1.80	56	2.46			
						1994	3.10	1.70	27	2.41	0.05		
						1995	3.50	5.00	35	4.23	0.00	HOT IN PLACE RECYCLE	1995
						1996	3.90	3.70	43	3.80	0.10		
						1997	3.70	2.70	30	3.20	0.10		
						1998	3.40	2.60	30	3.00	0.10		
						1999	3.10	2.60	44	2.85	0.12		
						*2000	4.00	5.00	44	4.48	0.02		
						2001	3.90	5.00	44	4.43	0.03	NEW CONST OR RECONST (FLEX)	2001
						2002	3.90	5.00	44	4.43	0.10		
3	I-84	001010	005.968	012.700	DES	1993	3.00	1.80	56	2.41			
						1994	2.90	1.70	56	2.31	0.09		
						1995	3.40	1.70	34	2.56	0.07	HOT IN PLACE RECYCLE	1995
						1996	3.30	1.70	39	2.51	0.16		
						1997	3.30	1.70	33	2.51	0.14		
						1998	3.20	1.70	33	2.46	0.17		
						1999	3.00	1.70	46	2.36	0.20		
						*2000	4.00	5.00	46	4.48	0.07		
						2001	3.90	5.00	46	4.43	0.09	NEW CONST OR RECONST (FLEX)	2001
						2002	3.70	5.00	46	4.33	0.12		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
3	I-84	001010	012.700	017.640	ASC	1993	3.20	2.70	51	2.95		
						1994	3.40	2.40	24	2.90	0.02	
						1995	3.40	2.40	27	2.90	0.02	
						1996	3.20	2.30	30	2.75	0.06	
						1997	3.20	2.30	27	2.75	0.07	SEALCOAT
						1998	3.10	2.30	27	2.70	0.10	
						1999	3.10	2.30	42	2.70	0.10	
						*2000	3.00	2.20	42	2.60	0.10	
						2001	3.10	2.20	42	2.66	0.13	
						2002	2.70	2.20	42	2.45	0.12	
3	I-84	001010	012.700	017.640	DES	1993	3.30	3.00	50	3.15		
						1994	3.40	3.00	50	3.20	0.00	
						1995	3.40	3.00	25	3.20	0.00	
						1996	3.20	3.00	25	3.10	0.04	
						1997	3.20	3.00	23	3.10	0.04	SEALCOAT
						1998	3.20	3.00	23	3.10	0.07	
						1999	3.10	3.50	39	3.29	0.08	
						*2000	3.10	3.30	39	3.19	0.08	
						2001	3.10	3.30	39	3.19	0.09	
						2002	2.70	3.30	39	2.99	0.10	
3	I-84	001010	017.640	024.839	ASC	1993	3.60	2.50	57	3.05		
						1994	3.60	2.50	31	3.05	0.00	
						1995	3.60	2.50	35	3.05	0.00	
						1996	3.70	2.50	34	3.11	0.19	
						1997	3.60	2.50	30	3.06	0.14	SEALCOAT
						1998	3.50	2.50	30	3.01	0.24	
						1999	3.50	2.50	56	3.01	0.26	
						2000	3.60	2.40	56	3.01	0.26	
						2001	3.50	2.20	56	2.86	0.32	
						2002	3.20	2.20	56	2.71	0.31	
3	I-84	001010	017.640	024.839	DES	1993	3.50	2.50	57	3.00		
						1994	3.50	2.50	57	3.00	0.01	
						1995	3.50	2.50	33	3.00	0.01	
						1996	3.60	2.30	33	2.96	0.17	
						1997	3.60	2.30	29	2.96	0.13	SEALCOAT
						1998	3.50	2.30	29	2.91	0.18	
						1999	3.50	2.30	54	2.91	0.22	
						2000	3.50	2.30	54	2.91	0.22	
						2001	3.40	2.30	54	2.86	0.25	
						2002	3.00	2.30	54	2.65	0.33	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
3	I-84	001010	024.839	025.991	ASC	1993	3.10	3.00	56	3.05		
						1994	3.70	3.00	30	3.35	0.00	
						1995	3.70	2.90	37	3.31	0.00	
						1996	3.80	2.90	37	3.36	0.14	
						1997	3.80	2.90	30	3.36	0.12	SEALCOAT
						1998	3.70	2.90	30	3.31	0.18	1997
						1999	3.70	2.90	57	3.31	0.22	
						2000	3.50	2.90	57	3.20	0.22	
						2001	3.60	2.90	57	3.26	0.27	
						2002	3.40	2.90	57	3.15	0.16	MAJOR WIDENING
3	I-84	001010	024.839	025.991	DES	1993	3.40	3.50	54	3.44		
						1994	3.40	3.10	54	3.25	0.02	
						1995	3.40	3.10	27	3.25	0.02	
						1996	3.40	2.90	31	3.15	0.12	
						1997	3.60	2.80	29	3.21	0.13	SEALCOAT
						1998	3.40	2.80	29	3.10	0.21	1997
						1999	3.50	2.80	53	3.16	0.17	
						2000	3.50	2.40	53	2.96	0.17	
						2001	3.40	2.40	53	2.91	0.18	
						2002	3.00	2.40	53	2.71	0.22	MAJOR WIDENING
3	I-84	001010	025.991	026.343	ASC	1993	2.60	3.50	57	3.03		
						1994	3.30	3.50	31	3.39	0.00	
						1995	3.30	3.50	31	3.39	0.00	
						1996	3.20	2.40	29	2.81	0.16	
						1997	3.30	2.00	25	2.67	0.10	SEALCOAT
						1998	3.30	2.00	25	2.67	0.07	1997
						1999	3.40	2.00	52	2.72	0.17	
						2000	3.20	2.00	52	2.62	0.15	
						2001	3.00	2.00	52	2.51	0.18	
						2002	2.40	2.00	52	2.20	0.23	MAJOR WIDENING
3	I-84	001010	025.991	026.343	DES	1993	2.90	4.00	52	3.43		
						1994	2.60	4.00	52	3.27	0.01	
						1995	2.60	4.00	28	3.27	0.01	
						1996	3.20	4.00	29	3.58	0.09	
						1997	3.00	3.60	26	3.28	0.09	SEALCOAT
						1998	2.90	3.60	26	3.23	0.17	1997
						1999	2.90	3.60	55	3.23	0.18	
						2000	2.90	2.40	55	2.65	0.19	
						2001	2.90	2.40	55	2.65	0.17	
						2002	2.80	2.40	55	2.60	0.20	MAJOR WIDENING
											2002	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	I-84	001010	026.343	026.700	ASC	1993	3.10	5.00	50	4.02		
						1994	3.10	5.00	20	4.02	0.00	
						1995	3.10	5.00	27	4.02	0.00	
						1996	3.50	5.00	25	4.22	0.04	
						1997	3.50	5.00	23	4.22	0.03	
						1998	3.30	5.00	23	4.11	0.02	
						1999	3.20	5.00	34	4.06	0.05	
						2000	3.20	5.00	34	4.06	0.06	
						2001	3.30	5.00	34	4.11	0.07	
						2002	2.90	5.00	34	3.90	0.09	
3	I-84	001010	026.343	026.700	DES	1993	3.70	5.00	48	4.33		
						1994	3.70	5.00	48	4.32	0.00	
						1995	3.70	5.00	18	4.32	0.00	
						1996	3.60	5.00	27	4.27	0.06	
						1997	3.60	4.50	21	4.03	0.05	
						1998	3.50	4.50	21	3.98	0.03	
						1999	3.40	4.50	33	3.92	0.05	
						2000	3.60	3.50	33	3.55	0.04	
						2001	3.50	3.50	33	3.50	0.05	
						2002	3.10	3.50	33	3.29	0.06	
3	I-84	001010	026.700	027.621	ASC	1993	3.30	5.00	50	4.12		
						1994	3.60	4.50	24	4.03	0.00	
						1995	3.60	4.50	30	4.03	0.00	
						1996	4.00	4.50	25	4.24	0.04	
						1997	3.80	4.50	24	4.13	0.04	
						1998	3.70	4.50	24	4.08	0.03	
						1999	3.70	4.50	39	4.08	0.04	
						2000	3.70	4.50	39	4.08	0.05	
						2001	3.60	4.40	39	3.98	0.04	
						2002	3.60	4.40	39	3.98	0.04	
3	I-84	001010	026.700	027.621	DES	1993	3.00	5.00	48	3.96		
						1994	3.00	5.00	48	3.96	0.00	
						1995	3.00	5.00	23	3.96	0.00	
						1996	3.20	5.00	23	4.07	0.07	
						1997	3.10	5.00	23	4.01	0.07	
						1998	2.80	5.00	23	3.85	0.08	
						1999	2.90	5.00	34	3.90	0.09	
						2000	3.00	5.00	34	3.95	0.10	
						2001	3.00	5.00	34	3.95	0.10	
						2002	3.10	5.00	34	4.01	0.12	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	REMARKS	DEPTH
3	I-84	001010	027.621	027.893	ASC	1993	3.10	3.50	49	3.29		
						1994	3.00	3.50	49	3.24	0.00	
						1995	3.00	3.50	31	3.24	0.00	
						1996	3.50	3.50	21	3.50	0.04	
						1997	3.40	3.50	21	3.44	0.04	
						1998	3.40	3.50	21	3.44	0.04	
						1999	3.40	3.50	21	3.44	0.05	
						2000	3.40	3.50	34	3.44	0.04	
						2001	3.40	3.50	34	3.44	0.06	
						2002	3.20	3.50	34	3.34	0.07	
3	I-84	001010	027.621	027.893	DES	1993	3.00	3.50	46	3.24		
						1994	3.00	3.50	49	3.24	0.00	
						1995	3.00	3.50	20	3.24	0.00	
						1996	3.80	3.50	24	3.65	0.08	
						1997	3.70	3.50	24	3.60	0.05	
						1998	3.70	3.50	24	3.60	0.04	
						1999	3.50	3.50	24	3.50	0.04	
						2000	3.60	3.50	34	3.55	0.03	
						2001	3.60	3.50	34	3.55	0.04	
						2002	3.40	3.50	34	3.44	0.04	
3	I-84	001010	027.893	028.280	ASC	1993	3.10	4.00	46	3.53		
						1994	3.10	4.00	20	3.53	0.00	
						1995	3.10	4.00	36	3.53	0.00	
						*1996	3.70	4.00	23	3.84	0.05	
						1997	3.70	4.00	20	3.84	0.03	
						1998	3.50	4.00	20	3.74	0.04	
						1999	3.50	4.00	33	3.74	0.04	
						2000	3.60	4.00	33	3.79	0.04	
						2001	3.50	4.00	33	3.73	0.05	
						2002	3.30	4.00	33	3.63	0.05	
3	I-84	001010	027.893	028.280	DES	1993	3.80	3.00	45	3.41		
						1994	3.80	3.00	45	3.41	0.01	
						1995	3.80	3.00	20	3.41	0.01	
						*1996	4.10	2.80	24	3.47	0.07	
						1997	4.10	2.80	22	3.47	0.04	
						1998	4.00	2.80	22	3.42	0.04	
						1999	3.90	2.80	35	3.37	0.05	
						2000	3.90	2.20	35	3.08	0.06	
						2001	4.00	2.20	35	3.13	0.07	
						2002	3.70	2.20	35	2.98	0.07	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
3	I-84	001010	028.280	032.640	ASC	1993	3.70	5.00	59	4.32		HOT IN PLACE RECYCLE	1993
						1994	3.80	4.00	21	3.89	0.00		
						1995	3.80	4.00	31	3.89	0.00		
						*1996	4.00	3.90	24	3.95	0.18		
						1997	4.00	2.70	23	3.37	0.15		
						1998	3.60	2.70	23	3.16	0.22		
						1999	3.70	2.50	42	3.12	0.25		
						2000	3.80	2.00	42	2.93	0.17		
						2001	3.50	2.00	42	2.78	0.27		
						2002	3.40	2.00	42	2.72	0.27		
3	I-84	001010	028.280	032.640	DES	1993	3.50	5.00	58	4.21		HOT IN PLACE RECYCLE	1993
						1994	3.80	4.00	58	3.89	0.00		
						1995	3.80	4.00	23	3.89	0.00		
						*1996	4.10	3.80	25	3.95	0.19		
						1997	3.90	3.80	20	3.85	0.19		
						1998	3.70	3.80	20	3.74	0.20		
						1999	3.70	3.80	40	3.74	0.27		
						2000	3.70	2.10	40	2.93	0.26		
						2001	3.60	2.10	40	2.88	0.28		
						2002	3.10	2.10	40	2.62	0.32		
3	I-84	001010	032.640	035.974	ASC	1993	3.70	5.00	57	4.32		HOT IN PLACE RECYCLE	1993
						1994	3.80	4.00	15	3.89	0.00		
						1995	3.80	4.00	31	3.89	0.00		
						1996	4.20	4.00	36	4.10	0.15		
						1997	4.10	3.80	23	3.95	0.11		
						1998	3.70	3.60	23	3.65	0.14		
						1999	3.90	3.00	40	3.47	0.19		
						2000	3.90	3.00	40	3.47	0.13		
						2001	3.80	2.60	40	3.23	0.19		
						2002	3.50	2.40	40	2.97	0.19		
3	I-84	001010	032.640	035.974	DES	1993	3.40	5.00	54	4.16		HOT IN PLACE RECYCLE	1993
						1994	3.60	4.00	54	3.79	0.00		
						1995	3.60	4.00	23	3.79	0.00		
						1996	3.80	4.00	29	3.89	0.14		
						1997	3.80	3.40	19	3.60	0.10		
						1998	3.60	3.40	19	3.50	0.16		
						1999	3.60	3.40	39	3.50	0.20		
						2000	3.70	2.40	39	3.08	0.22		
						2001	3.60	2.40	39	3.03	0.19		
						2002	3.40	2.40	39	2.92	0.20		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS	
3	I-84	001010	035.974	038.470	ASC	1993	3.60	5.00	53	4.26		HOT IN PLACE RECYCLE	1993
						1994	3.80	3.90	15	3.84	0.02		
						1995	3.80	3.90	30	3.84	0.02		
						1996	4.10	3.90	25	4.00	0.16		
						1997	4.00	3.90	22	3.95	0.10	COLD IN PLACE RECYCLE	1997
						1998	3.90	3.90	22	3.90	0.08		
						1999	3.90	3.90	47	3.90	0.12		
						2000	3.90	3.00	47	3.48	0.11		
						2001	3.80	2.90	47	3.38	0.16		
						2002	3.40	2.90	47	3.16	0.19		
3	I-84	001010	035.974	038.470	DES	1993	3.50	5.00	52	4.21		HOT IN PLACE RECYCLE	1993
						1994	3.70	4.00	52	3.84	0.04		
						1995	3.70	4.00	22	3.84	0.04		
						1996	3.80	4.00	24	3.89	0.18		
						1997	3.80	4.00	12	3.89	0.17	COLD IN PLACE RECYCLE	1997
						1998	3.90	4.00	12	3.94	0.14		
						1999	3.90	4.00	46	3.94	0.15		
						2000	3.90	4.00	46	3.94	0.19		
						2001	3.90	3.80	46	3.85	0.18		
						2002	3.60	3.80	46	3.69	0.24		
3	I-84	001010	038.470	039.975	ASC	1993	4.00	2.90	50	3.47			
						1994	4.00	2.90	20	3.47	0.30		
						1995	4.00	2.90	28	3.47	0.30		
						1996	3.70	2.80	26	3.27	0.46		
						1997	3.60	2.80	23	3.22	0.35	COLD IN PLACE RECYCLE	1997
						1998	4.10	5.00	23	4.52	0.11		
						1999	4.20	4.80	47	4.48	0.14		
						2000	4.10	4.50	47	4.28	0.21		
						2001	4.00	3.40	47	3.72	0.25		
						2002	3.40	3.40	47	3.40	0.37		
3	I-84	001010	038.470	039.975	DES	1993	4.00	2.90	51	3.47			
						1994	4.00	2.90	51	3.47	0.32		
						1995	4.00	2.90	22	3.47	0.32		
						1996	3.70	2.90	22	3.31	0.45		
						1997	3.70	2.90	22	3.32	0.35	COLD IN PLACE RECYCLE	1997
						1998	4.30	3.90	22	4.11	0.11		
						1999	4.20	3.90	42	4.05	0.14		
						2000	4.30	3.90	42	4.11	0.19		
						2001	4.10	3.90	42	4.00	0.21		
						2002	3.80	3.90	42	3.84	0.24		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
3	I-84	001010	039.975	042.000	ASC	1993	3.60	2.80	50	3.21			
						1994	3.90	2.80	22	3.37	0.17		
						1995	3.90	2.80	29	3.37	0.17		
						1996	3.70	2.80	28	3.27	0.44		
						1997	3.70	2.80	24	3.27	0.30	COLD IN PLACE RECYCLE	1997
						1998	4.40	5.00	24	4.68	0.11		
						1999	4.30	5.00	45	4.62	0.14		
						2000	4.30	5.00	45	4.62	0.17		
						2001	4.20	4.30	45	4.24	0.20		
						2002	3.80	4.30	45	4.03	0.30		
3	I-84	001010	039.975	042.000	DES	1993	3.80	2.80	51	3.32			
						1994	3.80	2.80	51	3.32	0.22		
						1995	3.80	2.80	24	3.32	0.22		
						1996	3.80	2.80	22	3.32	0.41		
						1997	3.80	2.80	43	3.32	0.43	COLD IN PLACE RECYCLE	1997
						1998	4.20	3.90	43	4.05	0.10		
						1999	4.10	3.90	47	4.00	0.14		
						2000	4.20	3.90	47	4.06	0.19		
						2001	4.00	3.90	47	3.95	0.24		
						2002	3.60	3.90	47	3.73	0.34		
3	I-84	001010	042.000	043.000	ASC	*1993	3.80	3.00	50	3.42			
						1994	4.20	3.00	21	3.62	0.18		
						1995	4.20	3.00	30	3.62	0.18		
						1996	4.00	3.00	29	3.52	0.50		
						1997	3.90	3.00	30	3.47	0.32	COLD IN PLACE RECYCLE	1997
						1998	4.40	5.00	30	4.68	0.09		
						1999	4.30	4.70	49	4.48	0.19		
						2000	4.30	4.70	49	4.48	0.25		
						2001	4.30	4.40	49	4.34	0.20		
						2002	3.90	4.40	49	4.13	0.29		
3	I-84	001010	042.000	043.000	DES	*1993	3.60	2.90	48	3.26			
						1994	4.00	2.80	51	3.42	0.20		
						1995	4.00	2.80	24	3.42	0.20		
						1996	3.80	2.80	22	3.32	0.39		
						1997	3.80	2.80	48	3.32	0.42	COLD IN PLACE RECYCLE	1997
						1998	4.30	3.70	48	4.01	0.13		
						1999	4.30	3.70	49	4.01	0.17		
						2000	4.20	3.60	49	3.92	0.24		
						2001	4.10	3.60	49	3.86	0.29		
						2002	3.50	3.60	49	3.54	0.37		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS						
3	I-84	001010	043.000	044.689	ASC	*1993	3.80	3.00	50	3.42								
						1994	3.20	3.00	49	3.10	0.17	MAJOR WIDENING	1994					
						1995	3.20	3.00	28	3.10	0.17							
						1996	3.60	3.00	28	3.31	0.29							
						1997	3.50	3.00	26	3.26	0.24	COLD IN PLACE RECYCLE	1997					
						1998	3.60	5.00	26	4.24	0.10							
						1999	3.50	5.00	44	4.18	0.16							
						2000	3.60	5.00	44	4.24	0.16							
						2001	3.50	4.30	44	3.86	0.16							
						2002	3.30	4.30	44	3.75	0.22							
						3	I-84	001010	043.000	044.689	DES	*1993	3.60	2.90	48	3.26		
												1994	3.20	2.80	45	3.01	0.22	MAJOR WIDENING
1995	3.20	2.80	25	3.01	0.22													
1996	3.70	2.80	22	3.27	0.27													
1997	3.70	2.50	42	3.14	0.27							COLD IN PLACE RECYCLE	1997					
1998	3.90	3.70	42	3.80	0.12													
1999	3.80	3.70	43	3.75	0.19													
2000	3.80	3.60	43	3.70	0.22													
2001	3.60	3.50	43	3.55	0.26													
2002	3.10	3.50	43	3.28	0.34													
3	I-84	001010	044.689	045.940	ASC							1993	3.30	3.00	41	3.15		
												*1994	3.00	5.00	41	3.93	0.10	MAJOR WIDENING
						1995	3.00	4.50	25	3.70	0.10							
						1996	3.10	4.00	26	3.51	0.07							
						1997	3.20	3.00	22	3.10	0.09							
						1998	3.00	3.00	22	3.00	0.10							
						1999	2.90	3.00	39	2.94	0.11							
						2000	2.80	3.00	39	2.89	0.12							
						2001	2.80	3.00	39	2.89	0.12							
						2002	2.60	3.00	39	2.78	0.15							
						3	I-84	001010	044.689	045.940	DES	1993	3.30	3.50	38	3.39		
												*1994	3.00	5.00	38	3.93	0.10	MAJOR WIDENING
1995	3.00	5.00	22	3.93	0.13													
1996	3.40	4.50	24	3.90	0.09													
1997	3.30	4.30	22	3.76	0.12													
1998	3.20	4.30	22	3.70	0.12													
1999	3.10	4.30	36	3.65	0.17													
2000	3.00	4.00	36	3.45	0.18													
2001	3.00	4.00	36	3.45	0.20													
2002	2.80	4.00	36	3.34	0.20													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS							
3	I-84	001010	045.940	046.770	ASC	1993	3.30	3.00	41	3.15										
						*1994	3.00	5.00	41	3.93	0.10	MAJOR WIDENING	1994							
						1995	3.00	4.50	23	3.69	0.11									
						1996	3.20	4.50	24	3.80	0.07									
						1997	3.30	4.50	21	3.85	0.08									
						1998	3.30	4.50	21	3.84	0.09									
						1999	3.00	4.50	37	3.68	0.14									
						2000	2.90	4.50	37	3.62	0.14									
						2001	3.00	4.50	37	3.67	0.13									
						2002	2.60	3.80	37	3.13	0.13									
						3	I-84	001010	045.940	046.770	DES	1993		3.30	3.50	38	3.39			
												*1994		3.00	5.00	38	3.93	0.10	MAJOR WIDENING	1994
												1995		3.00	4.50	22	3.69	0.06		
1996	3.20	4.50	22	3.80	0.05															
1997	3.30	4.00	20	3.62	0.09															
1998	3.10	4.00	20	3.51	0.09															
1999	3.00	4.00	32	3.45	0.11															
2000	3.00	4.00	32	3.45	0.09															
2001	3.00	4.00	32	3.45	0.12															
2002	2.80	4.00	32	3.33	0.13															
3	I-84	001010	046.770	049.120	ASC							1993	3.40	3.00	40	3.21				
												*1994	3.00	5.00	40	3.93	0.11	MAJOR WIDENING	1994	
												1995	3.00	5.00	22	3.96	0.11			
						1996	3.20	5.00	22	4.06	0.10									
						1997	3.20	5.00	19	4.06	0.07									
						1998	3.20	5.00	19	4.05	0.09									
						1999	3.10	5.00	41	4.00	0.21									
						2000	2.80	5.00	41	3.83	0.10									
						2001	2.90	4.80	41	3.79	0.12									
						2002	2.70	4.80	41	3.68	0.13									
						3	I-84	001010	046.770	049.120	DES	1993	3.40	3.00	38	3.21				
												*1994	3.00	5.00	38	3.93	0.10	MAJOR WIDENING		1994
												1995	3.00	5.00	20	3.96	0.11			
1996	3.20	5.00	20	4.06	0.07															
1997	3.20	5.00	18	4.06	0.07															
1998	3.10	5.00	18	4.00	0.11															
1999	3.00	5.00	29	3.94	0.11															
2000	3.10	5.00	29	3.99	0.09															
2001	3.10	5.00	29	3.99	0.14															
2002	2.90	5.00	29	3.88	0.11															

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS
3	I-84	001010	049.120	049.351	ASC	1993	3.40	3.00	40	3.21		
						*1994	3.00	5.00	40	3.93	0.11	
						1995	3.50	5.00	20	4.22	0.03	
						1996	2.80	4.80	20	3.75	0.08	
						1997	2.60	4.80	18	3.65	0.07	
						1998	2.40	4.80	18	3.54	0.04	
						1999	2.40	4.80	29	3.53	0.17	
						2000	2.30	4.80	29	3.47	0.18	
						2001	2.10	4.80	29	3.37	0.19	
						2002	1.90	3.50	29	2.65	0.15	
3	I-84	001010	049.120	049.351	DES	1993	3.40	3.00	38	3.21		
						*1994	3.00	5.00	38	3.93	0.10	
						1995	3.90	5.00	44	4.42	0.03	
						1996	4.00	5.00	20	4.47	0.04	
						1997	3.80	4.00	18	3.89	0.04	
						1998	3.70	4.00	18	3.84	0.08	
						1999	3.60	4.00	29	3.78	0.06	
						2000	3.50	4.00	29	3.73	0.05	
						2001	3.10	4.00	29	3.52	0.04	
						2002	2.90	4.00	29	3.41	0.07	
3	I-84	001010	049.351	050.140	ASC	1993	3.60	3.50	38	3.55		
						1994	3.60	3.50	38	3.55	0.13	
						1995	3.60	3.50	38	3.55	0.05	
						1996	3.30	3.50	20	3.39	0.12	NEW CONST OR RECONST (FLEX)
						1997	3.20	3.50	18	3.33	0.06	
						1998	3.00	3.50	18	3.23	0.07	
						1999	2.90	3.50	28	3.17	0.13	
						2000	2.70	3.50	28	3.06	0.15	
						2001	2.60	3.50	28	3.01	0.15	
						2002	2.40	3.50	28	2.90	0.14	
3	I-84	001010	049.351	050.140	DES	1993	3.70	3.50	38	3.60		
						1994	3.40	3.50	38	3.44	0.12	
						1995	3.40	3.50	38	3.44	0.12	
						1996	3.60	3.50	21	3.55	0.08	NEW CONST OR RECONST (FLEX)
						1997	3.80	3.50	19	3.66	0.08	
						1998	3.70	3.50	19	3.60	0.08	
						1999	3.60	3.50	19	3.55	0.05	
						2000	3.70	3.50	19	3.60	0.07	
						2001	3.50	3.50	28	3.50	0.06	
						2002	3.00	3.50	28	3.22	0.11	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS						
3	I-84	001010	050.140	051.808	ASC	1993	3.30	3.00	36	3.15								
						1994	3.20	3.00	36	3.10	0.11							
						1995	3.20	3.00	36	3.10	0.11							
						1996	3.60	3.00	36	3.31	0.09	NEW CONST OR RECONST (FLEX)	1996					
						1997	3.40	3.00	20	3.21	0.07							
						1998	3.30	3.00	20	3.16	0.08							
						1999	3.20	3.00	32	3.10	0.08							
						2000	3.20	3.00	32	3.10	0.08							
						2001	3.20	4.50	29	3.79	0.08							
						2002	2.90	4.50	29	3.63	0.13							
						3	I-84	001010	050.140	051.808	DES	1993	3.40	3.00	38	3.21		
												1994	3.50	3.00	38	3.26	0.12	
1995	3.50	3.00	38	3.26	0.12													
1996	3.50	3.00	21	3.26	0.08							NEW CONST OR RECONST (FLEX)	1996					
1997	3.40	3.00	21	3.21	0.06													
1998	3.30	3.00	21	3.16	0.07													
1999	3.30	3.00	35	3.16	0.06													
2000	3.10	3.00	35	3.05	0.09													
2001	3.10	3.00	35	3.05	0.10													
2002	2.90	3.00	35	2.94	0.10													
3	I-84	001010	051.808	053.317	ASC							1993	3.50	4.00	39	3.73		
												1994	3.20	4.00	39	3.57	0.10	
						1995	3.20	4.00	19	3.57	0.10							
						1996	2.90	4.00	20	3.41	0.12							
						1997	2.80	4.00	18	3.36	0.09							
						1998	2.60	3.00	18	2.78	0.10							
						1999	2.40	3.00	33	2.67	0.13							
						2000	2.30	2.50	33	2.39	0.13							
						2001	2.30	2.40	26	2.34	0.18							
						2002	2.10	2.40	26	2.23	0.17							
						3	I-84	001010	051.808	053.317	DES	1993	3.20	4.00	36	3.57		
												1994	3.50	4.00	36	3.73	0.08	
1995	3.50	4.00	18	3.73	0.08													
1996	3.40	4.00	21	3.68	0.11													
1997	3.20	4.00	17	3.57	0.09													
1998	3.20	4.00	17	3.57	0.11													
1999	3.00	4.00	35	3.46	0.18													
2000	2.70	4.00	35	3.29	0.14													
2001	2.80	4.00	35	3.35	0.18													
2002	2.50	4.00	35	3.18	0.18													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	REMARKS	DEPTH
3	I-84	001010	053.317	054.275	ASC	1993	3.40	3.50	37	3.44		
						1994	3.10	3.30	14	3.19	0.10	
						1995	3.10	3.30	19	3.19	0.10	
						1996	2.60	3.30	20	2.93	0.12	
						1997	2.60	3.30	19	2.93	0.07	
						1998	2.20	3.30	19	2.71	0.14	
						1999	2.00	3.30	33	2.60	0.12	
						2000	2.10	2.50	33	2.28	0.09	
						2001	2.00	2.40	27	2.18	0.17	
						2002	1.80	2.40	27	2.07	0.15	
3	I-84	001010	053.317	054.275	DES	1993	3.70	3.50	36	3.60		
						1994	3.70	3.50	36	3.60	0.02	
						1995	3.70	3.50	17	3.60	0.02	
						1996	3.20	3.50	20	3.34	0.06	
						1997	3.20	3.50	16	3.34	0.08	
						1998	3.10	3.50	16	3.28	0.08	
						1999	2.90	3.50	34	3.18	0.11	
						2000	2.70	3.50	34	3.07	0.13	
						2001	2.70	3.50	34	3.07	0.14	
						2002	2.30	3.50	34	2.85	0.15	
3	I-84	001010	054.275	057.747	ASC	1993	3.20	3.50	40	3.34		
						1994	3.10	3.50	15	3.29	0.02	
						1995	3.10	3.50	18	3.29	0.02	
						1996	2.40	3.50	29	2.93	0.07	
						1997	2.40	3.50	18	2.93	0.06	
						1998	2.40	3.50	18	2.93	0.09	
						1999	2.10	3.50	34	2.78	0.11	
						2000	2.00	2.60	34	2.29	0.09	
						2001	2.00	2.50	29	2.24	0.11	
						2002	1.80	2.50	29	2.14	0.11	
3	I-84	001010	054.275	057.747	DES	1993	3.60	3.50	43	3.55		
						1994	3.60	3.50	43	3.55	0.02	
						1995	3.60	3.50	19	3.55	0.02	
						1996	3.00	3.50	25	3.24	0.07	
						1997	3.00	3.50	18	3.24	0.06	
						1998	3.10	3.50	18	3.29	0.08	
						1999	2.70	3.50	34	3.08	0.10	
						2000	2.70	3.50	34	3.08	0.09	
						2001	2.70	3.50	34	3.08	0.10	
						2002	2.50	3.50	34	2.98	0.12	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
3	I-84	001010	057.747	059.890	ASC	1993	3.40	3.50	41	3.44			
						1994	3.30	3.50	16	3.39	0.01		
						1995	3.30	3.50	21	3.39	0.01		
						1996	2.30	2.90	21	2.59	0.05		
						1997	2.40	2.80	20	2.59	0.05	MAJOR WIDENING	1997
						1998	2.20	2.80	20	2.49	0.06		
						1999	2.00	2.80	34	2.38	0.07		
						2000	2.00	2.80	34	2.38	0.06		
						2001	1.90	2.40	31	2.14	0.07		
						2002	2.20	2.30	31	2.24	0.08		
3	I-84	001010	057.747	059.890	DES	1993	3.50	3.50	45	3.50			
						1994	3.40	3.50	45	3.44	0.03		
						1995	3.40	3.50	19	3.44	0.03		
						1996	2.80	3.50	33	3.14	0.06		
						1997	2.80	3.00	18	2.89	0.06	MAJOR WIDENING	1997
						1998	2.80	3.00	18	2.89	0.08		
						1999	2.50	3.00	35	2.74	0.08		
						2000	2.30	3.00	35	2.64	0.10		
						2001	2.30	3.00	35	2.64	0.09		
						2002	2.10	2.40	35	2.24	0.09		
3	I-84	001010	059.890	063.500	ASC	1993	3.60	2.50	51	3.06			
						1994	3.70	2.50	19	3.11	0.04		
						1995	3.70	2.50	25	3.11	0.04		
						1996	3.40	2.50	27	2.96	0.21		
						1997	3.40	2.50	41	2.96	0.17	SEALCOAT	1997
						1998	3.20	2.50	41	2.85	0.25		
						1999	3.20	2.50	50	2.85	0.25		
						2000	3.10	2.50	50	2.80	0.28		
						2001	3.00	2.40	39	2.70	0.28		
						2002	3.60	5.00	39	4.28	0.10		
3	I-84	001010	059.890	063.500	DES	1993	3.40	5.00	56	4.18			
						1994	3.40	4.00	56	3.69	0.00		
						1995	3.40	3.50	27	3.44	0.00		
						1996	3.80	3.50	27	3.65	0.12		
						1997	3.60	3.40	43	3.50	0.14	SEALCOAT	1997
						1998	3.50	3.40	43	3.45	0.17		
						1999	3.50	3.40	57	3.45	0.18		
						2000	3.40	2.50	57	2.96	0.18		
						2001	3.40	2.50	57	2.96	0.22		
						2002	3.20	2.50	57	2.85	0.18		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS						
3	I-84	001010	063.500	070.110	ASC	1993	3.40	5.00	58	4.18								
						1994	3.60	3.50	17	3.55	0.00							
						1995	3.60	3.50	26	3.55	0.00							
						1996	3.80	3.00	31	3.40	0.09							
						1997	3.80	2.30	45	3.06	0.09	SEALCOAT	1997					
						1998	3.70	2.30	45	3.01	0.12							
						1999	3.60	2.30	58	2.96	0.15							
						2000	3.50	2.30	58	2.91	0.16							
						2001	3.50	2.20	45	2.86	0.18							
						2002	3.50	5.00	45	4.22	0.11							
						3	I-84	001010	063.500	070.110	DES	1993	3.50	5.00	58	4.23		
												1994	3.60	3.50	58	3.55	0.00	
1995	3.60	3.00	22	3.30	0.00													
1996	3.80	2.90	27	3.36	0.16													
1997	3.70	2.40	43	3.06	0.16							SEALCOAT	1997					
1998	3.50	2.40	43	2.96	0.20													
1999	3.50	2.40	53	2.96	0.23													
2000	3.50	2.30	53	2.91	0.24													
2001	3.30	2.30	53	2.81	0.25													
2002	3.00	2.30	53	2.65	0.22													
3	I-84	001010	070.110	072.572	ASC							1993	3.50	3.00	53	3.25		
												1994	3.50	3.00	23	3.25	0.09	
						1995	3.50	3.00	28	3.25	0.09							
						1996	3.60	3.00	33	3.30	0.31							
						1997	3.50	3.00	46	3.25	0.25	SEALCOAT	1997					
						1998	3.30	3.00	46	3.15	0.32							
						1999	3.30	3.00	56	3.15	0.37							
						2000	3.40	2.80	56	3.10	0.26							
						2001	3.20	5.00	41	4.07	0.37	NEW CONST OR RECONST (CONCRETE)	2001					
						2002	2.70	2.40	41	2.55	0.36							
						3	I-84	001010	070.110	072.572	DES	1993	3.40	2.80	47	3.10		
												1994	3.30	2.70	47	3.00	0.00	
1995	3.30	2.60	19	2.95	0.00													
1996	3.20	2.30	25	2.76	0.03													
1997	3.20	2.10	24	2.66	0.06							SEALCOAT	1997					
1998	3.20	2.10	24	2.66	0.04													
1999	3.10	2.10	37	2.61	0.04													
2000	3.70	5.00	37	4.33	0.18													
2001	3.40	5.00	37	4.17	0.04							NEW CONST OR RECONST (CONCRETE)	2001					
2002	3.10	4.80	37	3.92	0.05													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS	
3	I-84	001010	072.572	079.751	ASC	1993	3.80	3.00	54	3.40			
						1994	3.70	3.00	25	3.35	0.10		
						1995	3.70	3.00	31	3.35	0.10		
						1996	3.60	3.00	32	3.30	0.34		
						1997	3.50	3.00	42	3.25	0.23	SEALCOAT	1997
						1998	3.30	3.00	42	3.15	0.36		
						1999	3.30	3.00	57	3.15	0.40		
						2000	3.40	2.70	57	3.05	0.29		
						2001	3.10	5.00	40	4.02	0.42	NEW CONST OR RECONST (CONCRETE)	2001
						2002	2.70	2.50	40	2.60	0.44		
3	I-84	001010	072.572	079.751	DES	1993	3.50	2.50	51	3.01			
						1994	3.40	2.40	21	2.91	0.01		
						1995	3.40	2.40	25	2.91	0.01		
						1996	3.30	2.30	28	2.81	0.03		
						1997	3.40	2.10	25	2.76	0.03	SEALCOAT	1997
						1998	3.30	2.10	25	2.71	0.05		
						1999	3.20	2.10	40	2.66	0.05		
						2000	3.70	5.00	40	4.33	0.20		
						2001	3.60	5.00	40	4.28	0.05	NEW CONST OR RECONST (CONCRETE)	2001
						2002	3.40	5.00	40	4.17	0.04		
3	I-84	001010	079.751	082.230	ASC	1993	3.80	3.00	57	3.40			
						1994	3.80	3.00	27	3.40	0.09		
						1995	3.80	3.00	31	3.40	0.09		
						1996	3.90	3.00	34	3.46	0.31		
						1997	3.70	3.00	38	3.35	0.23	SEALCOAT	1997
						1998	3.60	3.00	38	3.30	0.31		
						1999	3.50	3.00	56	3.25	0.38		
						*2000	3.60	2.90	56	3.25	0.29		
						2001	3.50	5.00	37	4.23	0.38	NEW CONST OR RECONST (CONCRETE)	2001
						2002	3.10	3.50	37	3.29	0.46		
3	I-84	001010	079.751	082.230	DES	1993	3.30	2.50	53	2.90			
						1994	3.30	2.50	27	2.90	0.02		
						1995	3.30	2.50	26	2.90	0.02		
						1996	3.40	2.50	31	2.96	0.03		
						1997	3.40	2.50	27	2.96	0.04	SEALCOAT	1997
						1998	3.30	2.50	27	2.90	0.06		
						1999	3.20	2.20	45	2.71	0.06		
						*2000	3.70	5.00	45	4.33	0.22		
						2001	3.60	5.00	45	4.28	0.06	NEW CONST OR RECONST (CONCRETE)	2001
						2002	3.20	5.00	45	4.07	0.04		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
3	I-84	001010	082.230	090.053	ASC	1993	4.00	5.00	47	4.48								
						1994	4.20	5.00	17	4.59	0.04	NEW CONST OR RECONST (FLEX)	1996					
						1995	4.20	5.00	24	4.59	0.04	NEW CONST OR RECONST (CONCRETE)	1997					
						1996	4.40	5.00	28	4.69	0.31							
						1997	4.40	5.00	21	4.69	0.27							
						1998	4.40	5.00	21	4.69	0.30							
						1999	4.30	4.50	35	4.39	0.39							
						*2000	4.30	4.50	35	4.39	0.41							
						2001	4.30	4.40	27	4.34	0.44							
						2002	3.80	4.40	27	4.09	0.49							
						3	I-84	001010	082.230	090.053	DES	1993	4.00	5.00	49	4.48		
												1994	4.20	5.00	14	4.59	0.05	NEW CONST OR RECONST (FLEX)
1995	4.20	5.00	19	4.59	0.05							NEW CONST OR RECONST (CONCRETE)	1997					
1996	4.10	5.00	26	4.53	0.16													
1997	4.30	4.50	20	4.39	0.15													
1998	4.20	4.50	20	4.34	0.24													
1999	4.20	4.50	34	4.34	0.24													
*2000	4.20	4.50	34	4.34	0.26													
2001	4.10	4.00	34	4.05	0.29													
2002	3.60	4.00	34	3.79	0.34													
3	I-84	001010	090.053	093.486	ASC							1993	3.50	1.50	49	2.51		
												1994	3.10	1.50	21	2.31	0.01	NEW CONST OR RECONST (FLEX)
						1995	3.10	1.50	22	2.31	0.01	NEW CONST OR RECONST (CONCRETE)	1997					
						1996	2.00	1.50	38	1.75	0.08							
						1997	3.90	4.50	34	4.19	0.03							
						1998	3.90	4.50	34	4.19	0.04							
						1999	3.90	4.50	38	4.19	0.04							
						2000	4.00	4.00	38	4.00	0.04							
						2001	3.90	4.00	28	3.94	0.05							
						2002	3.50	2.40	28	2.96	0.06							
						3	I-84	001010	090.053	093.486	DES	1993	3.90	1.50	47	2.71		
												1994	3.60	1.50	20	2.56	0.00	NEW CONST OR RECONST (FLEX)
1995	3.60	1.50	20	2.56	0.00							NEW CONST OR RECONST (CONCRETE)	1997					
1996	2.70	1.50	37	2.11	0.04													
1997	4.00	5.00	37	4.49	0.06													
1998	4.10	5.00	37	4.54	0.04													
1999	4.10	5.00	47	4.54	0.05													
2000	4.10	5.00	47	4.54	0.06													
2001	4.10	5.00	47	4.54	0.06													
2002	3.70	5.00	47	4.33	0.07													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS	
3	I-84	001010	093.486	096.153	ASC	1993	2.80	5.00	51	3.88		NEW CONST OR RECONST (CONCRETE)	1993
						1994	3.60	5.00	24	4.29	0.01		
						1995	3.60	5.00	25	4.29	0.01		
						1996	3.20	5.00	37	4.08	0.04	NEW CONST OR RECONST (FLEX)	1996
						1997	3.90	5.00	29	4.44	0.04	NEW CONST OR RECONST (CONCRETE)	1997
						1998	3.90	4.80	29	4.34	0.04		
						1999	3.90	4.80	37	4.34	0.04		
						2000	4.10	4.80	37	4.44	0.04		
						2001	4.00	4.80	32	4.39	0.04		
						2002	3.70	4.80	32	4.24	0.04		
3	I-84	001010	093.486	096.153	DES	1993	3.00	5.00	15	3.98		NEW CONST OR RECONST (CONCRETE)	1993
						1994	3.80	5.00	27	4.39	0.00		
						1995	3.80	5.00	26	4.39	0.00		
						1996	3.30	5.00	33	4.13	0.04	NEW CONST OR RECONST (FLEX)	1996
						1997	3.80	5.00	33	4.39	0.04	NEW CONST OR RECONST (CONCRETE)	1997
						1998	3.80	5.00	33	4.39	0.06		
						1999	3.80	5.00	40	4.39	0.06		
						2000	3.90	5.00	40	4.44	0.07		
						2001	3.90	5.00	40	4.44	0.07		
						2002	3.50	5.00	40	4.23	0.07		
3	I-84	001010	096.153	099.570	ASC	1993	2.30	5.00	55	3.63		NEW CONST OR RECONST (CONCRETE)	1993
						1994	4.00	5.00	31	4.49	0.00		
						1995	4.00	5.00	31	4.49	0.00		
						1996	3.90	5.00	30	4.44	0.03		
						1997	3.90	5.00	25	4.44	0.05		
						1998	3.90	5.00	25	4.44	0.04		
						1999	3.90	5.00	39	4.44	0.03		
						2000	4.00	4.80	39	4.39	0.03		
						2001	4.00	4.80	33	4.39	0.04		
						2002	3.70	4.80	33	4.24	0.04		
3	I-84	001010	096.153	099.570	DES	1993	2.40	5.00	00	3.68		NEW CONST OR RECONST (CONCRETE)	1993
						1994	4.10	5.00	30	4.54	0.00		
						1995	4.10	5.00	25	4.54	0.00		
						1996	4.00	4.00	31	4.00	0.03		
						1997	4.00	4.00	24	4.00	0.04		
						1998	3.90	4.00	24	3.94	0.03		
						1999	3.90	4.00	33	3.94	0.03		
						2000	3.90	4.00	33	3.94	0.03		
						2001	4.00	4.00	33	4.00	0.03		
						2002	3.70	3.80	33	3.74	0.03		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS	
3	I-84	001010	099.570	106.870	ASC	1993	2.80	5.00	26	3.88		NEW CONST OR RECONST (CONCRETE)	1993
						1994	3.50	5.00	26	4.24	0.03	NEW CONST OR RECONST (CONCRETE)	1994
						1995	3.50	5.00	29	4.24	0.03		
						1996	3.80	5.00	30	4.39	0.05		
						1997	3.70	5.00	24	4.34	0.05		
						1998	3.70	5.00	24	4.33	0.04		
						1999	3.70	5.00	32	4.33	0.04		
						2000	3.80	4.90	32	4.34	0.03		
						2001	3.80	4.90	31	4.34	0.04		
						2002	3.50	4.70	31	4.08	0.04		
3	I-84	001010	099.570	106.870	DES	1993	2.60	5.00	00	3.78		NEW CONST OR RECONST (CONCRETE)	1993
						1994	3.50	5.00	00	4.24	0.01	NEW CONST OR RECONST (CONCRETE)	1994
						1995	3.50	5.00	28	4.24	0.01		
						1996	3.90	5.00	30	4.44	0.03		
						1997	3.80	5.00	28	4.39	0.04		
						1998	3.70	5.00	28	4.33	0.04		
						1999	3.70	5.00	37	4.33	0.03		
						2000	3.80	4.50	37	4.14	0.04		
						2001	3.80	4.50	37	4.14	0.03		
						2002	3.50	3.50	37	3.50	0.03		
3	I-84	001010	106.870	109.000	ASC	1993	2.60	5.00	00	3.78		NEW CONST OR RECONST (CONCRETE)	1994
						1994	3.00	5.00	00	3.98	0.06		
						1995	3.00	5.00	32	3.98	0.06		
						1996	3.20	5.00	34	4.08	0.04		
						1997	3.10	5.00	27	4.03	0.04		
						1998	3.10	5.00	27	4.03	0.03		
						1999	3.10	5.00	39	4.03	0.03		
						2000	3.10	5.00	39	4.03	0.03		
						2001	3.20	5.00	33	4.08	0.03		
						2002	2.80	5.00	33	3.88	0.03		
3	I-84	001010	106.870	109.000	DES	1993	2.30	5.00	00	3.63		NEW CONST OR RECONST (CONCRETE)	1994
						1994	3.00	5.00	00	3.98	0.01		
						1995	3.00	5.00	29	3.98	0.01		
						1996	3.70	5.00	28	4.34	0.04		
						1997	3.50	5.00	24	4.23	0.04		
						1998	3.50	5.00	24	4.23	0.02		
						1999	3.50	5.00	33	4.23	0.02		
						2000	3.50	4.80	33	4.13	0.02		
						2001	3.50	4.80	33	4.13	0.02		
						2002	3.30	4.50	33	3.88	0.02		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS	
3	I-84	001010	109.000	114.485	ASC	1993	3.30	3.00	52	3.15		CONCRETE REHAB	1993
						1994	3.90	3.00	27	3.45	0.00	NEW CONST OR RECONST (CONCRETE)	1995
						1995	1.70	3.00	25	2.34			
						1996	3.80	3.00	26	3.40	0.05		
						1997	3.80	3.00	24	3.40	0.07		
						1998	3.70	3.00	24	3.35	0.05		
						1999	3.60	3.00	33	3.30	0.05		
						2000	3.60	2.80	33	3.20	0.05		
						2001	3.60	2.70	29	3.15	0.05		
						2002	2.90	4.30	29	3.58	0.03		
3	I-84	001010	109.000	114.485	DES	1993	3.20	3.00	51	3.10		CONCRETE REHAB	1993
						1994	4.00	3.00	33	3.50	0.00	NEW CONST OR RECONST (CONCRETE)	1995
						1995	1.70	2.90	24	2.29			
						1996	3.90	2.60	28	3.25	0.05		
						1997	3.90	2.60	24	3.25	0.07		
						1998	3.80	2.60	24	3.20	0.04		
						1999	3.70	2.60	37	3.15	0.04		
						2000	3.50	2.50	37	3.00	0.05		
						2001	3.50	2.50	37	3.00	0.05		
						2002	2.80	4.50	39	3.63	0.03		
3	I-84	001010	114.393	120.450	ASC	1993	3.30	3.00	52	3.15		CONCRETE REHAB	1993
						1994	3.90	3.00	27	3.45	0.00	NEW CONST OR RECONST (CONCRETE)	1995
						1995	1.70	3.00	25	2.34			
						1996	3.80	3.00	26	3.40	0.05		
						1997	3.80	3.00	24	3.40	0.07		
						1998	3.70	3.00	24	3.35	0.05		
						1999	3.60	3.00	33	3.30	0.05		
						2000	3.60	2.80	33	3.20	0.05		
						2001	3.60	2.70	29	3.15	0.05		
						2002	3.30	2.70	29	3.00	0.04		
3	I-84	001010	114.393	120.450	DES	1993	3.20	3.00	51	3.10		CONCRETE REHAB	1993
						1994	4.00	3.00	33	3.50	0.00	NEW CONST OR RECONST (CONCRETE)	1995
						1995	1.70	2.90	24	2.29			
						1996	3.90	2.60	28	3.25	0.05		
						1997	3.90	2.60	24	3.25	0.07		
						1998	3.80	2.60	24	3.20	0.04		
						1999	3.70	2.60	37	3.15	0.04		
						2000	3.50	2.50	37	3.00	0.05		
						2001	3.50	2.50	37	3.00	0.05		
						2002	3.00	2.50	37	2.75	0.04		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
3	I-84	001010	120.450	121.094	ASC	1993	3.20	3.50	53	3.34		CONCRETE REHAB	1993
						1994	3.50	3.50	29	3.50	0.00		
						1995	3.50	3.50	25	3.50	0.00		
						1996	3.90	2.40	26	3.16	0.04		
						1997	3.80	2.40	26	3.10	0.06		
						1998	3.80	2.40	26	3.11	0.06		
						1999	3.50	2.40	38	2.95	0.04		
						2000	3.40	2.40	38	2.90	0.04		
						2001	3.40	2.40	35	2.90	0.04		
						2002	3.10	2.40	35	2.75	0.03		
3	I-84	001010	120.450	121.094	DES	1993	3.00	3.00	51	3.00		CONCRETE REHAB	1993
						1994	4.20	3.00	28	3.60	0.00		
						1995	4.20	3.00	25	3.60	0.00		
						1996	3.80	2.50	26	3.15	0.04		
						1997	3.50	2.50	23	3.00	0.07		
						1998	3.40	2.50	23	2.95	0.05		
						1999	3.00	2.50	23	2.75	0.05		
						2000	2.90	2.50	23	2.70	0.05		
						2001	3.00	2.50	35	2.75	0.05		
						2002	2.30	2.50	35	2.39	0.04		
3	I-84	001020	000.000	002.002	N	1993	2.80	2.00	51	2.33			
						1994	3.00	2.00	51	2.41	0.09		
						1995	3.00	2.00	51	2.41	0.09		
						1996	3.80	5.00	46	4.49	0.05	PLANT MIX OVERLAY	1996
						1997	3.80	5.00	40	4.49	0.07		
						1998	3.60	5.00	40	4.41	0.11		
						1999	3.70	5.00	40	4.45	0.12		
						2000	3.70	2.70	40	3.12	0.14		
						2001	3.60	2.70	36	3.07	0.14		
						2002	3.40	2.40	36	2.82	0.16	C.R.A.B.S.	2002
3	I-84	001020	002.002	003.400	N	1993	3.60	4.00	49	3.82			
						1994	3.70	3.00	49	3.29	0.04		
						1995	3.70	2.80	49	3.18	0.04		
						1996	3.60	2.70	27	3.08	0.09		
						1997	3.50	2.40	31	2.86	0.10		
						1998	3.20	2.40	31	2.74	0.15		
						1999	3.20	2.40	31	2.74	0.16		
						2000	3.20	2.40	31	2.74	0.19		
						2001	3.00	2.40	36	2.65	0.19		
						2002	3.60	5.00	36	4.40	0.10	C.R.A.B.S.	2002

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS	
3	I-84	001020	003.400	003.644	N	1993	4.00	4.00	46	4.00			
						1994	3.40	3.50	46	3.46	0.00		
						1995	3.40	3.00	46	3.15	0.00		
						1996	3.60	3.00	19	3.23	0.07		
						1997	3.50	2.90	24	3.13	0.07		
						1998	3.30	2.80	24	3.00	0.09		
						1999	3.40	2.80	24	3.03	0.10		
						2000	3.30	2.70	24	2.94	0.12		
						2001	3.60	2.50	36	2.94	0.11	C.R.A.B.S.	2001
						2002	3.40	5.00	36	4.35	0.12	C.R.A.B.S.	2002
3	I-84	001020	003.644	004.116	N	1993	0.50	4.00	53	2.64			
						1994	2.20	4.00	53	3.30	0.19		
						1995	2.20	3.50	53	2.99	0.19		
						1996	2.80	3.50	31	3.22	0.23		
						1997	2.70	3.50	34	3.19	0.23		
						1998	2.40	3.20	34	2.89	0.26		
						1999	2.40	3.20	34	2.88	0.24		
						2000	2.40	2.80	34	2.64	0.23		
						2001	4.00	5.00	36	4.61	0.14	C.R.A.B.S.	2001
						2002	2.70	5.00	36	4.10	0.05		
3	I-84	001020	004.116	004.290	N	1993	1.50	4.00	49	2.91			
						1994	2.40	3.50	49	3.02	0.29		
						1995	2.40	3.00	49	2.74	0.29		
						1996	2.80	3.00	31	2.91	0.25		
						1997	2.90	2.90	35	2.90	0.28		
						1998	2.70	2.90	35	2.81	0.30		
						1999	2.70	2.90	35	2.81	0.24		
						2000	2.70	2.90	35	2.81	0.31		
						2001	4.00	5.00	36	4.56	0.21	C.R.A.B.S.	2001
						2002	2.20	5.00	36	3.79	0.10		
3	I-84	001020	004.290	004.540	N	1993	0.60	3.00	24	1.95			
						1994	1.20	3.00	24	2.21	0.21		
						1995	1.20	2.50	24	1.93	0.21		
						1996	2.10	2.50	34	2.32	0.32		
						1997	2.80	5.00	38	4.03	0.24		
						1998	2.30	5.00	38	3.80	0.27		
						1999	2.40	5.00	38	3.84	0.32		
						2000	2.40	3.00	38	2.73	0.34		
						2001	2.60	3.00	31	2.82	0.32		
						2002	0.70	2.70	31	1.81	0.19		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS
3	I-84	001021	003.644	004.062	N	1993	2.60	3.00	56	2.84		
						1994	2.90	3.00	56	2.96	0.20	
						1995	2.90	3.00	56	2.96	0.20	
						*1996	3.60	3.00	32	3.23	0.22	
						1997	3.50	3.00	31	3.19	0.16	
						1998	3.20	3.00	31	3.07	0.20	
						1999	3.30	3.00	31	3.11	0.21	
						2000	3.20	3.00	31	3.07	0.23	
						2001	4.00	5.00	31	4.60	0.28	C.R.A.B.S.
						2002	2.50	5.00	31	4.02	0.09	
3	I-84	001021	004.062	004.360	N	1993	1.40	3.00	52	2.31		
						1994	1.90	3.00	52	2.52	0.15	
						1995	1.90	3.00	52	2.53	0.15	
						1996	2.40	3.00	52	2.74	0.17	
						1997	2.00	3.00	35	2.56	0.17	
						1998	2.10	3.00	35	2.60	0.21	
						1999	2.00	3.00	35	2.57	0.23	
						2000	1.50	3.00	35	2.35	0.24	
						2001	4.00	5.00	31	4.56	0.24	C.R.A.B.S.
						2002	1.50	5.00	31	3.49	0.14	
3	I-84	001030	000.000	001.080	N	1993	2.50	3.50	53	3.12		
						1994	2.50	3.50	53	3.12	0.11	
						1995	2.50	3.50	53	3.12	0.11	
						1996	3.10	3.30	40	3.22	0.11	
						1997	3.00	3.30	39	3.18	0.12	
						1998	2.80	3.30	39	3.11	0.15	
						1999	2.90	3.30	43	3.14	0.14	
						2000	2.80	3.30	43	3.11	0.16	
						2001	2.70	2.90	43	2.82	0.14	
						2002	2.80	2.90	43	2.86	0.16	
3	I-84	001030	001.080	003.178	N	1993	2.60	2.00	50	2.24		
						1994	2.60	2.00	50	2.24	0.20	
						1995	2.60	2.00	50	2.24	0.20	
						1996	3.00	2.00	35	2.41	0.17	
						1997	3.00	2.00	35	2.41	0.17	
						1998	2.80	2.00	35	2.32	0.20	
						1999	2.80	2.00	38	2.32	0.20	
						2000	2.80	2.00	38	2.32	0.21	
						2001	2.80	1.90	38	2.27	0.21	
						2002	2.60	1.90	38	2.18	0.22	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	REMARKS	DEPTH
3	I-84	001040	000.000	000.590	N	1993	1.40	4.40	49	3.26		
						1994	1.50	4.40	49	3.30	0.16	
						1995	1.50	4.40	49	3.30	0.16	
						1996	2.80	4.40	37	3.79	0.16	
						1997	2.60	4.10	35	3.53	0.16	
						1998	2.60	4.10	35	3.53	0.20	
						1999	2.50	4.10	37	3.49	0.20	
						2000	2.60	4.10	37	3.53	0.22	
						2001	2.60	4.00	37	3.47	0.22	
						2002	1.60	4.00	37	3.09	0.57	
3	I-84	001050	000.205	000.464	N	1993	1.20	2.00	53	1.69		
						1994	1.10	1.90	53	1.59	0.19	
						1995	1.10	1.70	53	1.47	0.19	
						1996	2.40	1.70	34	1.96	0.16	
						1997	2.40	1.70	36	1.96	0.17	
						1998	2.30	1.70	36	1.92	0.21	
						1999	2.40	1.70	36	1.96	0.21	
						2000	2.30	1.70	36	1.92	0.19	
						2001	2.40	1.70	37	1.96	0.21	
						2002	1.90	1.70	37	1.77	0.23	
3	I-84	001050	000.464	000.950	N	1993	1.20	2.00	48	1.69		
						1994	2.50	1.90	48	2.12	0.15	
						1995	2.50	1.70	48	2.00	0.15	
						1996	2.10	1.70	37	1.85	0.14	
						1997	2.10	1.70	34	1.85	0.14	
						1998	2.00	1.70	34	1.81	0.14	
						1999	2.00	1.70	43	1.81	0.14	
						2000	1.80	1.70	43	1.73	0.14	
						2001	1.90	1.70	43	1.77	0.15	
						2002	1.50	1.70	43	1.62	0.15	
3	I-84	001050	000.950	001.408	N	1993	2.60	4.00	48	3.47		
						1994	2.30	4.00	48	3.35	0.13	
						1995	2.30	4.00	48	3.35	0.13	
						1996	2.60	4.00	32	3.47	0.11	
						1997	2.60	3.80	27	3.34	0.10	
						1998	2.40	3.80	27	3.27	0.10	
						1999	2.50	3.80	38	3.31	0.13	
						2000	2.50	3.80	38	3.31	0.12	
						2001	2.40	3.80	38	3.27	0.13	
						2002	2.20	3.00	38	2.69	0.12	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS
3	I-84	002040	050.080	050.664	N	1993	2.70	2.20	39	2.41		
						1994	2.80	2.20	39	2.45	0.54	
						1995	2.80	2.20	39	2.46	0.54	
						1996	3.20	2.20	34	2.63	0.39	
						1997	3.20	2.20	25	2.63	0.42	
						1998	2.90	2.20	25	2.50	0.41	
						1999	2.80	2.20	25	2.45	0.44	
						2000	2.90	5.00	25	4.09	0.45	
						2001	2.90	5.00	36	4.09	0.48	
						2002	2.20	2.40	36	2.31	0.36	
3	I-84	002040	050.664	051.057	N	1993	2.90	2.20	40	2.50		
						1994	2.70	2.20	40	2.41	0.58	
						1995	2.70	2.20	40	2.41	0.58	
						1996	3.10	2.20	33	2.58	0.43	
						1997	2.90	2.20	27	2.50	0.47	
						1998	2.80	2.20	27	2.45	0.41	
						1999	2.80	2.20	27	2.45	0.49	
						2000	2.70	2.20	27	2.41	0.54	
						2001	2.80	2.20	36	2.46	0.52	
						2002	2.50	2.20	36	2.33	0.40	
3	I-84	002040	051.057	051.475	N	1993	2.20	2.20	42	2.20		
						1994	2.20	2.20	42	2.20	0.33	
						1995	2.20	2.10	42	2.14	0.33	
						1996	2.10	2.10	35	2.10	0.24	
						1997	2.00	2.10	28	2.05	0.31	
						1998	1.90	2.10	28	2.01	0.28	
						1999	1.80	2.10	28	1.96	0.33	
						2000	1.80	2.10	28	1.96	0.28	
						2001	1.70	2.00	36	1.86	0.35	
						2002	1.80	2.00	36	1.91	0.19	
3	I-84	002040	051.475	051.868	N	1993	1.80	3.00	32	2.43		
						1994	1.90	3.00	32	2.48	0.42	
						1995	1.90	2.70	32	2.32	0.42	
						*1996	2.10	2.00	32	2.04	0.18	
						1997	1.80	2.00	32	1.90	0.31	
						1998	1.80	2.00	32	1.90	0.22	
						1999	1.70	2.00	32	1.85	0.26	
						2000	1.90	2.00	32	1.95	0.23	
						2001	1.80	2.00	36	1.90	0.25	
						2002	1.80	2.00	36	1.90	0.13	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS	
3	I-84	002040	051.868	053.002	N	1993	1.80	3.00	32	2.43			
						1994	1.90	3.00	32	2.48	0.42		
						1995	1.90	2.70	32	2.32	0.42		
						*1996	2.10	2.00	32	2.04	0.18		
						1997	2.50	5.00	37	3.81	0.14	NEW CONST OR RECONST (FLEX)	1997
						1998	3.50	5.00	37	4.29	0.08		
						1999	3.50	5.00	37	4.29	0.08		
						2000	3.60	5.00	37	4.34	0.11		
						2001	3.50	5.00	36	4.29	0.12		
						2002	3.30	5.00	36	4.19	0.09		
						3	I-84	002040	053.002	055.199	N	1993	2.70
1994	2.60	3.50	45	3.07	0.17								
1995	2.60	3.50	45	3.07	0.17								
*1996	2.70	3.50	31	3.12	0.12								
1997	2.20	5.00	37	3.77	0.13							NEW CONST OR RECONST (FLEX)	1997
1998	3.80	5.00	37	4.47	0.06								
1999	3.80	5.00	37	4.47	0.08								
2000	3.90	5.00	37	4.51	0.10								
2001	3.90	4.80	36	4.40	0.10								
2002	3.60	4.80	36	4.27	0.11								
3	I-84	002040	055.199	055.640	N							1993	2.40
						1994	2.40	3.50	45	3.01	0.20		
						1995	2.40	3.50	45	3.01	0.20		
						*1996	3.30	3.20	27	3.24	0.09		
						1997	3.00	5.00	39	4.11	0.14	NEW CONST OR RECONST (FLEX)	1997
						1998	4.00	5.00	39	4.55	0.05		
						1999	4.00	5.00	39	4.55	0.06		
						2000	3.90	5.00	39	4.50	0.07		
						2001	4.00	5.00	36	4.54	0.08		
						2002	3.70	5.00	36	4.41	0.12		
						3	I-84	002040	055.640	055.755	N	1993	2.40
1994	2.40	3.50	45	3.01	0.20								
1995	2.40	3.50	45	3.01	0.20								
*1996	3.30	3.20	27	3.24	0.09								
1997	2.90	3.20	39	3.06	0.07								
1998	3.60	3.20	39	3.37	0.09								
1999	3.30	5.00	39	4.24	0.09								
2000	3.50	5.00	39	4.32	0.15								
2001	3.80	4.00	36	3.90	0.14								
2002	3.10	4.00	36	3.59	0.19								

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS
3	I-84	002040	055.755	055.942	N	1993	2.40	3.50	45	3.00		
						1994	2.40	3.50	45	3.01	0.20	
						1995	2.40	3.50	45	3.01	0.20	
						*1996	3.30	3.20	27	3.24	0.09	
						1997	3.00	2.50	39	2.72	0.09	
						1998	2.80	2.50	39	2.63	0.13	
						1999	2.80	2.50	39	2.63	0.14	
						2000	2.90	2.50	39	2.67	0.19	
						2001	2.90	2.20	36	2.51	0.19	
						2002	2.90	2.20	36	2.51	0.19	
3	I-84	002040	055.942	056.919	N	1993	1.70	3.00	49	2.41		
						1994	1.80	2.50	49	2.18	0.23	
						1995	1.80	2.50	49	2.18	0.23	
						*1996	2.70	2.50	31	2.59	0.14	
						1997	2.40	2.40	27	2.40	0.18	
						1998	2.30	2.30	27	2.30	0.20	
						1999	2.20	2.20	27	2.20	0.22	
						2000	2.30	2.00	27	2.13	0.24	
						2001	2.30	2.00	36	2.13	0.23	
						2002	2.30	2.00	36	2.13	0.18	
3	I-84	002040	056.919	057.633	N	1993	1.20	3.00	31	2.18		
						1994	1.20	2.50	31	1.91	0.27	
						1995	1.20	2.50	31	1.91	0.27	
						1996	2.10	2.40	28	2.26	0.15	
						1997	1.80	2.20	28	2.01	0.24	
						1998	1.60	2.20	28	1.92	0.20	
						1999	1.70	2.00	28	1.86	0.17	
						2000	1.60	2.00	28	1.81	0.22	
						2001	1.60	2.00	36	1.81	0.26	
						2002	1.60	2.00	36	1.81	0.17	
3	I-84	002040	057.633	057.935	N	1993	1.60	3.50	41	2.68		
						1994	2.00	3.50	41	2.85	0.44	
						1995	2.00	3.50	41	2.85	0.44	
						1996	2.50	3.50	31	3.07	0.13	
						1997	2.40	3.50	29	3.01	0.23	
						1998	2.00	3.00	29	2.56	0.20	
						1999	2.10	3.00	29	2.60	0.28	
						2000	2.10	3.00	29	2.60	0.31	
						2001	2.10	3.00	36	2.60	0.24	
						2002	2.40	3.00	36	2.73	0.23	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS				
3	I-84	002040	057.935	058.386	N	1993	1.50	1.90	43	1.72							
						1994	1.50	1.90	43	1.72	0.51						
						1995	1.50	1.90	43	1.72	0.51						
						1996	1.80	1.80	31	1.80	0.30						
						1997	1.90	1.80	27	1.84	0.35						
						1998	1.50	1.80	27	1.67	0.36						
						1999	1.60	1.80	27	1.71	0.39						
						2000	2.50	5.00	27	3.91	0.05						
						2001	3.80	5.00	36	4.48	0.07	C.R.A.B.S.					2001
						2002	2.80	4.70	36	3.88	0.07						
3	I-84	002040	058.386	058.670	N	1993	2.00	1.50	44	1.71							
						1994	2.50	1.50	44	1.93	0.27						
						1995	2.50	1.50	44	1.93	0.27						
						1996	2.40	1.40	30	1.83	0.40						
						1997	2.30	1.40	29	1.79	0.43						
						1998	2.20	1.40	29	1.75	0.38						
						1999	2.10	1.40	29	1.70	0.45						
						2000	3.60	5.00	29	4.38	0.08						
						2001	3.20	5.00	36	4.20	0.09	C.R.A.B.S.					2001
						2002	3.50	5.00	36	4.33	0.29						
3	I-84	002040	058.670	058.988	N	1993	1.20	4.50	38	3.06							
						1994	1.20	4.50	38	3.05	0.24						
						1995	1.20	4.50	38	3.04	0.24						
						1996	2.40	4.50	27	3.56	0.11						
						1997	2.10	4.50	26	3.43	0.17						
						1998	1.80	4.50	26	3.30	0.18						
						1999	1.70	4.50	26	3.25	0.19						
						2000	2.10	4.50	26	3.42	0.22						
						2001	2.60	4.50	36	3.65	0.25	NO INFORMATION					2001
						2002	1.70	4.50	36	3.25	0.13						
3	I-84	002040	058.988	059.356	N	1993	0.90	2.00	45	1.51							
						1994	0.80	2.00	45	1.47	0.18						
						1995	0.80	2.00	45	1.47	0.18						
						1996	2.30	2.00	37	2.13	0.16						
						1997	2.10	2.00	29	2.04	0.13						
						1998	1.90	2.00	29	1.95	0.19						
						1999	1.80	2.00	29	1.91	0.18						
						2000	2.60	5.00	29	3.92	0.15						
						2001	3.80	5.00	36	4.46	0.15	NO INFORMATION					2001
						2002	1.80	5.00	36	3.57	0.12						

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
3	I-84	002040	059.356	059.846	ASC	1993	1.10	2.50	40	1.90		
						1994	1.50	2.50	40	2.07	0.18	
						1995	1.50	2.50	40	2.07	0.18	
						1996	2.10	2.50	32	2.33	0.14	
						1997	1.90	1.90	31	1.90	0.14	
						1998	1.70	1.90	31	1.81	0.12	
						1999	1.90	1.90	31	1.90	0.16	
						2000	3.40	1.90	31	2.53	0.04	
						2001	3.40	5.00	36	4.32	0.04	NO INFORMATION
						2002	3.00	5.00	36	4.14	0.05	
3	I-84	002040	059.356	059.846	DES	1993	1.10	2.50	40	1.90		
						1994	1.50	2.50	40	2.07	0.18	
						1995	1.50	2.50	40	2.07	0.18	
						1996	2.10	2.50	32	2.33	0.17	
						1997	1.80	1.50	31	1.62	0.14	
						1998	1.70	1.50	31	1.58	0.12	
						1999	1.60	1.50	31	1.54	0.13	
						2000	3.80	1.50	31	2.47	0.07	
						2001	3.70	5.00	36	4.44	0.07	NO INFORMATION
						2002	3.40	5.00	36	4.31	0.07	
3	I-84	002040	059.846	060.166	N	1993	2.30	2.00	40	2.13		
						1994	2.30	2.00	40	2.13	0.25	
						1995	2.30	2.00	40	2.13	0.25	
						1996	2.00	2.00	35	2.00	0.13	
						1997	1.80	2.00	29	1.91	0.13	
						1998	1.70	2.00	29	1.86	0.13	
						1999	1.60	2.00	29	1.81	0.14	
						2000	3.60	5.00	29	4.36	0.06	
						2001	3.50	5.00	36	4.32	0.08	NO INFORMATION
						2002	3.20	5.00	36	4.18	0.09	
3	I-84	002040	060.166	060.568	N	1993	2.50	2.50	44	2.50		
						1994	2.30	2.50	44	2.40	0.42	
						1995	2.30	2.50	44	2.41	0.42	
						1996	3.20	2.50	25	2.83	0.15	
						1997	3.20	2.50	20	2.83	0.18	
						1998	2.90	2.40	20	2.63	0.22	
						1999	2.90	2.40	20	2.62	0.14	
						2000	3.00	5.00	20	4.04	0.20	
						2001	3.10	3.00	36	3.04	0.22	
						2002	2.80	2.40	36	2.59	0.16	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS
3	I-84	002040	060.568	061.012	N	1993	3.30	3.50	46	3.40		
						1994	3.20	3.50	46	3.35	0.52	
						1995	3.20	3.50	46	3.35	0.52	
						1996	3.50	3.50	16	3.50	0.26	
						1997	3.30	3.00	17	3.14	0.34	
						1998	3.10	3.00	17	3.04	0.36	
						1999	3.20	3.00	17	3.09	0.36	
						2000	3.20	3.00	17	3.09	0.38	
						2001	3.10	3.00	36	3.04	0.38	
						2002	3.20	2.40	36	2.78	0.36	
3	I-84	002040	061.012	061.797	N	1993	2.00	4.50	39	3.35		
						1994	2.00	4.50	39	3.35	0.39	
						1995	2.00	4.50	39	3.35	0.39	
						1996	3.10	4.00	39	3.58	0.14	
						1997	2.70	4.00	23	3.40	0.20	
						1998	2.60	4.00	23	3.35	0.19	
						1999	2.70	3.50	23	3.12	0.21	
						2000	2.60	3.20	23	2.91	0.21	
						2001	2.60	3.20	36	2.91	0.20	
						2002	2.70	2.40	36	2.54	0.20	
3	I-84	002041	050.050	050.851	N	1993	2.70	3.50	41	3.15		
						1994	2.40	3.40	41	2.96	0.34	
						1995	2.40	3.40	41	2.96	0.34	
						1996	2.60	3.40	34	3.05	0.18	
						1997	2.50	3.40	25	3.01	0.22	
						1998	2.40	3.40	25	2.96	0.23	
						1999	2.30	3.40	25	2.92	0.26	
						2000	2.30	3.00	25	2.69	0.28	
						2001	2.30	3.00	36	2.69	0.29	
						2002	1.90	2.40	36	2.18	0.26	
3	I-84	002041	050.851	051.460	N	1993	2.80	2.10	41	2.40		
						1994	2.80	2.00	41	2.34	0.30	
						1995	2.80	2.00	41	2.34	0.30	
						1996	2.40	2.00	41	2.17	0.19	
						1997	2.40	2.00	26	2.17	0.17	
						1998	2.30	1.90	26	2.07	0.19	
						1999	2.20	1.90	26	2.02	0.19	
						2000	2.30	1.90	26	2.07	0.20	
						2001	2.20	1.90	36	2.02	0.20	
						2002	2.00	1.90	36	1.94	0.21	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
3	I-84	002042	057.640	057.904	N	1993	2.00	4.50	45	3.42		
						1994	2.20	4.50	45	3.50	0.33	
						1995	2.20	4.50	45	3.50	0.33	
						1996	2.80	4.50	36	3.76	0.12	
						1997	2.60	4.50	34	3.67	0.14	
						1998	2.30	4.50	34	3.55	0.15	
						1999	2.40	4.50	34	3.58	0.12	
						2000	2.30	4.50	34	3.54	0.13	
						2001	2.40	4.50	36	3.59	0.15	
						2002	2.70	4.50	36	3.72	0.14	
3	I-84	002042	057.904	058.670	N	1993	2.20	4.00	44	3.22		
						1994	2.30	4.00	44	3.26	0.13	
						1995	2.30	4.00	44	3.26	0.13	
						1996	3.10	4.00	44	3.61	0.08	
						1997	3.10	4.00	36	3.61	0.06	
						1998	3.00	4.00	36	3.56	0.09	
						1999	2.90	4.00	36	3.52	0.09	
						2000	3.80	5.00	36	4.47	0.11	
						2001	3.80	4.60	36	4.25	0.08	PLANT MIX SEAL
						2002	3.20	4.60	36	3.99	0.09	2001
3	I-84	002050	019.915	020.181	N	1993	1.80	3.50	50	2.78		
						1994	1.50	3.50	50	2.65	0.21	
						1995	1.50	3.50	50	2.65	0.21	
						1996	2.50	3.50	44	3.07	0.14	
						1997	2.60	3.50	30	3.11	0.21	
						1998	2.10	3.50	30	2.91	0.19	
						1999	2.10	3.50	30	2.91	0.12	
						2000	2.50	5.00	30	3.95	0.13	
						2001	2.80	5.00	36	4.07	0.26	MILL AND INLAY
						2002	2.70	5.00	36	4.03	0.26	2001
3	I-84	002050	020.181	020.540	N	1993	1.00	4.00	46	2.71		
						1994	1.10	3.00	46	2.18	0.20	
						1995	1.10	3.00	46	2.18	0.20	
						1996	2.10	3.00	42	2.61	0.19	
						1997	2.40	3.00	33	2.74	0.19	
						1998	1.90	3.00	33	2.53	0.20	
						1999	1.80	3.00	33	2.48	0.21	
						2000	2.90	5.00	33	4.10	0.17	
						2001	2.70	5.00	36	4.02	0.18	MILL AND INLAY
						2002	2.30	5.00	36	3.85	0.19	2001

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS
3	I-84	002051	019.875	020.520	N	1993	1.60	4.00	44	2.97		
						1994	1.70	4.00	44	3.01	0.51	
						1995	1.70	4.00	44	3.01	0.51	
						1996	1.40	4.00	39	2.89	0.37	
						1997	1.10	4.00	32	2.76	0.42	
						1998	2.00	4.00	32	3.14	0.41	
						1999	1.90	4.00	32	3.10	0.39	
						2000	1.90	5.00	32	3.67	0.10	
						2001	3.30	5.00	36	4.27	0.11	MILL AND INLAY
						2002	1.60	5.00	36	3.54	0.15	2001
3	I-84	002052	019.680	019.875	N	1993	1.90	4.00	49	3.12		
						1994	2.00	4.00	49	3.16	0.13	
						1995	2.00	4.00	49	3.15	0.13	
						1996	2.80	4.00	49	3.50	0.12	
						1997	2.40	4.00	39	3.33	0.18	
						1998	2.60	4.00	39	3.41	0.16	
						1999	2.30	4.00	39	3.28	0.18	
						2000	2.30	4.00	39	3.29	0.17	
						2001	2.30	4.00	36	3.29	0.14	
						2002	2.80	4.00	36	3.51	0.17	
3	I-84	004635	000.000	000.150	N	1993	3.30	4.50	33	3.99		
						1994	3.30	4.50	33	3.99	0.17	
						1995	3.30	4.50	33	3.99	0.17	
						1996	2.00	4.50	42	3.45	0.14	
						1997	2.10	4.50	33	3.48	0.08	
						1998	1.40	4.50	33	3.19	0.13	
						1999	1.30	4.50	33	3.14	0.15	
						2000	1.50	4.50	33	3.22	0.09	
						2001	2.20	4.50	36	3.52	0.20	
						2002	1.40	4.50	36	3.19	0.17	
3	I-84	004635	000.150	000.948	N	1993	2.60	4.00	39	3.40		
						1994	2.10	4.00	39	3.19	0.24	
						1995	2.10	4.00	39	3.19	0.24	
						1996	3.10	3.40	31	3.27	0.08	
						1997	2.80	3.40	24	3.14	0.11	
						1998	2.60	3.40	24	3.05	0.15	
						1999	2.60	3.40	36	3.05	0.16	
						2000	2.60	2.40	36	2.48	0.15	
						2001	2.60	2.40	36	2.48	0.18	
						2002	2.80	2.40	36	2.57	0.14	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
3	U.S.-95	001540	000.000	006.814	N	1993	2.40	4.00	61	3.24		
						1994	2.50	4.00	61	3.29	0.10	
						1995	2.50	3.50	61	3.02	0.10	
						1996	3.10	3.50	50	3.31	0.18	
						1997	2.90	3.50	42	3.21	0.17	
						1998	2.70	3.40	42	3.06	0.20	
						1999	2.70	3.30	46	3.01	0.20	
						2000	2.60	3.20	46	2.91	0.20	
						2001	2.70	3.20	46	2.96	0.21	
						2002	2.80	3.20	46	3.01	0.21	SEALCOAT
3	U.S.-95	001540	006.814	010.000	N	1993	3.00	2.50	55	2.73		2002
						1994	3.00	2.40	55	2.68	0.03	
						1995	3.00	2.40	55	2.68	0.03	
						1996	3.60	2.40	56	2.96	0.11	
						1997	3.50	2.40	48	2.92	0.10	
						1998	3.40	2.40	48	2.87	0.11	
						1999	3.30	2.40	53	2.82	0.11	
						2000	3.30	2.40	53	2.82	0.10	
						2001	3.40	2.40	53	2.87	0.12	
						2002	3.00	2.40	53	2.68	0.14	SEALCOAT
3	U.S.-95	001540	010.000	013.260	N	1993	3.00	2.50	57	2.73		2002
						1994	3.20	2.50	57	2.83	0.05	
						1995	3.20	2.50	57	2.83	0.05	
						1996	3.80	2.50	56	3.11	0.11	
						1997	3.70	2.50	47	3.06	0.10	
						1998	3.60	2.50	47	3.02	0.11	
						1999	3.60	2.40	53	2.96	0.12	
						2000	3.50	2.40	53	2.92	0.11	
						2001	3.60	2.40	53	2.96	0.14	
						2002	3.20	2.40	53	2.77	0.13	SEALCOAT
3	U.S.-95	001540	013.260	016.700	N	1993	2.80	4.00	49	3.43		2002
						1994	2.90	4.00	49	3.47	0.11	
						1995	2.90	4.00	49	3.47	0.11	
						1996	3.70	4.00	47	3.85	0.13	
						1997	3.50	3.70	42	3.60	0.13	
						1998	3.40	3.70	42	3.55	0.16	
						1999	3.30	2.80	48	3.03	0.14	
						2000	3.30	2.40	48	2.82	0.15	
						2001	3.30	2.40	48	2.82	0.17	
						2002	3.10	2.40	48	2.73	0.17	SEALCOAT

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS	
3	U.S.-95	001540	016.700	020.250	N	1993	2.60	3.50	54	3.07				
						1994	2.50	3.50	54	3.02	0.09			
						1995	2.50	3.50	54	3.02	0.09			
						1996	3.30	3.50	51	3.40	0.13			
						1997	3.10	3.20	43	3.15	0.13			
						1998	2.90	3.20	43	3.05	0.16			
						1999	2.80	3.00	46	2.90	0.18			
						2000	2.90	3.00	46	2.95	0.18			
						2001	2.90	2.40	46	2.63	0.19			
						2002	2.90	2.40	46	2.63	0.18	SEALCOAT		
3	U.S.-95	001540	020.250	020.430	N	1993	2.70	5.00	54	3.91				
						1994	3.60	4.50	54	4.07	0.02			
						1995	3.60	4.50	54	4.07	0.02			
						1996	3.70	4.50	51	4.12	0.10			
						1997	3.40	4.50	43	3.97	0.09			
						1998	3.10	4.50	43	3.83	0.18			
						1999	3.20	4.50	46	3.88	0.20			
						2000	3.10	4.50	46	3.83	0.18			
						2001	3.30	4.50	46	3.93	0.16			
						2002	3.20	4.50	46	3.88	0.06	SEALCOAT		
3	U.S.-95	001540	022.710	026.252	N	1993	2.70	5.00	55	3.90				
						1994	2.80	4.50	55	3.69	0.10			
						1995	2.80	4.50	55	3.69	0.10			
						*1996	3.30	4.50	50	3.92	0.12			
						1997	3.70	4.50	41	4.11	0.08			
						1998	3.50	4.50	41	4.02	0.14			
						1999	3.50	4.50	47	4.02	0.14			
						2000	3.50	4.50	47	4.02	0.14			
						2001	3.50	4.50	47	4.02	0.12			
						2002	3.40	4.50	47	3.97	0.12	SEALCOAT		
3	U.S.-95	001540	026.252	028.030	N	1993	2.70	5.00	55	3.90				
						1994	2.80	4.50	55	3.69	0.10			
						1995	2.80	4.50	55	3.69	0.10			
						*1996	3.30	4.50	50	3.92	0.12			
						1997	2.50	1.90	38	2.18	0.16			
						1998	2.50	1.90	38	2.18	0.16			
						1999	2.20	1.90	42	2.04	0.20			
						2000	2.30	1.80	42	2.03	0.19			
						2001	2.30	1.80	42	2.03	0.22			
						2002	2.10	1.70	42	1.89	0.20	SEALCOAT		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
3	U.S.-95	001540	028.030	028.940	N	1993	2.70	5.00	55	3.90		
						1994	2.80	4.50	55	3.69	0.10	
						1995	2.80	4.50	55	3.69	0.10	
						*1996	3.30	4.50	50	3.92	0.12	
						*1997	3.10	1.00	42	2.00	0.14	
						1998	2.50	1.00	50	1.71	0.13	
						1999	2.50	1.00	53	1.71	0.13	
						2000	2.40	1.00	53	1.66	0.14	
						2001	2.50	1.00	53	1.70	0.14	
						2002	2.60	2.50	53	2.54	0.14	
3	U.S.-95	001540	029.000	033.345	N	1993	2.80	1.00	58	1.85		
						1994	2.90	1.00	58	1.90	0.06	
						1995	2.90	1.00	58	1.90	0.06	
						*1996	3.20	1.00	49	2.04	0.14	
						*1997	3.10	1.00	42	2.00	0.14	
						1998	3.00	1.00	42	1.95	0.15	
						1999	2.90	1.00	43	1.90	0.16	
						2000	2.80	1.00	43	1.86	0.18	
						2001	2.70	1.00	43	1.81	0.17	
						2002	2.50	1.00	43	1.71	0.16	
3	U.S.-95	001540	034.195	034.572	N	1993	2.30	2.50	46	2.42		
						1994	2.50	2.50	46	2.50	0.05	
						1995	2.50	2.50	46	2.50	0.05	
						*1996	3.40	2.50	37	2.90	0.09	
3	U.S.-95	001540	034.642	034.777	N	1993	2.10	4.50	45	3.41		
						1994	2.20	4.50	45	3.45	0.13	
						1995	2.20	4.50	45	3.45	0.13	
						1996	3.10	4.50	33	3.86	0.12	
						1997	3.00	4.50	29	3.81	0.12	
						1998	3.10	4.50	29	3.86	0.15	
						1999	1.60	4.50	29	3.18	0.06	
						2000	1.30	4.50	29	3.04	0.08	SEALCOAT
						2001	1.50	4.50	43	3.13	0.08	
						2002	1.50	4.50	43	3.13	0.08	
3	U.S.-95	001540	034.777	038.433	N	1993	2.70	3.50	43	3.11		
						1994	2.80	2.90	43	2.85	0.06	
						1995	2.80	2.80	43	2.80	0.06	
						1996	3.10	2.70	38	2.88	0.10	
						1997	3.00	2.40	35	2.67	0.10	
						1998	2.90	2.40	35	2.62	0.11	
						1999	3.00	2.40	36	2.68	0.11	
						2000	2.90	2.40	36	2.62	0.12	SEALCOAT
						2001	3.00	2.40	36	2.67	0.12	
						2002	2.70	2.40	36	2.53	0.12	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

2000

2000

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS				
3	U.S.-95	001540	038.433	039.190	N	1993	2.10	2.50	43	2.31							
						1994	2.20	3.00	43	2.63	0.12						
						1995	2.20	3.00	43	2.63	0.12						
						1996	3.20	2.70	42	2.92	0.13						
						1997	3.00	2.70	35	2.83	0.16						
						1998	2.70	2.40	35	2.53	0.16						
						1999	2.80	2.40	40	2.58	0.14						
						2000	2.80	5.00	40	4.00	0.14	SEALCOAT					2000
						2001	3.60	5.00	40	4.36	0.08						
						2002	3.40	5.00	40	4.27	0.10						
3	U.S.-95	001540	039.190	045.555	N	1993	3.20	2.50	54	2.83							
						1994	3.10	2.50	54	2.78	0.07						
						1995	3.10	2.40	54	2.73	0.07						
						1996	3.40	2.40	44	2.87	0.14						
						1997	3.30	2.40	41	2.82	0.14						
						1998	3.20	2.40	41	2.78	0.15						
						1999	3.10	2.30	42	2.68	0.15						
						2000	3.10	2.30	42	2.68	0.16	SEALCOAT					2000
						2001	3.70	2.30	42	2.96	0.05						
						2002	3.50	2.30	42	2.87	0.05						
3	U.S.-95	001540	045.555	046.601	N	1993	3.50	3.00	51	3.24							
						1994	3.50	2.70	51	3.08	0.10						
						1995	3.50	2.60	51	3.03	0.10						
						1996	3.50	2.40	39	2.92	0.15						
						1997	3.60	2.40	32	2.97	0.14						
						1998	3.60	2.10	32	2.82	0.18						
						1999	3.30	2.10	29	2.67	0.17						
						2000	3.20	2.10	29	2.62	0.17	SEALCOAT					2000
						2001	4.00	2.10	29	3.01	0.07						
						2002	3.80	2.10	29	2.91	0.08						
3	U.S.-95	001540	046.601	046.941	N	1993	3.60	3.00	46	3.27							
						1994	3.40	3.00	46	3.18	0.19						
						1995	3.40	2.40	46	2.85	0.19						
						1996	3.70	2.30	34	2.93	0.14						
						1997	3.70	2.10	28	2.82	0.13						
						1998	3.60	1.90	28	2.67	0.16						
						1999	3.60	1.90	28	2.67	0.18						
						2000	3.70	1.90	28	2.71	0.17	SEALCOAT					2000
						2001	4.20	5.00	29	4.63	0.05						
						2002	4.00	5.00	29	4.54	0.09						

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS	
3	U.S.-95	001540	046.941	047.293	N	1993	2.80	2.50	43	2.63			
						1994	2.70	2.50	43	2.59	0.20		
						1995	2.70	2.20	43	2.42	0.20		
						1996	3.10	2.20	34	2.60	0.20		
						1997	3.00	2.00	27	2.45	0.24		
						1998	2.80	1.80	27	2.25	0.24		
						1999	2.70	1.80	27	2.20	0.31		
						2000	2.70	1.80	27	2.20	0.28	SEALCOAT	2000
						2001	3.60	4.50	27	4.09	0.12		
						2002	3.70	4.50	27	4.13	0.15		
3	U.S.-95	001540	047.293	047.578	N	1993	2.50	2.00	43	2.22			
						1994	2.60	2.00	43	2.27	0.05		
						1995	2.60	2.00	43	2.27	0.05		
						1996	2.90	2.00	37	2.40	0.14		
						1997	2.70	2.00	31	2.31	0.15		
						1998	2.50	1.80	31	2.11	0.16		
						1999	2.50	1.80	31	2.11	0.17		
						2000	2.50	1.80	31	2.11	0.18	SEALCOAT	2000
						2001	3.70	1.80	31	2.66	0.11		
						2002	3.80	1.80	31	2.70	0.13		
3	U.S.-95	001540	047.578	047.969	N	1993	2.70	5.00	63	3.96			
						1994	2.70	5.00	63	3.96	0.03		
						1995	2.70	5.00	63	3.96	0.03		
						1996	3.50	5.00	32	4.32	0.08		
						1997	3.30	5.00	26	4.23	0.10		
						1998	3.00	5.00	26	4.09	0.13		
						1999	2.90	5.00	26	4.05	0.19		
						2000	2.90	5.00	26	4.05	0.21	SEALCOAT	2000
						2001	3.20	5.00	31	4.18	0.25		
						2002	3.20	5.00	31	4.18	0.15		
3	U.S.-95	001540	047.969	048.630	N	*1993	3.50	5.00	63	4.28			
						1994	3.30	5.00	63	4.18	0.06		
						1995	3.30	5.00	63	4.18	0.06		
						1996	4.10	5.00	40	4.56	0.13		
						1997	4.00	5.00	37	4.52	0.11		
						1998	3.90	5.00	37	4.47	0.19		
						1999	3.90	5.00	32	4.47	0.22		
						2000	3.80	5.00	32	4.42	0.21	SEALCOAT	2000
						2001	3.90	5.00	32	4.47	0.23		
						2002	3.80	5.00	32	4.42	0.21		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS	
3	U.S.-95	001540	049.120	054.580	N	1993	2.50	2.00	47	2.24			
						1994	2.50	1.80	47	2.13	0.08		
						1995	2.50	1.70	47	2.08	0.08		
						1996	3.20	1.70	34	2.42	0.12		
						*1997	3.00	1.70	28	2.32	0.12		
						1998	4.20	5.00	33	4.61	0.15		
						1999	4.20	5.00	34	4.61	0.16		
						2000	4.10	5.00	34	4.56	0.18	SEALCOAT	2000
						2001	4.10	5.00	34	4.56	0.16		
						2002	4.00	5.00	34	4.52	0.19		
3	U.S.-95	001540	054.580	060.720	N	1993	2.50	2.00	47	2.24			
						1994	2.50	1.80	47	2.13	0.08		
						1995	2.50	1.70	47	2.08	0.08		
						1996	3.20	1.70	34	2.42	0.12		
						*1997	3.00	1.70	28	2.32	0.12		
						1998	4.00	5.00	27	4.51	0.19	NEW CONST OR RECONST (FLEX)	1998
						1999	3.90	5.00	49	4.47	0.08		
						2000	3.90	5.00	49	4.47	0.09	SEALCOAT	2000
						2001	4.00	5.00	49	4.51	0.10		
						2002	3.80	5.00	49	4.42	0.12		
3	U.S.-95	001540	060.720	063.070	N	1993	2.50	2.00	47	2.24			
						1994	2.50	1.80	47	2.13	0.08		
						1995	2.50	1.70	47	2.08	0.08		
						1996	3.20	1.70	34	2.42	0.12		
						*1997	3.00	1.70	28	2.32	0.12		
						1998	3.20	4.50	36	3.87	0.19		
						1999	3.10	4.50	37	3.82	0.20		
						2000	3.10	4.50	37	3.82	0.22	SEALCOAT	2000
						2001	3.20	4.50	37	3.86	0.22		
						2002	3.10	4.50	37	3.82	0.23		
3	U.S.-95	001540	063.070	063.800	N	1993	2.70	4.50	47	3.62			
						1994	2.70	4.50	47	3.61	0.25		
						1995	2.70	4.50	37	3.61	0.25		
						1996	3.40	4.50	37	3.95	0.12		
						1997	3.20	4.50	41	3.86	0.15		
						1998	3.00	4.50	41	3.76	0.19		
						1999	2.90	4.50	39	3.71	0.22		
						2000	2.90	4.50	39	3.71	0.23	SEALCOAT	2000
						2001	3.10	4.50	39	3.81	0.22		
						2002	3.10	4.50	39	3.81	0.18		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS						
3	U.S.-95	001540	064.000	064.937	N	1993	2.80	4.00	48	3.44								
						1994	2.70	3.50	48	3.12	0.16							
						1995	2.70	3.50	34	3.12	0.16							
						1996	3.50	3.50	31	3.50	0.16							
						1997	3.30	3.50	34	3.40	0.14							
						1998	3.20	3.50	34	3.36	0.21							
						1999	3.00	3.50	32	3.26	0.16							
						2000	3.00	3.50	32	3.26	0.25	SEALCOAT	2000					
						2001	3.10	3.50	32	3.31	0.23							
						2002	3.10	3.50	32	3.31	0.27							
						3	U.S.-95	001540	064.937	065.696	N	1993	2.60	2.90	31	2.76		
												1994	2.20	2.80	31	2.51	0.30	
1995	2.20	2.50	29	2.35	0.30													
1996	2.80	2.50	28	2.64	0.25													
1997	2.70	2.30	32	2.48	0.18													
1998	2.50	2.30	32	2.39	0.22													
1999	2.40	2.30	36	2.34	0.23													
2000	2.80	2.30	36	2.53	0.17							SEALCOAT	2000					
2001	3.60	2.30	36	2.91	0.12													
2002	3.50	2.30	36	2.86	0.15													
3	U.S.-95	001540	065.696	066.953	ASC							1993	2.80	3.20	45	3.00		
												1994	2.60	3.20	45	2.90	0.17	
						1995	2.60	2.90	28	2.75	0.17							
						1996	2.90	2.80	25	2.84	0.28							
						1997	2.80	2.40	27	2.59	0.22							
						1998	2.60	2.40	27	2.49	0.26							
						1999	2.60	2.40	30	2.49	0.25							
						2000	2.60	2.40	30	2.49	0.33	SEALCOAT	2000					
						2001	3.20	2.40	30	2.78	0.19							
						2002	3.10	2.40	30	2.74	0.22							
						3	U.S.-95	001540	065.696	066.953	DES	1993	2.80	3.20	45	3.00		
												1994	2.60	3.20	45	2.90	0.17	
1995	2.60	2.90	28	2.75	0.17													
1996	2.90	2.90	25	2.90	0.28													
1997	2.90	2.30	27	2.59	0.19													
1998	2.60	2.30	27	2.44	0.24													
1999	2.70	2.20	30	2.44	0.23													
2000	3.40	2.20	30	2.78	0.15							SEALCOAT	2000					
2001	3.30	2.20	30	2.73	0.16													
2002	3.40	2.20	30	2.78	0.16													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS
3	U.S.-95	001540	066.953	067.142	N	1993	3.40	3.50	46	3.45			
						1994	3.40	3.50	46	3.45	0.14		
						1995	3.40	3.50	29	3.45	0.14		
						1996	3.70	2.80	28	3.22	0.17		
						1997	3.70	2.80	29	3.22	0.13		
						1998	3.50	2.70	29	3.07	0.22		
						1999	3.30	2.60	30	2.92	0.24		
						2000	3.30	2.60	30	2.92	0.26	SEALCOAT	2000
						2001	3.20	2.40	30	2.77	0.31		
						2002	3.00	2.40	30	2.68	0.32		
3	U.S.-95	001540	067.142	068.020	N	1993	2.90	3.00	45	2.95			
						1994	3.00	3.00	45	3.00	0.14		
						1995	3.00	3.00	27	3.00	0.14		
						1996	3.50	2.80	27	3.12	0.21		
						1997	3.20	2.80	28	2.98	0.22		
						1998	3.10	2.80	28	2.93	0.24		
						1999	3.00	2.80	34	2.89	0.26		
						2000	3.00	2.80	34	2.88	0.27	SEALCOAT	2000
						2001	3.30	2.80	34	3.02	0.22		
						2002	3.30	2.80	34	3.02	0.22		
3	U.S.-95	001540	068.020	068.372	N	1993	2.40	4.00	48	3.31			
						1994	2.40	3.80	48	3.19	0.01		
						1995	2.40	3.40	27	2.96	0.01		
						1996	3.10	3.40	29	3.27	0.11		
						1997	3.00	3.40	30	3.22	0.13		
						1998	2.80	3.40	30	3.14	0.14		
						1999	2.90	3.40	30	3.18	0.18		
						2000	2.70	3.40	30	3.09	0.19	SEALCOAT	2000
						2001	2.80	3.40	34	3.13	0.20		
						2002	2.80	3.40	34	3.13	0.27		
3	U.S.-95	001540	068.372	068.753	N	1993	2.40	3.50	41	3.03			
						1994	2.30	3.50	41	2.99	0.03		
						1995	2.30	3.50	29	2.98	0.03		
						1996	3.30	3.50	26	3.41	0.13		
						1997	3.10	3.50	29	3.32	0.15		
						1998	3.10	3.30	29	3.21	0.17		
						1999	3.00	3.30	30	3.17	0.21		
						2000	3.00	3.30	30	3.17	0.23	SEALCOAT	2000
						2001	3.00	3.30	30	3.17	0.22		
						2002	2.90	3.30	30	3.12	0.31		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS				
3	U.S.-95	001540	068.753	070.275	N	1993	3.50	3.50	46	3.50							
						1994	3.40	3.50	46	3.45	0.15						
						1995	3.40	2.90	31	3.12	0.15						
						1996	3.80	2.90	32	3.30	0.21						
						1997	3.90	2.90	32	3.35	0.23						
						1998	3.70	2.50	32	3.04	0.29						
						1999	3.60	2.40	33	2.94	0.27						
						2000	3.70	2.40	33	2.98	0.30	SEALCOAT					2000
						2001	4.00	2.40	33	3.12	0.15						
						2002	3.80	2.40	33	3.03	0.18						
3	U.S.-95	001540	070.275	071.766	N	1993	3.80	2.00	53	2.86							
						1994	3.70	2.00	53	2.81	0.18						
						1995	3.70	2.00	34	2.81	0.18						
						1996	4.00	2.00	33	2.96	0.19						
						1997	4.00	2.00	36	2.96	0.18						
						1998	3.80	2.00	36	2.86	0.24						
						1999	3.90	2.00	37	2.91	0.23						
						2000	3.70	2.00	37	2.81	0.26	SEALCOAT					2000
						2001	4.40	2.00	37	3.15	0.06						
						2002	4.10	2.60	37	3.32	0.13						
3	U.S.-95	001540	071.766	074.227	N	1993	3.30	5.00	62	4.18							
						1994	3.30	4.00	62	3.66	0.08						
						1995	3.30	4.00	30	3.66	0.08						
						1996	4.00	4.00	28	4.00	0.18						
						1997	3.90	4.00	32	3.95	0.18						
						1998	3.80	4.00	32	3.90	0.22						
						1999	3.80	4.00	29	3.90	0.25						
						2000	3.80	4.00	29	3.90	0.28	SEALCOAT					2000
						2001	3.80	4.00	29	3.90	0.26						
						2002	3.70	4.00	29	3.85	0.30						
3	U.S.-95	001540	074.227	081.520	N	1993	3.30	5.00	58	4.18							
						1994	3.30	5.00	58	4.18	0.12						
						1995	3.30	4.50	28	3.92	0.12						
						1996	3.90	4.50	28	4.21	0.19						
						1997	3.70	4.50	32	4.11	0.17						
						1998	3.60	4.30	32	3.96	0.23						
						1999	3.60	4.30	30	3.96	0.25						
						2000	3.50	4.30	30	3.91	0.26	SEALCOAT					2000
						2001	3.60	4.00	30	3.80	0.28						
						2002	3.50	4.00	30	3.75	0.32						

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS							
3	U.S.-95	001540	081.520	081.743	N	1993	0.40	2.30	41	1.43									
						1994	0.60	2.30	41	1.52	0.28								
						1995	0.60	2.30	30	1.52	0.28								
						1996	2.30	2.30	34	2.30	0.12								
						1997	2.10	2.30	34	2.20	0.19								
						1998	1.80	2.30	34	2.07	0.30								
						1999	1.80	5.00	34	3.54	0.30	NEW CONST OR RECONST (FLEX)	1999						
						2000	1.60	5.00	30	3.45	0.39								
						2001	1.50	5.00	30	3.40	0.39								
						2002	1.40	5.00	30	3.36	0.22								
						3	U.S.-95	001540	081.743	082.107	N	1993	0.70	2.50	31	1.68			
												1994	1.90	2.50	31	2.22	0.11		
1995	1.90	2.50	37	2.22	0.11														
1996	2.50	2.50	35	2.50	0.17														
1997	2.30	2.40	38	2.35	0.17														
1998	2.40	2.40	38	2.40	0.28														
1999	1.80	2.40	38	2.12	0.28							NEW CONST OR RECONST (FLEX)	1999						
2000	2.30	2.20	38	2.24	0.16														
2001	2.40	2.20	51	2.28	0.18														
2002	2.40	2.20	51	2.28	0.18														
3	U.S.-95	001540	082.107	082.327	N							1993	1.70	2.50	43	2.14			
												1994	1.90	2.50	43	2.23	0.01		
						1995	1.90	2.40	43	2.17	0.01								
						1996	2.90	2.40	35	2.62	0.09								
						1997	2.80	2.40	42	2.57	0.09								
						1998	2.90	2.40	42	2.62	0.11								
						1999	2.80	2.40	42	2.57	0.09								
						2000	2.50	2.20	42	2.32	0.11								
						2001	2.30	2.20	51	2.24	0.10								
						2002	2.00	2.20	51	2.11	0.08								
						3	U.S.-95	001540	083.872	086.606	N	1993	2.60	2.50	52	2.54			
												1994	2.60	2.50	52	2.54	0.11		
1995	2.60	2.40	33	2.49	0.11														
1996	2.80	2.00	30	2.38	0.16														
1997	2.70	2.00	35	2.33	0.18														
*1998	2.60	2.00	35	2.28	0.22														
1999	2.20	5.00	35	3.66	0.22							NEW CONST OR RECONST (FLEX)	1999						
2000	4.00	5.00	35	4.52	0.07														
2001	4.10	5.00	30	4.56	0.09														
2002	4.00	5.00	30	4.52	0.09														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS	
3	U.S.-95	001540	091.176	092.263	N	1993	1.70	3.50	59	2.64				
						1994	1.70	3.50	59	2.64	0.25			
						1995	1.70	2.50	50	2.11	0.25			
						1996	2.80	2.50	42	2.64	0.27			
						1997	2.30	2.50	42	2.40	0.30			
						1998	2.50	2.50	44	2.50	0.36			
						1999	2.50	2.50	39	2.50	0.31			
						2000	2.50	2.50	39	2.50	0.38			
						2001	2.60	2.50	39	2.54	0.39			
						2002	2.60	2.50	39	2.54	0.41			
						3	U.S.-95	001540	092.263	095.000	N	1993	2.30	1.50
1994	2.30	1.50	53	1.88	0.31									
1995	2.30	1.50	32	1.88	0.31									
*1996	2.80	1.50	33	2.11	0.26									
1997	2.60	1.50	33	2.02	0.25									
1998	2.50	1.50	38	1.97	0.26									
1999	2.50	1.50	35	1.97	0.24									
2000	2.50	1.50	35	1.97	0.28									
2001	2.50	1.50	35	1.97	0.25									
2002	2.40	1.50	35	1.92	0.22									
3	U.S.-95	001540	095.000	097.290	N							1993	2.30	1.50
						1994	2.30	1.50	53	1.88	0.31			
						1995	2.30	1.50	32	1.88	0.31			
						*1996	2.80	1.50	33	2.11	0.26			
						1997	3.80	5.00	39	4.42	0.08	C.R.A.B.S.		1997
						1998	3.70	5.00	40	4.37	0.14			
						1999	3.60	5.00	32	4.33	0.14			
						2000	3.60	5.00	32	4.33	0.15	SEALCOAT		2000
						2001	3.60	5.00	32	4.33	0.15			
						2002	3.40	5.00	32	4.23	0.15			
						3	U.S.-95	001540	097.290	104.800	N	1993	2.50	2.50
1994	2.50	2.20	59	2.34	0.06									
1995	2.50	1.90	43	2.18	0.06									
*1996	2.70	1.90	38	2.28	0.13									
1997	3.90	5.00	39	4.50	0.05							C.R.A.B.S.		1997
1998	3.90	5.00	42	4.50	0.11									
1999	3.90	5.00	39	4.51	0.12									
2000	3.90	5.00	39	4.51	0.13							SEALCOAT		2000
2001	3.90	5.00	39	4.51	0.14									
2002	3.70	5.00	39	4.42	0.13									

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS							
3	U.S.-95	001540	104.800	106.107	N	1993	3.10	1.90	58	2.43										
						1994	3.10	1.50	58	2.21	0.04									
						1995	3.10	1.50	40	2.21	0.04									
						*1996	2.80	1.50	34	2.08	0.10									
						1997	3.00	1.40	33	2.11	0.09									
						1998	2.90	1.40	39	2.07	0.13									
						1999	3.00	1.20	38	1.99	0.13									
						2000	2.90	1.20	38	2.00	0.15									
						2001	2.80	1.20	38	1.91	0.17									
						2002	2.80	1.20	38	1.91	0.12									
						3	U.S.-95	001540	106.107	108.992	N	1993	2.50	1.00	65	1.71				
												1994	2.50	1.00	65	1.71	0.13			
												1995	2.50	1.00	34	1.71	0.13			
1996	2.80	1.00	30	1.85	0.12															
1997	2.60	1.00	32	1.76	0.12															
1998	2.50	1.00	32	1.71	0.12															
1999	2.40	1.00	29	1.66	0.14															
*2000	3.30	5.00	29	4.19	0.07															
2001	2.90	1.30	25	2.06	0.18															
2002	2.70	1.30	25	1.96	0.15															
3	U.S.-95	001540	108.992	111.501	N							1993	2.50	1.00	65	1.71				
												1994	2.50	1.00	65	1.71	0.13			
												1995	2.50	1.00	34	1.71	0.13			
						1996	2.80	1.00	30	1.85	0.12									
						1997	2.60	1.00	32	1.76	0.12									
						1998	2.50	1.00	32	1.71	0.12									
						1999	2.40	1.00	29	1.66	0.14									
						*2000	3.30	5.00	29	4.19	0.07									
						2001	3.30	5.00	31	4.19	0.10	NEW CONST OR RECONST (FLEX)								
						2002	3.30	5.00	31	4.19	0.13									
						3	U.S.-95	001540	111.501	112.977	N	1993	2.70	1.50	63	2.07				
												1994	2.60	1.50	63	2.02	0.19			
												1995	2.60	1.50	44	2.02	0.19			
1996	3.10	1.50	39	2.26	0.20															
1997	2.90	1.50	41	2.16	0.18															
1998	2.60	1.50	39	2.02	0.21															
1999	2.70	1.50	40	2.06	0.26															
*2000	3.00	1.50	40	2.21	0.17															
2001	2.70	1.50	42	2.07	0.28															
2002	2.40	1.50	42	1.92	0.22															

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
3	U.S.-95	001540	112.977	113.393	N	1993	2.40	2.00	67	2.17		SEALCOAT	1993
						1994	2.90	2.00	67	2.40	0.09		
						1995	2.90	2.00	38	2.40	0.09		
						1996	2.90	2.00	37	2.40	0.09		
						1997	3.00	2.00	40	2.44	0.10		
						1998	2.70	2.00	37	2.31	0.12		
						1999	2.60	2.00	42	2.26	0.13		
						2000	2.60	2.00	42	2.26	0.09		
						2001	2.50	2.00	42	2.22	0.11	SEALCOAT	2001
						2002	2.50	2.00	42	2.22	0.12		
3	U.S.-95	001540	113.393	113.800	N	1993	2.40	2.40	64	2.40		SEALCOAT	1993
						*1994	2.60	2.20	64	2.39	0.22		
						1995	1.60	2.50	32	2.07	0.15		
						1996	2.20	2.50	34	2.35	0.21		
						1997	2.00	2.40	35	2.20	0.18		
						1998	2.00	2.40	32	2.20	0.17		
						1999	2.00	2.40	33	2.20	0.17		
						2000	1.80	2.40	33	2.11	0.19		
						2001	1.70	2.40	33	2.06	0.22	SEALCOAT	2001
						2002	2.00	2.40	33	2.20	0.10		
3	U.S.-95	001540	113.800	121.198	N	1993	2.40	2.40	64	2.40		SEALCOAT	1993
						*1994	2.60	2.20	64	2.39	0.22		
						1995	3.50	5.00	38	4.28	0.00	PLANT MIX OVERLAY	1995
						1996	4.10	4.70	32	4.41	0.04		
						1997	3.80	4.70	33	4.27	0.05		
						1998	3.70	4.70	33	4.22	0.04		
						1999	3.60	4.70	33	4.17	0.07		
						2000	3.50	4.70	33	4.13	0.09		
						2001	3.50	4.20	33	3.86	0.08	SEALCOAT	2001
						2002	3.20	4.00	33	3.62	0.11		
3	U.S.-95	001540	121.198	123.380	N	1993	2.10	3.00	63	2.57		SEALCOAT	1993
						1994	2.10	3.00	63	2.57	0.27		
						1995	3.50	5.00	32	4.28	0.00	PLANT MIX OVERLAY	1995
						1996	3.90	5.00	36	4.47	0.05		
						1997	3.70	5.00	38	4.38	0.04		
						1998	3.60	5.00	36	4.33	0.05		
						1999	3.50	5.00	39	4.29	0.07		
						2000	3.40	5.00	39	4.24	0.12		
						2001	3.40	5.00	39	4.24	0.09	SEALCOAT	2001
						2002	3.30	5.00	39	4.19	0.10		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
3	U.S.-95	001540	123.380	126.849	N	1993	2.60	2.50	61	2.54		SEALCOAT	1993
						1994	2.60	2.50	61	2.54	0.17		
						1995	2.60	2.50	44	2.54	0.17		
						1996	3.10	2.50	42	2.78	0.17		
						1997	2.90	2.50	44	2.69	0.18		
						1998	2.80	2.30	40	2.53	0.20		
						1999	2.70	2.30	43	2.48	0.22	C.R.A.B.S.	1999
						2000	3.50	5.00	43	4.28	0.07		
						2001	3.60	5.00	43	4.33	0.07	SEALCOAT	2001
						2002	3.30	5.00	43	4.19	0.07		
3	U.S.-95	001540	126.849	128.885	N	1993	2.40	3.50	62	2.97		SEALCOAT	1993
						1994	2.40	3.50	62	2.97	0.12		
						1995	2.40	3.40	45	2.92	0.12		
						1996	2.80	3.40	42	3.11	0.16		
						1997	2.60	3.40	45	3.01	0.14		
						1998	2.50	3.00	45	2.76	0.17		
						1999	2.30	3.00	41	2.66	0.14	C.R.A.B.S.	1999
						2000	3.60	5.00	41	4.33	0.06		
						2001	3.60	5.00	41	4.33	0.06		
						2002	3.30	5.00	41	4.19	0.05		
3	U.S.-95	001540	128.885	130.100	N	1993	2.10	2.50	61	2.30		SEALCOAT	1993
						1994	2.20	2.50	61	2.35	0.19		
						1995	2.20	2.50	44	2.35	0.19		
						1996	2.30	2.50	33	2.40	0.20		
						1997	2.10	2.30	37	2.20	0.21		
						1998	1.90	2.10	29	2.00	0.28		
						1999	2.00	2.10	27	2.05	0.22	C.R.A.B.S.	1999
						2000	3.60	5.00	27	4.33	0.07		
						2001	3.40	5.00	27	4.24	0.08		
						2002	3.30	5.00	27	4.19	0.09		
3	U.S.-95	001540	130.100	130.930	N	1993	2.40	2.50	61	2.45		SEALCOAT	1993
						1994	2.30	2.40	61	2.35	0.28		
						1995	2.30	2.40	46	2.35	0.28		
						1996	1.90	2.40	46	2.16	0.37		
						1997	1.80	2.20	34	2.00	0.36		
						1998	1.60	2.20	34	1.91	0.38		
						1999	1.90	2.20	41	2.05	0.27	C.R.A.B.S.	1999
						2000	3.50	5.00	41	4.28	0.06		
						2001	3.50	5.00	41	4.28	0.06		
						2002	3.20	5.00	41	4.14	0.06		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
3	U.S.-95	001540	131.820	135.381	N	1993	2.40	2.50	59	2.45		SEALCOAT	1993
						1994	2.50	2.50	59	2.50	0.14		
						1995	2.50	2.50	44	2.50	0.14		
						1996	3.00	2.50	38	2.73	0.15		
						1997	2.90	2.40	39	2.63	0.15		
						1998	2.80	2.30	38	2.53	0.15		
						1999	2.70	2.30	35	2.49	0.19		
						2000	2.70	2.20	35	2.43	0.24		
						2001	2.70	2.20	35	2.43	0.23		
						2002	3.50	5.00	35	4.28	0.10	C.R.A.B.S.	2002
3	U.S.-95	001540	135.381	136.080	N	1993	2.60	3.00	59	2.82		SEALCOAT	1993
						1994	2.50	3.00	59	2.77	0.29		
						1995	2.50	3.00	42	2.77	0.29		
						1996	3.00	3.00	37	3.00	0.30		
						1997	3.00	3.00	37	3.00	0.30		
						1998	3.20	3.00	43	3.08	0.26		
						1999	3.20	3.00	43	3.08	0.27	C.R.A.B.S.	1999
						2000	3.00	3.00	43	3.00	0.33		
						2001	3.00	3.00	43	3.00	0.31		
						2002	2.70	3.00	35	2.86	0.31		
3	U.S.-95	001540	136.080	136.413	N	1993	2.10	3.50	52	2.87		SEALCOAT	1993
						1994	2.30	3.50	52	2.96	0.39		
						1995	2.30	3.40	52	2.90	0.39		
						1996	2.90	3.40	22	3.17	0.40		
						1997	2.70	3.40	27	3.08	0.39		
						1998	2.00	3.40	21	2.77	0.47		
						1999	2.60	5.00	21	3.92	0.35	C.R.A.B.S.	1999
						2000	2.60	5.00	21	3.92	0.19		
						2001	2.60	5.00	21	3.92	0.19		
						2002	2.50	4.50	35	3.60	0.29		
3	U.S.-95	001540	136.413	140.500	N	1993	2.70	3.00	53	2.85		SEALCOAT	1993
						1994	2.80	3.00	53	2.90	0.23		
						1995	2.80	3.00	23	2.90	0.23		
						1996	3.20	3.00	20	3.09	0.25		
						1997	3.00	3.00	24	3.00	0.25		
						1998	2.80	3.00	23	2.90	0.30		
						1999	2.80	5.00	29	3.95	0.40	C.R.A.B.S.	1999
						2000	3.60	5.00	29	4.33	0.08		
						2001	3.60	5.00	29	4.33	0.07		
						2002	3.50	5.00	29	4.29	0.08		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
3	U.S.-95	001540	140.500	145.800	N	1993	2.30	3.00	51	2.66		SEALCOAT	1993
						1994	2.40	3.00	51	2.71	0.36		
						1995	2.40	3.00	24	2.71	0.36		
						1996	2.90	3.00	30	2.95	0.24		
						1997	2.80	3.00	32	2.90	0.22		
						*1998	2.60	3.00	27	2.81	0.25		
						1999	2.50	5.00	31	3.81	0.25	C.R.A.B.S.	1999
						2000	3.70	4.80	31	4.27	0.05		
						2001	3.60	4.80	31	4.23	0.05		
						2002	3.50	4.80	31	4.18	0.07	SEALCOAT	2002
3	U.S.-95	001540	145.800	154.100	N	1993	3.10	2.00	54	2.52		SEALCOAT	1993
						1994	3.20	2.00	54	2.57	0.06		
						1995	3.20	2.00	27	2.57	0.06		
						*1996	3.00	2.00	26	2.47	0.12		
						1997	3.10	2.30	30	2.67	0.09		
						*1998	3.00	5.00	33	4.05	0.11		
						1999	3.60	5.00	37	4.33	0.07	C.R.A.B.S.	1999
						2000	3.60	4.80	37	4.23	0.10		
						2001	3.60	4.80	37	4.23	0.11		
						2002	3.50	4.80	37	4.18	0.11	SEALCOAT	2002
3	U.S.-95	001540	154.100	160.910	N	1993	3.10	2.00	54	2.52		SEALCOAT	1993
						1994	3.20	2.00	54	2.57	0.06		
						1995	3.20	2.00	27	2.57	0.06		
						*1996	3.00	2.00	26	2.47	0.12		
						1997	2.20	5.00	29	3.74	0.29	C.R.A.B.S.	1997
						1998	3.90	5.00	33	4.50	0.14		
						1999	3.90	5.00	35	4.50	0.18		
						2000	4.00	5.00	35	4.55	0.20		
						2001	4.00	5.00	35	4.55	0.22		
						2002	3.70	5.00	35	4.41	0.15		
3	U.S.-95	001540	160.910	166.200	N	1993	0.90	5.00	44	3.04		PLANT MIX OVERLAY	1993
						1994	3.30	5.00	44	4.19	0.18		
						1995	3.30	5.00	30	4.18	0.18		
						*1996	3.90	5.00	25	4.47	0.13		
						1997	3.50	5.00	33	4.28	0.17		
						1998	3.50	5.00	35	4.28	0.23		
						1999	3.50	5.00	45	4.28	0.25	SEALCOAT	1999
						2000	3.50	4.80	45	4.18	0.32		
						2001	3.40	4.80	45	4.13	0.32		
						2002	3.30	4.80	45	4.08	0.21		2002

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS		
3	U.S.-95	001540	166.200	170.726	N	1993	2.60	5.00	48	3.85			PLANT MIX OVERLAY	1993	
						1994	3.30	5.00	48	4.19	0.20				
						1995	3.30	5.00	44	4.18	0.20				
						1996	4.10	4.70	38	4.41	0.12				
						1997	3.90	4.70	43	4.31	0.13				
						1998	3.80	4.70	53	4.27	0.18				
						1999	3.70	4.70	49	4.22	0.19	SEALCOAT			1999
						2000	3.80	4.70	49	4.27	0.25				
						2001	3.70	4.50	49	4.11	0.26				
						2002	3.30	4.50	49	3.92	0.21				2002
3	U.S.-95	001540	170.726	171.926	N	1993	2.60	3.00	52	2.80			PLANT MIX OVERLAY	1993	
						1994	3.10	3.00	52	3.04	0.30				
						1995	3.10	3.00	33	3.04	0.30				
						1996	4.00	4.50	31	4.26	0.12				
						1997	3.80	4.50	37	4.16	0.13				
						1998	3.60	4.50	53	4.07	0.19				
						1999	3.70	4.50	52	4.11	0.14	SEALCOAT			1999
						2000	3.80	4.50	52	4.16	0.21				
						2001	3.70	4.50	52	4.11	0.18				
						2002	3.20	4.50	52	3.88	0.14				2002
3	U.S.-95	001540	171.926	174.120	N	1993	2.60	2.70	33	2.65			SEALCOAT	1999	
						1994	2.50	2.70	33	2.60	0.42				
						1995	2.50	2.70	37	2.60	0.42				
						1996	2.90	3.00	37	2.95	0.17				
						1997	2.70	3.00	44	2.85	0.16				
						1998	2.60	3.00	55	2.80	0.15				
						1999	3.40	3.00	49	3.19	0.09				
						2000	3.40	3.00	49	3.19	0.10				
						2001	3.10	3.00	49	3.04	0.10				
						2002	3.20	3.00	49	3.09	0.11				2002
3	U.S.-95	001540	174.120	176.577	N	1993	2.90	4.50	59	3.73			SEALCOAT	1999	
						1994	2.90	4.50	59	3.73	0.25				
						1995	2.90	4.50	40	3.73	0.25				
						1996	3.40	4.50	40	3.97	0.19				
						1997	3.30	4.50	43	3.93	0.21				
						1998	3.20	4.50	51	3.88	0.20				
						1999	3.70	4.50	53	4.11	0.12				
						2000	3.70	4.50	53	4.11	0.16				
						2001	3.60	4.50	53	4.07	0.14				
						2002	3.60	4.50	53	4.07	0.12				

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
3	U.S.-95	001540	176.577	178.344	N	1993	2.50	2.50	57	2.50			
						1994	2.40	2.50	57	2.45	0.40		
						1995	2.40	2.50	34	2.45	0.40		
						1996	2.70	3.00	35	2.85	0.14		
						1997	2.60	3.00	50	2.81	0.15		
						1998	2.50	3.00	43	2.76	0.17		
						1999	2.50	3.00	49	2.76	0.17		
						2000	1.70	3.00	49	2.38	0.25		
						*2001	3.50	5.00	49	4.28	0.17	NEW CONST OR RECONST (FLEX)	2001
3	U.S.-95	001540	176.577	178.476	N	2002	3.50	5.00	49	4.28	0.14		
3	U.S.-95	001540	178.344	181.375	N	1993	2.30	2.70	55	2.50			
						1994	2.40	2.70	55	2.55	0.36		
						1995	2.40	2.70	35	2.55	0.36		
						1996	2.70	2.70	34	2.70	0.17		
						1997	2.40	2.70	34	2.55	0.17		
						1998	2.30	2.40	35	2.35	0.22		
						1999	2.40	2.40	40	2.40	0.22		
						2000	1.80	2.40	40	2.11	0.21		
						*2001	3.40	5.00	40	4.23	0.23	NEW CONST OR RECONST (FLEX)	2001
3	U.S.-95	001540	178.503	181.375	N	2002	3.80	5.00	42	4.42	0.12		
3	U.S.-95	001540	181.375	182.415	N	1993	3.10	4.50	59	3.83			
						1994	2.80	4.50	59	3.69	0.30		
						1995	2.80	4.50	45	3.69	0.30		
						1996	3.80	4.50	42	4.16	0.12		
						1997	3.60	4.50	42	4.07	0.16		
						1998	3.50	4.50	49	4.02	0.14		
						1999	3.50	4.50	51	4.02	0.17		
						2000	3.60	4.50	51	4.07	0.15		
						2001	3.60	5.00	51	4.33	0.22	PLANT MIX OVERLAY	2001
						2002	3.90	5.00	51	4.47	0.07		
3	U.S.-95	001541	033.345	034.230	N	1998	3.50	5.00	42	4.25	0.05	NEW CONST OR RECONST (FLEX)	1998
						1999	3.70	5.00	43	4.38	0.07		
						2000	3.70	5.00	43	4.41	0.09		
						2001	3.70	5.00	43	4.41	0.07		
						2002	3.40	5.00	43	4.27	0.06		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
3	U.S.-95	001541	081.752	082.980	N	2000	3.80		30	3.80	0.04							
						*2001	3.90	5.00	30	4.50	0.04							
						3	U.S.-95	001541	081.752	083.002	N	2002	3.60	5.00	30	4.37	0.06	
												1993	2.40	5.00	48	3.98		
												1994	2.60	5.00	48	4.06	0.06	
												1995	2.60	4.80	48	3.94	0.06	
												1996	3.50	4.80	36	4.29	0.08	
												1997	3.20	4.80	28	4.17	0.13	
												1998	3.00	4.80	28	4.09	0.09	
												1999	3.00	4.80	28	4.09	0.10	
2000	3.10	4.80	28	4.13	0.12													
3	U.S.-95	001543	082.215	082.337	N							2001	3.10	4.80	51	4.13	0.17	
						2002	3.20	4.80	51	4.17	0.12							
						3	U.S.-95	001550	000.000	000.245	ASC	1993	1.20	3.00	36	2.24		
												1994	1.20	3.00	36	2.24	0.01	
												1995	1.20	3.00	36	2.24	0.01	
												1996	2.90	3.00	35	2.95	0.09	
												1997	2.80	3.00	42	2.91	0.09	
												*1998	0.60	3.00	42	1.92	0.13	
												1999	0.60	3.00	40	1.92	0.14	
												2000	0.60	3.00	40	1.99	0.14	
2001	0.60	3.00	51	1.99	0.14													
2002	0.60	2.40	51	1.64	0.14													
3	U.S.-95	001550	000.000	000.245	DES	1993	1.20	2.50	43	1.96								
						1994	1.10	2.50	43	1.91	0.07							
						1995	1.10	2.50	43	1.91	0.07							
						1996	1.80	2.50	44	2.20	0.11							
						1997	1.50	2.20	42	1.88	0.09							
						1998	1.10	2.20	42	1.70	0.13							
						1999	1.20	2.10	42	1.72	0.13							
						2000	1.50	2.00	42	1.79	0.09							
						2001	1.30	2.00	51	1.70	0.11							
						2002	1.60	2.00	51	1.83	0.10							

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	U.S.-95	001550	000.245	000.747	N	1993	2.10	3.50	43	2.91		
						1994	2.20	2.70	43	2.49	0.09	
						1995	2.20	2.70	43	2.49	0.09	
						1996	2.70	2.40	44	2.52	0.09	
						1997	2.40	2.40	40	2.40	0.10	
						1998	2.40	2.40	40	2.40	0.11	
						1999	2.30	2.40	40	2.35	0.09	
						2000	2.20	2.40	40	2.31	0.10	
						2001	2.20	2.40	51	2.31	0.13	
						2002	2.20	2.30	51	2.25	0.11	
3	U.S.-95	001551	000.245	000.830	N	1993	2.10	3.30	33	2.79		
						1994	2.30	3.30	33	2.88	0.06	
						1995	2.30	3.30	33	2.88	0.06	
						1996	2.90	3.30	33	3.13	0.13	
						1997	2.70	3.30	36	3.03	0.10	
						1998	2.50	3.00	36	2.77	0.15	
						1999	2.50	3.00	36	2.79	0.14	
						2000	2.30	2.90	36	2.64	0.14	
						2001	2.30	2.90	51	2.64	0.19	
						2002	2.30	2.20	51	2.24	0.18	
3	U.S.-95	007300	000.000	000.253	N	1993	1.90		41	1.90		
						1994	2.00	3.00	41	2.61	0.09	
						1995	2.00	3.00	41	2.61	0.09	
						1996	3.20	3.00	41	3.07	0.04	
						1997	3.00	3.00	32	3.00	0.06	
						1998	2.80	3.00	32	2.92	0.06	
						1999	2.80	3.00	32	2.92	0.04	
						2000	3.00	3.00	32	3.00	0.06	
						2001	2.90	3.00	51	2.96	0.06	
						2002	3.10	2.90	51	2.97	0.06	
3	U.S.-95	008641	087.523	091.176	N	1993	3.10	5.00	55	4.09		
						1994	3.10	5.00	55	4.09	0.11	
						1995	3.10	4.80	33	3.98	0.11	
						1996	3.80	4.80	33	4.32	0.16	
						1997	3.70	4.80	35	4.27	0.14	
						1998	3.60	4.80	39	4.22	0.19	
						1999	3.50	4.80	39	4.17	0.19	
						2000	3.50	4.60	39	4.07	0.20	
						2001	3.60	4.60	39	4.12	0.21	
						2002	3.50	4.60	30	4.07	0.18	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	U.S.-95	016040	048.630	049.120	N	1994	3.30	3.00	63	3.14	0.06	
						1995	3.30	3.00	63	3.14	0.06	
						1996	4.30	3.00	40	3.62	0.07	
						1997	4.10	4.00	37	4.04	0.06	
						1998	4.00	4.00	37	4.00	0.11	
						1999	3.90	4.00	31	3.95	0.12	
						2000	3.90	4.00	31	3.95	0.13	
						2001	3.90	4.00	31	3.95	0.14	
						2002	3.70	4.00	31	3.85	0.18	
3	I-184	002410	000.000	001.092	ASC	1993	3.50	4.00	46	3.73		
						1994	3.40	4.00	46	3.68	0.19	
						1995	3.40	4.00	46	3.68	0.19	
						1996	3.30	4.00	24	3.63	0.05	
						1997	3.40	4.00	24	3.68	0.09	
						1998	3.10	4.00	24	3.52	0.07	
						1999	3.00	4.00	24	3.46	0.07	
						2000	2.30	4.00	24	3.10	0.11	
						2001	3.30	4.00	51	3.62	0.06	
						2002	2.80	4.00	51	3.35	0.11	
3	I-184	002410	000.000	001.092	DES	1993	3.20	4.00	40	3.58		
						1994	3.20	4.00	40	3.58	0.10	
						1995	3.20	4.00	40	3.57	0.10	
						1996	3.40	4.00	22	3.68	0.05	
						1997	2.50	4.00	23	3.20	0.08	
						1998	3.20	4.00	23	3.57	0.05	
						1999	3.10	4.00	23	3.52	0.10	
						2000	2.80	4.00	23	3.36	0.07	
						2001	3.20	4.00	51	3.57	0.07	
						2002	3.20	4.00	51	3.57	0.05	
3	I-184	002410	001.092	002.721	ASC	1993	3.40	4.00	42	3.68		
						1994	3.30	4.00	42	3.63	0.29	
						1995	3.30	4.00	42	3.63	0.29	
						1996	3.40	4.00	24	3.68	0.12	
						1997	3.20	4.00	26	3.57	0.11	
						1998	3.30	4.00	26	3.62	0.14	
						1999	2.30	4.00	26	3.09	0.12	
						2000	3.40	4.00	26	3.68	0.05	
						2001	3.30	4.00	51	3.62	0.06	
						2002	3.10	4.00	51	3.52	0.05	
3	I-184	002410	001.092	002.721	DES	1993	3.60	4.00	38	3.79		
						1994	3.50	4.00	38	3.73	0.14	
						1995	3.50	4.00	38	3.73	0.14	
						1996	3.80	4.00	21	3.89	0.09	
						1997	3.60	4.00	23	3.78	0.07	
						1998	3.50	4.00	23	3.73	0.09	
						1999	2.50	4.00	23	3.20	0.08	
						2000	2.80	4.00	23	3.36	0.14	

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
3	I-184	002410	002.721	003.620	ASC	2001	2.70	4.00	51	3.31	0.13	
						2002	3.10	4.00	51	3.52	0.09	
						1993	3.70	4.50	39	4.08		
						1994	3.50	4.50	39	3.97	0.15	
						1995	3.50	4.50	39	3.97	0.15	
						1996	3.80	4.50	19	4.13	0.06	
						1997	3.50	4.50	24	3.97	0.05	
						1998	3.50	4.50	24	3.97	0.07	
						1999	3.40	4.50	24	3.92	0.08	
						2000	3.20	4.50	24	3.81	0.05	
						2001	3.40	4.50	51	3.91	0.05	
						2002	3.40	4.50	51	3.91	0.06	
3	I-184	002410	002.721	003.620	DES	1993	3.10	4.50	45	3.77		
						1994	3.00	4.50	45	3.71	0.16	
						1995	3.00	4.50	45	3.71	0.16	
						1996	3.40	4.50	18	3.92	0.09	
						1997	3.50	4.50	23	3.97	0.05	
						1998	3.20	4.50	23	3.81	0.06	
						1999	3.20	4.50	23	3.81	0.07	
						2000	2.60	4.50	23	3.50	0.11	
						2001	2.50	4.50	51	3.44	0.09	
						2002	3.00	4.50	51	3.70	0.09	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH	REMARKS
---	-------	--------------	-----------------------	--------------------	-----	------	----	----	----	--------------------------	---------